

UNOCAL CORP -- UNOBA EP GREASE 2, 05455

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-426-8090
MSDS Date: 11/21/1993
MSDS Num: BXJTV
Product ID: UNOBA EP GREASE 2, 05455
MFN: 02
Responsible Party
Cage: IO826
Name: UNOCAL CORP
Address: 1201 W 5TH ST
City: LOS ANGELES CA 90017
Info Phone
Number: 213-977-7589
Emergency Phone Number: 800-424-9300 (CHEMTREC)
Proprietary Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 79003
Name: UNION OIL CO OF CA UNION 76 DIV- WESTERN RGION
Address: 1201 W 5TH ST
Box: 7600
City: LOS ANGELES CA 90017-1443
Phone: UNKNOWN
Cage: IO826
Name: UNOCAL CORP
Address: 1201 W 5TH ST
Box: 7600
City: LOS ANGELES CA 90051
Phone: 213-977-7589

=====
Item Description Information
=====

Item Name: GREASE,GENERAL PURPOSE

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: N

ONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYES:IRRIT. CNTCT MAY CAUSE STING, WATER, REDNESS & SWELL. SKIN:CNTCT MAY CAUSE MILD IRRIT INCL REDNESS, BURNING & DRYING & CRACKING OF SKIN. NO INFO AVAIL ON SKIN ABSORPTION. INHAL:NO DATA AVAIL, HOW EVER, INHAL IS NOT EXPECTED ROUTE OF EXPOS. INGEST:NO HARMFUL EFTS EXPECTED. EFTS OF OVEREXP MAY INCL (EFTS OF OVEREX

P)

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptions Of Overexposure: HLTH HAZ:IRRIT OF NOSE & THROAT & IRRIT OF DIGESTIVE TRACT. PROBABLE CANCER HAZ BASED ON TEST W/LAB ANIMALS; APPLICATN OF UNTREATED VACUUM DISTILS TO MOUSE SKIN, TWICE/WK (DURATION UNSPECIFIED), RSLT IN INCR INCIDENCE OF SKIN TUMORS. IDENTIFIED AS CARCIN BY IARC. OTHER: HIGH-PRESS GREASE-GUN INJURY MAY CAUSE (SUPDAT)

Medical Cond Aggravated By Exposure: CONDITIONS AGGRAVATED BY EXPOSURE MAY IN

CLUDE SKIN DISORDERS.

First Aid: EYES: MOVE AWAY FROM EXPOS & INTO FRESH AIR. IF IRRIT/REDNESS DEVELOPS, FLUSH W/CLEAN WATER FOR AT LEAST 15 MIN & SEEK MED ATTN. FOR DIRECT CNTCT, HOLD LIDS APART & FLUSH W/CLEAN WATER FOR AT LEAST 15 MIN. SEEK MED ATTN. SKIN: WIPE MATL FROM SKIN & REMOVE CONTAMD SHOES & CLTHG. CLEANSE AREA(S) THORO BY WASHING W/MILD SOAP & WATER & IF NEC, WATERLESS SKIN CLEANSER. IF IRRIT/REDNESS

=====
=====

Handling and Disposal

=====

Spill Release Procedures: MAY IGNITE. KEEP ALL SOURCES OF IGNIT AWAY FROM SPILL/RELS. STAY UPWIND & AWAY FROM SPILL/RELS. ISOLATE DANGER AREA & KEEP UNAUTH PERS OUT. STOP SPILL/RELS IF IT CAN BE DONE W/MIN RISK. WEAR APPROP PR OT EQUIP INCL NIOSH/MSHA APPRVD RESP PROT

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: MATL IS NOT EPA "LISTED" HAZ WASTE BUT HAS NOT BE EN

EVALUATED USING TOX CHARACT LEACHING PROC. EPA HAZ CLASSIFICATION HAS NOT BEEN DETERM. EMPTY CNTNRS MUST BE HANDLED W/CARE DUE TO MATL RESIDUE. EMPT Y DRUMS SHOULD BE COMPLETELY DRAINED,

Handling And Storage Precautions: KEEP CNTNR(S) TIGHTLY CLSD. USE & STORE IN COOL, DRY, WELL-VENT AREA AWAY FROM HEAT & ALL SOURCES OF IGNIT. STORE ONLY IN APPRVD CNTNRS. KEEP

Other Precautions: DO NOT ENTER CONFINED SPACES SUCH AS TANKS/PITS W/OUT FOLLOWING PROPER ENTRY PROC SUCH AS AST

M 3-4276 & 29CFR 1910.146. USE OF
NIOSH/MSHA APPRVD RESP PROT ADVISED WHEN CONCS EXCEED ESTAB EXPOS LIMS. "
EMPTY" CNTNRS RETAIN RESIDUE

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: COC

Flash Point Text: >420F,>216C

Extinguishing Media: DRY CHEMICAL, FOAM, WATER, SAND OR EARTH IS RECOMMENDED.

Fire Fighting Procedures: USE NIOSH/MSHA APPRVD SCBA & FULL P
ROT EQUIP (FP

N). ISOLATE DMG AREA, KEEP UNAUTH PERS OUT. STOP SPILL/RELS IF IT CAN BE DONE
W/MINIMAL RISK. MOVE (SUPDAT)

Unusual Fire/Explosion Hazard: THIS MATERIAL MAY BURN, BUT WILL NOT IGNITE
READILY.

=====
Control Measures
=====

Respiratory Protection: RESP PROT IS NOT USUALLY REQD. USE OF RESP PROT IS
ADVISED WHEN CONCS ARE EXPECTED TO EXCEED ESTABLISHED EXPOS LIMS. DEPENDING
ON

AIRBORNE CONC, USE NIOSH/MSHA APPRVD RESP OR GAS MASK W/APPROP CARTRID GES
& CANNISTERS OR SUPPLIED-AIR EQUIP.

Ventilation: IF CURRENT VENT PRAC ARE NOT ADEQ TO MAINTAIN AIRBORNE CONCS BELOW
ESTAB EXPOS LIMS, ADDNL VENT/EXHST SYS MAY BE REQD.

Protective Gloves: IMPERMEABLE GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N)

Other Protective Equipment: SOURCE OF CLEAN WATER IN WORK AREA FOR FLUSHING
EYES & SKIN. IMPERVIOUS CLOTHING SHOULD BE WORN AS NEEDED.

Work Hygienic Pra

ctices: WASH THOROUGHLY AFTER HANDLING. DO NOT WEAR

CONTAMINATED CLOTHING OR SHOES. USE GOOD PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health: USERS OF "L" VERSION OF SHOULD CONSULT "LR"
VERSION FOR ADDNL INFO(FPN). FIRE FIGHT PROC: UNDMG CNTNRS FROM DANGER AREA
IF IT CAN BE DONE W/MIN RISK. WATER SPRAY MAY BE USEFUL IN MIN/DISPERSING V
APS. COOL EQUIP EXPOS TO FIRE W/WATER IF IT CAN BE DONE W/MIN RISK. EFTS OF
OVEREXP: SERIOUS DELAYED SOFT TISS INJURY.

=====
Physical/Chemical Properties
=====

B.P. Text: >600F,>316C

Vapor Density: >1

Spec Gravity: 0.86

Solubility in Water: NEGLIGIBLE

Appearance and Odor: GREEN, BUTTERY SEMI-SOLID; CHARACTERISTIC PETROLEUM ODOR.

Percent Volatiles by Volume: NEGLIG

=====
Reactivity Data
=====

Stability Indicator: YES

Stability

Condition To Avoid: EXTENDED EXPOSURE TO HIGH TEMPERATUES CAN CAUSE DECOMPOSITION.

Materials To Avoid: AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: COMBUSTION CAN YIELD MAJOR AMOUNTS OF OXIDES OF CARBON AND MINOR AMOUNTS OF OXIDES OF SULFUR AND NITROGEN.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Inform
ation
=====

=====
HAZCOM Label
=====

Product ID: UNOBA EP GREASE 2, 05455

Cage: IO826

Assigned IND: Y

Company Name: UNOCAL CORP

Street: 1201 W 5TH ST

PO Box: 7600

City: LOS ANGELES CA

Zipcode: 90051

Health Emergency Phone: 800-424-9300 (CHEMTREC)

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Originat

ion Code: G

Hazard And Precautions: EYES:IRRIT. CNTCT MAY CAUSE STING, WATER, REDNESS & SWELL. SKIN:CNTCT MAY CAUSE MILD IRRIT INCL REDNESS, BURNING & DRYING & CRACKING OF SKIN. NO INFO AVAIL ON SKIN ABSORPTION. INHAL:NO DATA AVAIL, HOW EVER, INHAL IS NOT EXPECTED ROUTE OF EXPOS. INGEST:NO HARMFUL EFTS EXPECTED. EFTS OF OVEREXP MAY INCL (EFTS OF OVEREXP) HLTH HAZ:IRRIT OF NOSE & THROAT & IRRIT OF DIGESTIVE TRACT. PROBABLE CANCER HAZ BASED ON TEST W/LAB ANIMALS; A

PPPLICATN OF UNTREATED VACUUM DISTILS TO MOUSE SKIN, TWICE/WK (DURATION UNSPECIFIED), RSLT IN INCR INCIDENCE OF SKIN TUMORS. IDENTIFIED AS CARCIN BY IARC. OTHER: HIGH-PRES S GREASE-GUN INJURY MAY CAUSE (SUPDAT)

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or imple

d warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.