View NSN Online: https://aerobasegroup.com/nsn/9150-01-313-4779

Product ID:00940 REGAL AFB 2 MSDS Date:06/01/1995 FSC:9150 NIIN:01-313-4779 MSDS Number: BXQHK === Responsible Party === **Company Name: TEXACO INC** Address:1111 RUSK Box:52332 **City:HOUSTON** State:TX ZIP:77052 Country:US Info Phone Num:713-650-4000 Emergency Phone Num:713-650-4000 CAGE:3B431 === Contractor Identific ation === Company Name: TEXACO PIPELINE INC (SUB OF TEXACO INC) Address:9700 RICHMOND AVE Box:42286 **City:HOUSTON** State:TX ZIP:77242-2286 Country:US Phone:713-953-4260 CAGE:3B431 Ingred Name: MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED (MILD), HEAVY PARAFFINIC CAS:64742-65-0 RTECS #:PY8038500 Fraction by Wt: 65-80%

Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL OIL CAS:72623-83-7 Fraction by Wt: 11-20% Other R EC Limits:NONE RECOMMENDED

Ingred Name:LITHIUM 12 HYDROXYSTEARATE CAS:7620-77-1 Fraction by Wt: 4-11% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5 G/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: EYE-BELIEVED TO BE MINIMALLY IRRITATING. SKIN-BELIEVED TO BE MINIMALLY IRRITATING. RESPIRATORY

SYSTEM-BELIEVED TO BE MINIMALLY IRRITATING. CHRONIC: N.D. Explanation of Carcinogenicity:NOT CARCINOGENIC. Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES-AS WITH MOST FOREIGN MATERIALS, SHOULD EYE CONTACT OCCUR, FLUSH EYES WITH PLENTY OF WATER. SKIN-NONE CONSIDERED NECESSARY. INGESTION-NONE CONSIDERED NECESSARY. INHALATION-N ONE

CONSIDERED NECESSAR Y.

Flash Point:N.D. GREASE Autoignition Temp:Autoignition Temp Text:N.D. Lower Limits:N.D. Upper Limits:N.D. Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE. WATER OR FOAM MAY CAUSE FROTHING. Fire Fighting Procedures:USE WATER TO COOL FIRE EXPOSED CONTAINERS. IF A LEAK OR SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE THE VAPOR & PROVIDE PROTECTION FOR FIRF IGHTERS.

Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP.

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURE SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED. AVOID WATER CONTAMINATION. Other Precaution ======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE REQUIRED TO MEET COMPONENT PERMISSIBLE CONCENTRATIONS.
Ventilation:ADEQUATE TO MEET COMPONENT PERMISSIBLE CONCENTRATIONS.
Protective Gloves:CLEAN EXPOSED SKIN REGULARLY.
Eye Protection:CHEMICAL TYPE GOGGLES/FACE SHIELD.
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:EXPOSED EMPLOYEES SHOULD EXERCISE REASONABLE PERSONAL CLEANLINESS; LAUNDERING/DRY CL
EANING SOILED WORK CLOTHING WEEKLY.
Supplemental Safety and Health NONE

HCC:V6 Boiling Pt:B.P. Text:N.D. Vapor Pres:NEGLIGIBLE Vapor Density:N.D. Spec Gravity:N.D. pH:N.A. Evaporation Rate & amp; Reference:N.D. Solubility in Water:NEGLIGIBLE Appearance and Odor:MOBILE LIQUID. Percent Volatiles by Volume:N.D.

Stability Indicator/Materials to Avoid:YES NON E SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES & KETONES, COMBUSTION PRODUCTS OF LITHIUM, NITROGEN AND SULFUR.

Waste Disposal Methods:UNDER RCRA, IT IS THE RESPONSIBILITY OF THE USER OF PRODUCT TO DETERMINE, AT THE TIME OS DISPOSAL, WHETHER PRODUCT MEET RCRA CRITERIA FOR HAZARDOUS WASTE. THIS I S BECAUSE PRODUCT

USES, MIXTURES, PROCE SSES MAY RESULT IN A HAZARDOUS MATERIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assu

me responsibility for the suitability of this information to their particular situation.