View NSN Online: https://aerobasegroup.gr/nsn/9150-00-664-0111

Product ID:DAMPING FLUID, SILICONE BASE, VV-D-1078 VISCOSITY GRADE 10 CS

MSDS Date:09/10/1993

FSC:9150

NIIN:00-664-0111

MSDS Number: BXSBY === Responsible Party ===

Company Name: DYNATECH SCIENTIFIC INC

Address:3111 CONTI STREET

City:NEW ORLEANS

State:LA ZIP:70 119

Country:US

Info Phone Num:504-522-2035

Emergency Phone Num:504-522-2035

CAGE:0VL27

=== Contractor Identification ===

Company Name: DYNATECH SCIENTIFIC INC

Address:1401 27TH ST

Box:640164 City:KENNER State:LA ZIP:70064

Phone:504-465-9604

CAGE:0VL27

Country:US

======= Composition/Information on Ingredients ========

Ingred Name: POLY (DIMETHYLSILOXANE)

CAS:63148-62-9 RTECS #:JJ6484500 Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

====== Hazards Identificat

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >5000 MG/KG. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES. ACUTE- EYES:MAY CAUSE IRRITATION. SKIN:NONE EXPECTED. INHALE:THIS IS A VISCOUS FLUID THAT DOES NOT READILY FORM A MIST OR VAPOR AND, THEREFORE, INHALATION HAZARDS ARE MINIMAL. ORAL :LOW ACUTE ORAL TOXICITY.

CHRONIC- UNKNOWN.

Explanation of Carcin ogenicity:NONE

Effects of Overexposure: IRRITATION

First Aid:CALL PHYSICIAN IF SYMPTOMS PERSIST. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WIPE EXCESS. WASH SKIN WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. ORAL:IF FULLY CONSCIOUS, INDU CE VOMITING IMMEDIATELY. GET MEDICAL ATTENTION IMMEDIATELY.

=========== Fire Fighting Measures ===============

Flash Point Method:TCC

ΕI

ash Point:277F,136C

Extinguishing Media:FOAM, DRY CHEMICAL/CARBON DIOXIDE. WATER MAY CAUSE FROTHING. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY.

Fire Fighting Procedures:DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

======= Accidental Release Measures ==========

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA. SPIL

LS CAN BE TAKEN UP ON SAND, CLAY, EARTH, VERMICULITE & SHOVELD INTO CONTAINERS FOR DISPOSAL. WASH SPILL SITE WITH AN APPROPRITE SOLVENT SUCH AS PAINT THI NNER AFTER PICKUP IS COMPLETE.

Neutralizing Agent: NOT RELEVANT

=========== Handling and Storage ==============

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE, AWAY FROM INCOMPATIBLE MATERIALS. KEEP OUT OF REACH OF CHILDREN. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions: AVOID CONTACT WITH EYES

AND SKIN. WASH THOROUGHLY AFTER HANDLING. LAUNDER CLOTHING BEFORE REUSE. DO NOT TAKE INTERNALLY. DO NOT EAT, DRINK OR SMOKE IN THE WORK AREA. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE NORMALLY REQUIRED. Ventilation: GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT. USE LOCAL EXHAUST AS NEEDED. Protective Gloves: NITRILES IF PROLONGED/REPEATED CONTACT Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DISCARD CONTAMINATED LEATHER GLOVES AND SHOES. Supplemental Safety and Health ======== Physical/Chemical Properties =========== HCC:V6 NRC/State Lic Num:NOT RELEVANT Melt/Freeze Pt:M.P/F.P Text:-85F,-65C Vapor Pres:0.01 @392F Spec Gravity:0.920 Viscosity:10 CST Evaporation Rate & Dry Reference :NOT RELEVANT Solubility in Water: INSOLUBLE Appearance and Odor:LIQUID ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES SILICA

STRONG OXIDIZING AGENTS, STRONG ACIDS, STRONG BASES Stability Condition to Avoid: HEAT, OPEN FLAME Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE,

======= Disposal Considerations ============

Waste Disposal Methods: DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY

IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT CONTAMINATE ENVIRONMENT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.