

WYETH-AYERST LABORATORIES -- WALPB046 PENTOBARBITAL SODIUM INJECTION --
6505-01-153-4373

=====
===== Product Identification =====

Product ID:WALPB046 PENTOBARBITAL SODIUM INJECTION

MSDS Date:11/16/1992

FSC:6505

NIIN:01-153-4373

MSDS Number: BXXPF

=== Responsible Party ===

Company Name:WYETH-AYERST LABORATORIES

Box:8299

City:PHILADELPHIA

State:PA

ZIP:19101-5000

Country:US

Info Phone Num:610-902-5171/215-

688-4400

Emergency Phone Num:610-902-5171/215-688-4400

CAGE:0HMG4

=== Contractor Identification ===

Company Name:WYETH-AYERST LABORATORIES

Box:City:PHILADELPHIA

State:PA

ZIP:19101-5000

Country:US

Phone:610-902-5171

CAGE:0HMG4

=====
===== Composition/Information on Ingredients =====

Ingred Name:PHENOBARBITAL SODIUM (IARC CANCER REVIEW ANIMAL SUFFICIENT
EVIDENCE)

CAS:57-30-7

RTECS #:CQ7000000

Fraction by Wt: 6%

Ingred Name:ETHANOL (ETHYL ALCOHOL), TECSOL, ALCOHOL, SYNASOL

CAS:6

4-17-5
RTECS #:KQ6300000
Fraction by Wt: >1%
Other REC Limits:1900 MG/CUM
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM

Ingred Name:1,2-PROPANEDIOL (PROPYLENE GLYCOL)
CAS:57-55-6
RTECS #:TY2000000
Fraction by Wt: >1%

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: >1%

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT): 118 MG/KG
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:
NO

Health Hazards Acute and Chronic:INGESTION: NARCOTIC/GI TRACT
HEMORRHAGE/CNS DEPRESSION/ANESTHESIA/POSITIVE BABINSKI
RESPONSE/PERSISTENT RESPIRATORY DEPRESSION/CHEYNE-STOKES
RESPIRATION/TACHYCARDIA/CESSATION OF BRAIN ACTIVITY/DEATH/R
ESPIRATORY ARREST/CIRCULATORY SHOCK/MICROSCOPIC NECROSIS OF SWEAT
GLANDS/PULMONARY EDEMA/CARDIAC ARRHYTHMIAS (SEE SUPP)

Explanation of Carcinogenicity:NONE

Effects of

Overexposure:NAUSEA/VOMITING/CONSTIPATION/DIARRHEA/DEHYDRATION/EPIG

ASTRIC

PAIN/DROWSINESS/ATAXIA/VERTIGO/LETHARGY/HYPNOSIS/DYSARTHRIA/STUPOR/
COMA/LARYNGOSPASM/BRONCHOSPASM/HYPOREFLEXIA/AREFLEXIA/CONSTRICTION
OF PU PILS/PARALYTIC
DILATION/APNEA/ACIDOSIS/BRADYCARDIA/SHOCK/HYPOTENSION/HYPOXIA/CYANO
SIS/HYPOTHERMIA/HYPOTONIA/PNEUMONIA.

Medical Cond Aggravated by Exposure:IMPAIRED LIVER-RENAL

FUNCTION/MANIFEST-LATENT PORPHYRIA/PULMONARY DISORDERS/CARDIAC
DISEASE/HYPERTHYROIDISM/DIABETES MELLITUS/SEVERE ANEMIA/FEVER/DRUG
ABUSE/ACUTE-C

CHRONIC PAIN/EMOTIONAL INSTABILITY.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE CPR IF NEEDED. KEEP WARM & QUIET. SKIN: WASH W/SOAP/MILD DETERGENT & WATER FOR 15-20 MINS. EYES: FLUSH W/WATER/NORMAL SALINE FOR 15-20 MINS. INGESTION: IF VOMITING OCCURS, KEEP HEAD LOWER THAN HIPS TO PREVENT ASPIRATION. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Extinguishing Media:DRY CHEMICAL, CO2, WATER SPRAY, ALCOHOL-RESISTANT FOAM. LARGE: WATER SPRAY, FOG, ALCOHOL-RESISTANT FOAM.

Fire Fighting Procedures:SAFELY REMOVE CONTAINER. COOL CONTAINERS W/WATER FROM SIDES. EXTINGUISH ONLY IF FLOW CAN BE STOPPED. USE WATER IN FLOODING AMOUNTS AS FOG. KEEP UPWIND. (SUPP)

Unusual Fire/Explosion Hazard:VAPORS ARE >AIR, MAY TRAVEL TO DISTANT IGNITION SOURCE & FLASH BACK. VAPOR-AIR MIXTURES ARE EXPLOSIVE. DANGEROUS FIRE HAZARD WHEN EXPOSED TO HEAT/FLAME.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES. SAFELY STOP LEAK. USE WATER SPRAY TO REDUCE VAPORS. SMALL: TAKE UP W/SAND/OTHER ABSORBENT MATERIAL & PLACE INTO CONTAINERS FOR LATER DISPOSAL. LARGE: DIKE FOR LATER DISPOSAL. EVACUATE & ISOLATE AREA.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE SUBSTANCES & IGNITION SOURCES. STORED CONTAINERS SHOULD MEET

BONDING & GROUNDING GUIDELINES SPECIFIED IN NFPA 77-1983.

Other Precautions:VAPORS MAY BE EXPLOSIVE & POISONOUS. DON'T ALLOW UNNECESSARY PERSONNEL IN AREA. DON'T OVERHEAT CONTAINERS BECAUSE THEY MAY VIOLENTLY RUPTURE & TRAVEL A CONSIDERABLE DISTANCE IN HEAT OF FIRE. AVOID REPEATED/PROLONGED CONTACT W/SUBSTANCE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR A NIOSH/MSHA APPROVED RESPIRATOR

ATOR BASED ON

CONTAMINATION LEVELS FOUND IN WORK PLACE, BASED ON SPECIFIC OPERATION & MUST NOT EXCEED WORKING LIMITS OF RESPIRATOR.

Ventilation:LOCAL EXHAUST &/GENERAL DILUTION TO MEET PUBLISHED EXPOSURE LIMITS.

Protective Gloves:RECOMMENDED

Eye Protection:SPLASH-PROOF SAFETY GLASSES

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING & SHOES BEFORE REUSE.

Supplemental Safety and Health

SPECIAL FIRE CONT'D: MASSIVE IN CARGO AREA-USE UNMANNED HOSE HOLDER/MONITOR NOZZL

ES. IF IMPOSSIBLE, W/DRAW & LET BURN. HEALTH

HAZARDS CONT'D: CONGESTIVE HEART & RENAL FAILURE/SPONTANEOUS ABORTION/HYPE RSENSITIVITY REACTION/DEPENDENCE/W/DRAWAL/NEONATAL W/DRAWAL/READILY CROSSES PLACENTAL BARRIER/DEATH RESULTS IN NEWBORN.

===== Physical/Chemical Properties =====

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR SOLUTION

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:

YES

ACIDS, BASES, OXIDIZERS.

Stability Condition to Avoid:HEAT, SPARKS, FLAMES/OTHER IGNITION SOURCES.

Hazardous Decomposition Products:TOXIC &/HARZARDOUS GASES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America

in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.