

BASF WYANDOTTE CORP -- HYDROCHLORIC ACID 20 BE, NPU 588227 -- 6810-00-348-9542
===== Product Identification =====

Product ID:HYDROCHLORIC ACID 20 BE, NPU 588227

MSDS Date:11/30/1993

FSC:6810

NIIN:00-348-9542

MSDS Number: BXYSP

=== Responsible Party ===

Company Name:BASF WYANDOTTE CORP

Address:1609 BIDDLE AVE

City:WYANDOTTE

State:MI

ZIP:48192-3729

Country:US

Info Phone Num:313-246-6100

Emergency Ph

one Num:313-246-6100

CAGE:83339

=== Contractor Identification ===

Company Name:BARTLETT CHEMICALS

Address:4955 RIVER ROAD

Box:10710

City:JEFFERSON

State:LA

ZIP:70121

Country:US

Phone:504-734-1971

CAGE:1V771

Company Name:BASF WYANDOTTE CORP

Address:1609 BIDDLE AVE

Box:City:WYANDOTTE

State:MI

ZIP:48192-3729

Country:US

Phone:313-246-6100

CAGE:83339

===== Composition/Information on Ingredients =====

Ingred Name:HYDROCHLORIC ACID

CAS:7647-01-0

RTECS #:MW4025000

Fraction by Wt: 31-

35%
Other REC Limits:NONE RECOMMENDED
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 65-69%
Other REC Limits:NONE RECOMMENDED

=====
===== Fire Fighting Measures =====

Flash Point:NOT AVAILABLE
Extinguishing Media:NON-FLAMMABLE. THE PRESENCE OF HCL WILL NOT LIMIT
THE CHOICE OF EXTINGUISHING MEDIA.
Fire Fighting Procedures:FIREFIGHTERS SHOULD BE EQUIPPED W/SELF-
CONTAINED BREATHING APPARATUS & TURN-
OUT GEAR. WATER FOG WILL BE
MOST EFFECTVIE FOR CONTROLLING HCL VAPORS.
Unusual Fire/Explosion Hazard:NONE KNOWN.

=====
===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:C1
Boiling Pt:B.P. Text:183F,84C
Melt/Freeze Pt:M.P/F.P Text:-51F,-46C
Decomp Temp:Decomp Text:3240F,1782C
Vapor Pres:16-17 @20C
pH:1
Solubility in Water:COMPLETELY SOLUBLE
Appearance and Odor:WATER WHITE TO
STRAW YELLOW COLOR, LIQUID, PUNGENT,
STRONG ODOR.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ALKALIES, METALLIC OXIDES, AMINES, ESTERS, CERTAIN OTHER ORG.
CARBONATES, CYANIDES, SULFIDES. WATER REACTIVE MATERIALS.
Stability Condition to Avoid:CONTACT WITH MOST METALS; SMOKING, FLAMES
AND SPARKS SHOULD NOT BE PERMITTED IN STORAGE OR HANDLING AREAS.

Disclaimer (provided with this information by the compiling agenci

es):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.