

CANON INC, TOKYO, JAPAN -- EP-N, EP-NII CARTRIDGE BLACK (SUPPLEMENTAL FO

=====  
MSDS Safety Information  
=====

FSC: 6850  
NIIN: 01-387-8378  
MSDS Date: 10/01/1994  
MSDS Num: BYCFH  
Product ID: EP-N, EP-NII CARTRIDGE BLACK (SUPPLEMENTAL FOR ITEM #)  
MFN: 01  
Responsible Party  
Cage: EO274  
Name: CANON INC, TOKYO, JAPAN  
Address: 30-2 SHIM  
OMARUKO 3-CHOME, OHTA-KU  
City: TOKYO, JAPAN NK 00000  
Info Phone Number: 03-3758-2111  
Emergency Phone Number: 716-722-5151  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Preparer Co. when other than Responsible Party Co.  
=====

Cage: EO274  
Assigned Ind: Y  
Name: CANON INC  
Address: 30-2 SHIMOMARUKO 3-CHOME, OHTA-KU  
City: TOKYO NK 00000

=====  
Cont  
ractor Summary  
=====

Cage: EO274  
Name: CANON INC  
Address: 30-2 SHIMOMARUKO 3-CHOME, OHTA-KU  
City: TOKYO NK 00000  
Country: JA  
Phone: 03-3758-2111/ 516-328-5600(USA)  
Cage: 1BS40  
Name: HITACHI, LTD  
Address: 1-1, HIGASHITAGA-CHO 1-CHOME  
City: HITACHI-SHI,IBARAKI-KEN, 316 NK 00000  
Country: JA  
Phone: 205-633-4300  
Cage: 0YL79  
Name: TONER ETC  
Address: 124 HERITAGE AVE  
City: PORTSMOUTH NH 03801  
Phone: 800-370-8663 603-431-3624  
=====

=====

Item Description Information

=====

Item Manager: S9G  
Item Name: TONER,DIRECT ELECTROSTATIC PROCESS  
Specification Number: UNKNOWN  
Unit of Issue: EA  
UI Container Qty: 0  
Type of Container: UNKNOWN

=====

Ingredients

=====

Name: \*\*\* PROPRIETARY \*\*\*

-----

=====

=====

Health Hazards Data

=====

=====

Handling and Disposal

=====

=====

Fire and Explosion Hazard Information

=====

Extinguishing Media: NON-FLAMM SOLID (ACCORDING TO TEST METHOD 16 CFR 1500.44).  
WATER SPRAY, CARBON DIOXIDE (CO2), DRY CHEMI  
CAL.

Fire Fighting Procedures: NONE.

Unusual Fire/Explosion Hazard: TONER MATL, LIKE MOST ORGANIC MATL IN POWDER  
FORM, IS CAPABLE OF CREATING DUST EXPLOSION.

=====

Control Measures

=====

=====

Physical/Chemical Properties

=====

HCC: N1

M.P/F.P Text: 212F,100C

Spec Gravity: 1.4-1.6

Solubility in

Water: NEGLIGIBLE.

Appearance and Odor: FINE POWDER, BLACK, TYPICAL PLASTIC ODOR.

Percent Volatiles by Volume: NEGLIG

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: DUST GENERATION/ACCUMULATION.

Materials To Avoid: STRONG OXIDIZING AGENTS.  
=====

Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Code: EO274

Trans ID NO: 132804

Product ID: EP-N, EP-NII CARTRIDGE BLACK (SUPPLEMENTAL FOR ITEM #)

MSDS Prepared Date: 10/01/1994

Review Date: 01/24/1996

MFN: 1

Net Unit Weight: 1 EACH

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: EA

Container QTY: 0

Type Of Container: UNKNOWN

Additional Data: PER MSDS:DTO SHIPPING NAME:MAGNETIZED MATL (10 OR MORE CARTRIDGES), HAZ CLASS 9, UN2807.

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: EP-N, EP-NII CARTRIDGE BLACK (SUPPLEMENTAL FOR ITEM #)  
Cage: EO274  
Assigned IND: Y  
Company Name: CANON INC  
Street: 30-2 SHIMOMARUKO 3-CHOME, OHTA-KU  
City: TOKYO NK  
Zipcode: 00000  
Country: JA  
Health Emergency Phone: 03-3753-2111/800-424-9300(CHEMTREC)  
Label Required IND: Y  
Date Of Label Review: 12/16/1998  
Status Code: C  
Label Date: 12/16/1998  
Origi

nation Code: G

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.