

COURTAULDS AEROSPACE INC -- PR 1422 B-1/2 ACCELERATOR,1422 B 146 -- 8030-01-156-6229  
===== Product Identification =====

Product ID:PR 1422 B-1/2 ACCELERATOR,1422 B 146

MSDS Date:10/21/1993

FSC:8030

NIIN:01-156-6229

Kit Part:Y

MSDS Number: BYFBR

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info P

hone Num:818-240-2060

Emergency Phone Num:800-228-5635/800-424-9300(CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:DIMETHYLFORMAMIDE (CERCLA)

CAS:68-12-2

RTECS #:LQ2100000

Fraction by Wt: 25%

Other REC Limits:NONE RECOMMENDED

OS

HA PEL:S, 10 PPM  
ACGIH TLV:S, 10 PPM; 9495  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Fraction by Wt: 200F,>93C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, SAND, WATER FOG

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CONTAINED BREATHING APPARATUS.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID PERSONAL CONTACT. COVER SPILL WITH  
NON-OXIDIZABLE ABS

ORBENT. SCOOP INTO CONTAINER. SPRINKLE SODIUM  
THIOSULFATE ON RESIDUE. WORK INTO RESIDUE. SCOOP INTO DISPOSAL  
CONTAINER. CLEAN AREA WITH WATER .

Neutralizing Agent:SODIUM THIOSULFATE

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE  
MATERIALS. KEEP OUT OF REACH OF CHILDREN. DO NOT INGEST. AVOID SKIN  
CONTACT DUE TO SKIN ABSORPTION.

Other Precautions:AVOID BREATHING VAPORS. DO NOT GET IN EYES.

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE  
CONCENTRATIONS TO AN ACCEPTABLE LEVEL, A NIOSH-APPROVED ORGANIC  
VAPOR RESPIRATOR OR AIR-SUPPLIED RESPIRATOR MUST BE WORN.

Ventilation:USE GENERAL VENTILATION TO MEET TLV REQUIREMENTS.

Protective Gloves:NITRILE, BUTYL RUBBER

Eye Protection:FULL-FACE SHIELD/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE WASH FOUNTAIN SHOULD  
BE L

OCATED NEARBY.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

KEY1:T6. THIS PRODUCT IS A KIT CONSISTING OF TWO PARTS: ACCELERATOR HAS PNI E, BASE COMPOUND HAS PNI F, SAME NSN. FORMULA CHANGED. FOR PREVIOUS FORMULATION SEE PNI A, SAME NSN.

===== Physical/Chemical Properties =====

HCC:T6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:212F - 307F

Vapor Density:>1

Spec Gravity

:1.502

Evaporation Rate & Reference: