View NSN Online: https://aerobasegroup.gr/nsn/6665-01-340-1693

Product ID:INDIVIDUAL CHEMICAL AGENT DETECTOR, H SIMULANT COMPONENT MSDS Date:07/14/1993 FSC:6665 NIIN:01-340-1693 Kit Part:Y **MSDS Number: BYHBH** === Responsible Party === Company Name: ENVIRONMENTAL TECHNOLOGIES GROUP INC Address:1400 TAYLOR AVE Box :9840 City:BALTIMORE State:MD ZIP:21284-9840 Country:US Info Phone Num:410-321-5100 OR 410-321-5105 Emergency Phone Num:410-321-5100 OR 410-321-5105 CAGE:23667 === Contractor Identification === Company Name: ENVIRONMENTAL TECHNOLOGIES GROUP INC Address:1400 TAYLOR AVE Box:9840 City:BALTIMORE State:MD ZIP:21284-9840 Country:US Phone:301-321-5200 CAGE:23667

Ingred Name:PROPYLENE CARBONATE CAS:108-32-7 RTECS #:FF9650000 Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHYL SULFIDE Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture: PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:*RELEASE OF CHEMICALS, ICAD ACTIVATION & SENSOR MODULE RUPTURE* ACUTE-EYE, SKIN ABSORPTION, INTOXICATION EFFECT. CHRONIC-NOT APPLICABL E DUE TO VOLUME. *NORMAL ICAD **OPERATIONS* NO HEALTH EFFECTS, ACUT E OR CHRONIC.** Explanation of Carcinogenicity: MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC. Effects of Overexposure:*RELEASE OF CHEMICALS, ICAD ACTIVATION & SENSOR MODULE RUPTURE* INTOXICATION EFFECT, EYE & MUCOUS MEMBRANE IRRITATION, BLURRED VISION. *NORMAL ICAD OPERATIONS* NO SYMPTOMS. Medical Cond Aggravated by Exposure:*RELEASE OF CHE MICALS, ICAD ACTIVATION & SENSOR MODULE RUPTURE* COPD (ASTHMA, EMPHYSEMA, TB, BRONCHITIS). *NORMAL ICAD OPERATIONS* NONE.

First Aid:EYE:WASH W/RUNNING WATER FOR MINIMUM OF 30 MIN. & SEEK MEDICAL ATTENTION. SKIN:WASH W/RUNNING WATER FOR A MINIMUM OF 30 MIN. INHALATION:MOVE TO VENTILATED AREA (AWAY FROM SOURCE OF EXPOSURE) - START O XYGEN THERAPY (IF NEEDED). INGESTION:DILUTE W/LARGE QUANTITIES OF NEUTR ALIZING SOLUTIONS (WATER, MILK).

Flash Point:55.4F,13.0C Extinguishing Media:CARBON DIOXIDE, WATER, DRY CHEMICAL, POLYMER FOAM Fire Fighting Procedures:MFR GAVE NO INFORMATION ON MSDS. Unusual Fire/Explosion Hazard:MFR GAVE NO INFORMATION ON MSDS.

Spill Release Procedures:MFR GAVE NO INFORMATION ON MSDS. Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS. Handling and Storage Precautions:STORE MATERIALS IN TEMPERATE WAREHOUSE ENVIRONMENT TO ENSURE PRODUCT INTEGRITY - MAINTAIN FEDERAL VENTILATORY STANDARDS FOR WAREHOUSE CONDITIONS.
Other Precautions:INITIAL ACTIVATION OF ICAD SHOULD BE PERFORMED IN AN OPENLY VENTILATED ENVIRONMENT TO ENSURE PERSONNEL SAFETY. (USE I/A/W ICAD USER MANUAL.)

Respira

tory Protection:NONE REQUIRED (USE I/A/W ICAD USER MANUAL.) Ventilation:MFR GAVE NO INFORMATION ON MSDS. Protective Gloves:NONE REQUIRED,USE I/A/W ICAD USER MANUAL Eye Protection:NONE REQUIRED,USE I/A/W ICAD USER MANUAL Other Protective Equipment:MFR GAVE NO INFORMATION ON MSDS. Work Hygienic Practices:MFR GAVE NO INFORMATION ON MSDS. Supplemental Safety and Health NONE

HCC:F2

NRC/State Lic Num:NONE Boiling Pt:=180.C, 356.F B .P. Text:356F,180C Spec Gravity:1.18 Evaporation Rate & amp; Reference:N/A (CARBON TET = 1) Solubility in Water:SLIGHTLY SOLUBLE Appearance and Odor:COLORLESS LIQUID, FOUL STENCH

Stability Indicator/Materials to Avoid:YES MFR GAVE NO INFORMATION ON MSDS. Stability Condition to Avoid:STRONG OXIDIZING & REDUCING AGENTS Hazardous Decomposition Products:MFR GAVE NO INFORMATION ON MSDS. Conditions to Avoid Polymerization:MFR GAVE N

O INFORMATION ON MSDS.

Waste Disposal Methods:DISPOSE I/A/W FEDERAL, STATE & LOCAL REGULATIONS. (REFER TO 40CFR FOR GUIDANCE.)

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liabi

lity for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.