

CONVATEC DIV OF BRISTOL MYERS SQUIBB CO -- 0003-0225-24 SUR-FIT FLEXIBLE PRE-CUT (W/TAN COLLAR) -- 6515-01-324-3180

=====  
===== Product Identification =====

Product ID:0003-0225-24 SUR-FIT FLEXIBLE PRE-CUT (W/TAN COLLAR)

MSDS Date:02/23/1994

FSC:6515

NIIN:01-324-3180

MSDS Number: BYPFF

=== Responsible Party ===

Company Name:CONVATEC DIV OF BRISTOL MYERS SQUIBB CO

Address:RT 206 PROVINCE LINE

Box:5254

Ci

ty:PRINCETON

State:NJ

ZIP:08543-5254

Country:US

Info Phone Num:800-422-8811/908-281-2629

Emergency Phone Num:800-422-8811/908-281-2629

Preparer's Name:J FARKAS

CAGE:63886

=== Contractor Identification ===

Company Name:CONVATEC DIV OF BRISTOL MYERS SQUIBB CO

Address:RT 206 PROVINCE LINE

Box:5254

City:PRINCETON

State:NJ

ZIP:08543-5254

Country:US

Phone:800-422-8811/908-281-2629

CAGE:63886

=====  
===== Composition/Information on Ingredients =====

Ingred Name:POLYISOBUTYLENE

CAS:9003-27-

4

RTECS #:UD1010000

Ingred Name:PECTIN \*95-3\*

CAS:9000-69-5

RTECS #:RX4280000

Ingred Name:GELATIN \*95-3\*

CAS:9000-70-8

RTECS #:LX8580000

Ingred Name:CARBOXYMETHYLCELLULOSE (CELLULOSE, CARBOXYMETHYL ETHER,  
SODIUM SALT) \*95-3\*

CAS:9004-32-4

RTECS #:FJ5950000

Ingred Name:POLYETHYLENE, LOW DENSITY

Ingred Name:NON-WOVEN FABRIC (POLYESTER)

Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:THIS PRODUCT W/A TAN SUPPORT COLLAR  
CAN CAUSE SKIN IRRITATION IN SOME USERS.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:THIS PRODUCT W/A TAN SUPPORT COLLAR CAN CAUSE  
SKIN IRRITATION IN SOME USERS.

===== First Aid Measures =====

First Aid:OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Extinguishing Media:WATER FOG, DRY CHEMICAL/CO2  
Fire Fighting Procedures:USE A SELF CONTAINED BREATHING APPARATUS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE, AVOID  
REFRIGERATION & EXPOSURE TO HIGH HUMIDITY. USE FOR INTENDED USE  
ONLY.

===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health  
APPEARANCE/ODOR CONT'D: PRODUCT IS COMPRISED OF AN ADHESIVE DISC,  
PICTURE FRAMED W/A FLEXIBLE SUPPORT ADHESIVE COLLAR. ATTACHED TO  
THE ADHESIVE DISC IS A FLANGE FOR THE ATTACHMENT OF A DISPOSABLE  
OSTO MY APPLIANCE. A PROTECTIVE REMOVABLE SILICONE RELEASE PAPER IS  
ATTACHED TO ONE SIDE OF THIS PRODUCT.

===== Physical/Chemical Properties =====

Appearance and Odor:(SEE SUPP)

===== Stability and Reactivity Data

=====

Stability Indicator/Materials to Avoid: YES

Hazardous Decomposition Products: BY THERMAL DECOMPOSITION/BURNING: CO,  
CO<sub>2</sub>, NITROGEN OXIDES, HYDROGEN CYANIDE & OTHER TOXIC GASES.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE &  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Departmen

t

of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.