Product ID:NITROGEN FOR THERMOMETER

MSDS Date: 08/01/1985

FSC:6685

NIIN:01-235-7450

MSDS Number: BYRVF === Responsible Party ===

Company Name: UNION CARBIDE CORP INDUSTRIAL CHEMICALS DIV

Address:39 OLD RIDGEBURY ROAD

City: DANBURY

State:CT

ZIP:06817-0001 Country:US

Info Phone Num:800-822-4357

Emergency Phone Num:800-822-4357

CAGE:61637

==

= Contractor Identification ===

Company Name: UNION CARBIDE CORP Address: 39 OLD RIDGEBURY ROAD

Box:City:DANBURY

State:CT

ZIP:06817-0001 Country:US

Phone:800-822-4357/732-563-5522 (MSDS)

CAGE:61637

Company Name: WEKSLERIGLASS THERMOMETER CORP

Address:80 MILL ROAD Box:City:FREEPORT

State:NY ZIP:11520 Country:US

Phone:516-623-0100

CAGE:64467

======= Composition/Information on Ingredients ========

Ingred Name:NITROGEN

CAS:7727-37-9

RTECS #:QW9700000 Fraction by Wt: 100% Other REC Limits ========= Hazards Identification =============== Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NITROGEN IS A SIMPLE ASPHYXIANT. NITROGEN UNDER HIGH PRESSURE CAN PRODUCE NARCOSIS. Explanation of Carcinogenicity: NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN. Effects of Overexposure: INHALATION: HEADACHE, DROWSINESS, DIZZINESS, EXCITATION, EXCESS SALIVATION, NAUSEA, VOMITING, LOSS OF CONSCIOUSNESS, AND DEATH. Medical Cond Aggravated by Exposure: NONE NOTED. First Aid:INHALATION: REMOVE SUBJECT TO FRESH AIR. Flash Point:NONE Lower Limits:NOT GIVEN **Upper Limits:NOT GIVEN** Extinguishing Media: NON-FLAMMABLE. USE EXTINGUISHING MEDIA APPROPIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: KEEP OUTSIDE OF CONTAINERS COOL WITH WATER Unusual Fire/Explosion Hazard: CONTAINER MAY RUPTURE EXPLOSIVELY WITH HEAT OF FIRE. ============ Handling and Storage =========================== Handling and Storage Precautions: NO SPECIAL REQUIREMENT. Other Precautions: NONE ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE Ventilation: NORMAL ROOM VENTILATION. Protective Gloves:NONE Ey

:NONE SPECIFIED

ACGIH TLV:ASPHYXIANT; 9192

e Protection:SAFETY GLASSES. Other Protective Equipment:NONE

Work Hygienic Practices: STANDARD HYGIENIC PRACTICES.

Supplemental Safety and Health

THIS MSDS IS FOR THE NITROGEN CONTAINED IN THE THERMOMETER.

======== Physical/Chemical Properties ===========

HCC:G3

Boiling Pt:B.P. Text:-320F,-196C

Melt/Freeze Pt:M.P/F.P Text:-346F FZ PT

Vapor Pres:NOT GIVEN Vapor Density:0.967 Spec Gravity:NOT GIVEN

Evaporation Rate & Evaporation R

Solubility in Water: NEGLIGIBLE

Appear

ance and Odor:COLORLESS, ODORLESS GAS AT NORMAL TEMPERATURE AND

PRESSURE.

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES.
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.