View NSN Online: https://aerobasegroup.gr/nsn/7930-01-398-0876

Product ID:HARD COTE (ACRYLIC-POLYETHYLENE FLOOR FINISH) MSDS Date:06/15/1990 FSC:7930 NIIN:01-398-0876 MSDS Number: BYZCM === Responsible Party === Company Name: MAINTEX INC. Address:13300 NELSON AVE. City:CITY OF INDUSTRY State:CA ZIP:91746 Country:US Info Phone Num:818-961-1988 Em ergency Phone Num:800-255-3924 (CHEMTEL) Preparer's Name: ATA DANESHRAD CAGE:NO277 === Contractor Identification === **Company Name:MAINTEX INC** Address:13300 NELSON AVE Box:City:CITY OF INDUSTRY State:CA ZIP:91746 Country:US Phone:818-961-1988 CAGE:0PWJ2 Company Name: MAINTEX INC. Address:3614 EL MONTE AVE Box:City:EL MONTE State:CA ZIP:91731 Phone:213-283-7380 CAGE:NO277

Ingred Name: GLYCOL ETHER DE (LD50, ACUTE ORAL=15 MIN. CALL

DR. SKIN: WASH W/SOAP/H2O. IMMED REMOVE CONTAM CLOTHES, WASH BEFORE REUSE. INHAL: IF DISCOMFORT GET FRESH AIR. IF BREATH DIFFICULT, GET O2, CALL DR. IF BREAT H STOPS, GIVE ARTIF RESP, GET MED AID IMMED. INGEST: GET LOTS H2O/MILK. INDUCE VOMITING IF CONSCIOUS. WASH MOUTH. PROD MAY FILM IF DRY. DON'T GIVE BICARBONATE SODA, FRUIT JUICE, VINEGAR. CALL DR.*

Flash Point:>194F,>90C Extinguishing Media:WATER SPRAY, FOAM, CO2, DRY CHEMICAL. Fire Fighting Procedures:EVACUATE NONESSENTIAL PERSONNEL. FIREFIGHERS SHOULD WEAR POSITIVE PRESSURE SCBA W/FULL FACEPIECE. Unusual Fire/Explosion Hazard:USE WATER FOG/SPRAY TO COOL & LOWER PRESSURE OF FIRE-EXPOSED CONTAINERS, TO FLUSH VAPORS AWAY, & TO FLUSH/DILUTE SPILLED MATERIAL.

Spill Release Procedures:SM: MOP/RINSE AREA. PUT LIQ IN NONLEAKING CNTNRS FOR PROPER DISPOS. LG,>5

5GL: EVACUATE. WEAR RUBBER BOOTS.

SHUT LEAK SOURCE IF SAFE. DIKE/CONTAIN W/INERT MAT'L. TRANSFR TO CNTNRS FOR RECOVERY/DISPOS (LIQ/SOLID SEPARATE). RINSE/MOP.

Handling and Storage Precautions: KEEP AWAY FROM KIDS/EYES/SKIN/CLOTHES. DON'T TAKE INTERNALLY KEEP CONTAINER CLOSED, CAPS/SPOUTS/BUNGS IN PLACE. MISUSE OF EMPTY CNTNRS CAN BE HAZ.

Other Precautions:STORE IN COOL DRY AREA AWAY FROM OTHER CHEMICALS. KE

EP PRODUCT FROM FREEZING-IT WILL COAGULATE & NOT BE USEABLE. ALL HAZARD PRECAUTIONS GIVEN IN DATA SHEET MUST BE OBSERVED.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection: USE NIOSH APPROVED RESPIRATOR WHERE EXPOSURE LIMITS EXCEEDED.

Ventilation:MECHANICAL LOCAL EXHAUST AT POINT OF CONTAMINANT RELEASE. Protective Gloves:RUBBER - DECREASES SKIN DRYNESS/COATING. Eye Protection:CHEMICAL SPLASH GLASSES.

Other Protective Equipment: REASONABLE PERSONAL

CLEANLINESS, WASH

EXPOSED SKIN A FEW TIMES DAILY/BEFORE MEALS.WASH/DRY CLEAN SOILED CLOTHES DAILY

Work Hygienic Practices: WASH HANDS BEFORE EATING, DRINKING, SMOKING OR USING TOILET.

Supplemental Safety and Health

**& CONTAMINATED DIKING MATERIAL AT PERMITTED FACILITY IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.

Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:35.0F,1.7C Vapor Pres:1 Spec Gr avity:1.02 pH:8.5 Evaporation Rate & amp; Reference: