

LUBRICATION TECHNOLOGY INC -- MCG 106 CRISTO-LUBE

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 01-324-4677
MSDS Date: 02/02/1994
MSDS Num: BZLNF
Product ID: MCG 106 CRISTO-LUBE
MFN: 01
Responsible Party
Cage: 0JRD3
Name: LUBRICATION TECHNOLOGY INC
Address: 310 MORTON ST
City: JACKSON OH 45640
Info
Phone Number: 614-286-2644
Emergency Phone Number: 614-286-2644
=====

=====
Item Description Information
=====

Item Manager: S9G
Item Name: GREASE,AIRCRAFT AND INSTRUMENT
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: TU
Quantitative Expression: 00000000002OZ
UI Container Qty: 1
Type of Container: TUBE
=====

=====
Ingredients
=====

Name: NON-HAZARDOUS INGREDIENTS
% Wt: 100
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
=====

=====
Health Hazards Data
=====

LD50 LC50 Mixture: ORAL LD50 (RAT) > 40000 MG/KG
Route Of Entry Inds - Inhalation: NO
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: ACUTE: NONE.

CHRONIC: NONE. MILD IRRITANT TO THE SKIN UPON PROLONGED EXPOSURE FOR SOME INDIVIDUALS. DECOMPOSITION PRODUCTS FORMED AT HIGH TEMPERATURES MAY CAUSE "POLYMER FEVER".

Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Signs And Symptoms Of Overexposure: SKIN-IRRITATION.

Medical Cond Aggravated By Exposure: NONE KNOWN.

First Aid: SKIN-WASH WITH SOAP & WATER. EYES-FLUSH WITH LOTS OF WATER FOR 15 MINTES.

INGESTED-NONE NOTED. INHALED-REMOVE TO FRESH AIR.

=====
Handling and Disposal
=====

Spill Release Procedures: USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.

Handling And Storage Precautions: STORE IN A COOL, DRY PLACE AWAY FROM FLAMMABLE AND EXPLOSIVE MATERIALS.

Other Precautions: DO NOT CONTAMINATE SMOKING MATERIAL. TOXIC VAPORS MAY EVOLVE ABOVE 290C (554F); PROVIDE ADEQUATE VENTILATION IF USED ABOVE THIS TEMPERATURE.

=====
Fire and Explosion Hazard Information
=====

Extinguishing Media: NONE SPECIFIED BY MANUFACTURER. DLA-: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard: DECOMPOSITION AT TEMPERATURES ABOVE 290C MAY CAUSE THE EVOLUTION OF TOXIC GASEOUS FLUORINE COMPOUNDS.

=====
Control Measures
=====

Respiratory Protection: NONE NORMALLY REQUIRED.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: PLASTIC DISPOSABLE

LE RECOMMENDED.

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS.

Other Protective Equipment: PLASTIC OR FABRIC APRON OR LABORATORY COAT RECOMMENDED.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health: MSDS PRESENTED BY CAGE 0PGK2 FOR CONTRACT NUMBER SP0451-96-QU792 AND/OR SP0451-96-MQ019.

=====
Physical/Chemical Properties
=====

HCC: V6

B.P. Text: UNKNOWN

Melt/Freeze Pt: >200.C, 392.F

Decomp Temp: >290.C, 554.F

Vapor Pres: 10 NEG 4

Vapor Density: UNKNOWN

Spec Gravity: 1.990

Viscosity: UNKNOWN

Evaporation Rate & Reference: UNKNOWN

Solubility in Water: INSOLUBLE

Appearance and Odor: WHITE, ODORLESS.

Corrosion Rate: UNKNOWN
=====

Reactivity Data
=====

Stability In

dicator: YES

Stability Condition To Avoid: AVOID HEATING ABOVE 290C (554F).

Materials To Avoid: STRONG OR HOT AQUEOUS ALKALI AND LEWIS ACIDS ABOVE 100C (212F).

Hazardous Decomposition Products: TOXIC HYDROGEN FLUORIDE AND CARBON DIOXIDE FROM THERMAL DECOMPOSITION IN AIR.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: AVOID HEATING ABOVE 290C (554F).
=====

Toxicological Information
=====

Ecological Information
=====

MSDS Transport Information
=====

Regulatory Information
=====

Other Inf

ormation

=====
=====
Transportation Information
=====

Responsible Party Cage: 0JRD3
Trans ID NO: 125469
Product ID: MCG 106 CRISTO-LUBE
MSDS Prepared Date: 02/02/1994
Review Date: 06/11/1996
MFN: 1
Net Unit Weight: 2 OUNCES
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: TU
Container QTY: 1
Type Of Container: TUBE
=====

=====
=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
=====
Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
=====
Detail IATA Informati
on
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
=====
Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
=====
HAZCOM Label
=====

=

Product ID: MCG 106 CRISTO-LUBE
 Cage: 0JRD3
 Company Name: LUBRICATION TECHNOLOGY INC
 Street: 310 MORTON ST
 City: JACKSON OH
 Zipcode: 45640
 Health Emergency Phone: 504-366-9105
 Label Required IND: Y
 Date Of Label Review: 06/11/1996
 Status Code: C
 Label Date: 06/11/1996
 Year Procured: 1996
 Origination Code: F
 Eye Protection IND: YES
 Skin Protection IND: YES
 Signal Word: CAUTION
 Health Hazard: None
 Contact Hazard: Slight
 Fire Hazard: None
 Reactivity Hazard: None
 Hazard And Precautions: MILD IRRIT

ANT TO THE SKIN UPON PROLONGED EXPOSURE FOR
 SOME INDIVIDUALS. DECOMPOSITION PRODUCTS FORMED AT HIGH TEMPERATURES MAY
 CAUSE "POLYMER FEVER". TARGET ORGANS: SKIN. IN CASE OF SPILL: USE ABSORBE NT
 MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL. FIRST AID: SKIN-WASH
 WITH SOAP & WATER. EYES-FLUSH WITH LOTS OF WATER FOR 15 MINTES.
 INHALED-REMOVE TO FRESH AIR.

=====

Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense.
 The United States of America in no manner whatsoever expressly or implied
 warrants, states, or intends said information to have any application, use or
 viability by or to any person or persons outside the Department of Defense
 nor any person or persons contracting with any instrumentality of the United
 States of America and disclaims all liability for such use. Any person
 utilizing this instructi
 on who is not a military or civilian employee of the
 United States of America should seek competent professional advice to verify
 and assume responsibility for the suitability of this information to their
 particular situation regardless of similarity to a corresponding Department
 of Defense or other government situation.