

EASTMAN KODAK COMPANY -- 199 7915 VERSAMAT 885 DEVELOPER STARTER --  
6750-01-165-5425

===== Product Identification =====

Product ID:199 7915 VERSAMAT 885 DEVELOPER STARTER

MSDS Date:04/09/1997

FSC:6750

NIIN:01-165-5425

MSDS Number: BZQYC

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

===

Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

Company Name:FULLER AND D ALBERT INC

Address:3170 CAMBELL

Box:2706

City:FAIRFAX

State:VA

ZIP:22031-2302

Country:US

Phone:

703-591-8000  
CAGE:82960

===== Composition/Information on Ingredients =====

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 60-65%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM BROMIDE  
CAS:7647-15-6  
RTECS #:VZ3150000  
Fraction by Wt: 30-35%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ACETIC ACID (CERCLA)  
CAS:64-19-7  
RTECS #:AF1225000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 PPM  
ACGIH TLV:10 PPM/15 STEL; 9596  
EPA Rpt Qty:500  
0 LBS  
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: EXPECTED TO LOW HAZARD FOR  
INHALATION AND INGESTION AND SKIN CONTACT. EXPOSURE MAY CAUSE EYE  
IRRITATION. CHRONIC: NONE SPECIFIED BY MANUFACTURER.  
Explanation of Carcinogenicity:NO INGREDIENT OF A CO  
NCENTRATION OF 0.1%  
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.  
Effects of Overexposure:EYES-IRRITATION. SKIN/INHALED/INGESTED-NONE  
SPECIFIED.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES-IMMEDIATELY FLUSH WITH LOTS OF WATER FOR AT LEAST 15  
MINUTES. SKIN-WASH WITH SOAP & WATER. GET MEDICAL ATTENTION. REMOVE  
CONTAMINATED CLOTHES & SHOES. WASH CLOTHING BEFO

RE REUSE. DESTROY  
OR THOROUGHLY CLEAN CONTAMINATED SHOES.

===== Fire Fighting Measures =====

Flash Point:NON-COMBUSTIBLE  
Lower Limits:NOT GIVEN  
Upper Limits:NOT GIVEN  
Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.  
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS AND  
PROTECTIVE CLOTHING.  
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM INCOMPATIBLE MATERIALS.  
KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION. WASH  
THOROUGHLY AFTER HANDLING.  
Other Precautions:NO SPECIAL PRECAUTIONARY MEASURES SHOULD BE NEEDED  
UNDER ANTICIPATED CONDITIONS OF USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. DLA-HMIS: USE NIOSH/MSHA  
APPROVED RESPIRATOR IF NEEDED. IF RESPIRATORS ARE USED A PROGRAM IN  
ACCORDANCE WITH OSHA STANDARD 29CFR 1910.134 SHOULD BE ESTABLISHED.  
Ventilation:USE ADEQUATE MECHANICAL VENTILATION. MANUFACTURER SAYS 10  
ROOM VOLUMES/HOUR.  
Protective Gloves:NATURAL RUBBER AND NATURAL RUBBER BLEND.  
Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES.  
Other Protective Equipment:EYE WASH STATION  
& SAFETY SHOWER, WASHING  
FACILITIES.  
Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING,  
DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:C1  
Boiling Pt:B.P. Text:>212F,>100C  
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN  
Decomp Temp:Decomp Text:NOT GIVEN  
Vapor Pres:18MM @ 20C  
Vapor Density:0.6  
Spec Gravity:1.34  
pH: