

EASTMAN KODAK COMPANY -- 199 7915 VERSAMAT 885 DEVELOPER STARTER --  
6750-01-165-5425

===== Product Identification =====

Product ID:199 7915 VERSAMAT 885 DEVELOPER STARTER

MSDS Date:04/09/1997

FSC:6750

NIIN:01-165-5425

MSDS Number: BZQYC

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 MSDS

:800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

Company Name:FULLER AND D ALBERT INC

Address:3170 CABELL

Box:2706  
City:FAIRFAX  
State:VA  
ZIP:22031-2302  
Country:US  
Phone:703-591-8000  
CAGE:82960

=====  
Composition/Information on Ingredients  
=====

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 60-65%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM BROMIDE  
CAS:7647-15-6  
RTECS #:VZ3150000  
Fraction by Wt: 30-35%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ACETIC ACID (CERCLA)  
CAS:64-19-7  
RTECS #:AF1225000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
D  
OSHA PEL:10 PPM  
ACGIH TLV:10 PPM/15 STEL; 9596  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: EXPECTED TO LOW HAZARD FOR  
INHALATION AND INGESTION AND SKIN CONTACT. EXPOSURE MAY CAUSE EYE  
IRRITATION. CHRONIC: NONE SPECIFIED BY MA

MANUFACTURER.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:EYES-IRRITATION. SKIN/INHALED/INGESTED-NONE SPECIFIED.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYES-IMMEDIATELY FLUSH WITH LOTS OF WATER FOR AT LEAST 15 MINUTES. SKIN-WASH WITH SOAP & WATER. GET MEDICAL ATTENTION. REMOVE CONTAMINATED CLOTHES & SHOES. WASH CLOTHING BEFORE REUSE. DESTROY OR THOROUGHLY CLEAN CONTAMINATED SHOES.

=====  
===== Fire Fighting Measures =====

Flash Point:NON-COMBUSTIBLE

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====

=====  
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM INCOMPATIBLE MATERIALS. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

Other Precautions:NO SPECIAL PRECAUTIONARY MEASURES SHOULD BE NEEDED UNDER ANTICIPATED CONDITIONS OF USE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. DLA-HMIS: USE NIOSH/MSHA APPROVED RESPIRATOR IF NEEDED. IF RESPIRATORS ARE USED A PROGRAM IN ACCORDANCE WITH OSHA STANDARD 29CFR 1910.134 SHOULD BE ESTABLISHED.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION. MANUFACTURER SAYS 10 ROOM VOLUMES/HOUR.

Protective Gloves:NATURAL RUBBER AND NATURAL RUBBER BLEND.

Eye Protection:SAFETY GLASSES/CHEM

ICAL SPLASH GOGGLES.

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER, WASHING FACILITIES.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Decomp Temp:Decomp Text:NOT GIVEN

Vapor Pres

:18MM @ 20C

Vapor Density:0.6

Spec Gravity:1.34

pH: