Product ID: ALUMINUM WIRE (SF & AW) MSDS Date:01/18/1988 FSC:3439 NIIN:01-028-8148 **MSDS Number: CBQNN** === Responsible Party === Company Name:METCO INC Address:1101 PROSPECT AVE City:WESTBURY State:NY ZIP:11590-2724 Country:US Info Phone Num:516-334-1300 Emergency Phone Num:516-334-1300 CAGE:FO320 === Contrac tor Identification === **Company Name:METCO INC** Address:1101 PROSPECT AVENUE City:WESTBURY State:NY ZIP:11590 Phone: (516) 334-1300 CAGE:FO320 Company Name: METCO INC, SUB OF THE PERKIN-ELMER CORP Address:1101 PROSPECT AVENUE Box:City:WESTBURY State:NY ZIP:11590-2724 Country:US Phone:516-334-1300 CAGE:39918

Ingred Name:ALUMINUM; (METAL AND OXIDE) (SARA 313) CAS:7429-90-5 RTECS #:BD0330000 OSHA PEL:15 MG/M3 DUST ACGIH TLV:10 MG/M3 DUST

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: THERE HAS BEEN SOME RECORD OF LUNG DAMAGE DUE TO THE INHALATION OF FINELY DIVIDED ALUMINUM OXIDE PARTICLES. HOWEVER, THIS EFFECT (KNOWN AS SHAVERS DISEASE) IS COMPLICATED BY THE PRESENCE IN THE INHALED AIR OF SIL ICA AND OXIDES OR IRON. A NUISANCE PARTICULATE. ALUMINUM ALONE IS NOT GENERALLY (EFTS OF OVEREXP) Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure: HLTH HAZ: REGARDED AS AN INDUSTRIAL POISON. INHALATION OF FINELY DIVIDED ALUMINUM POWDER HAS BEEN REPORTED AS A CAUSE OF PRELIMINARY FIBROSIS. MAY BE COMPLICATED BY ALZHEIMER'S DISEASE, EYES: POSSIBLE IRRITATION, SKIN: POSSIBLE DERMATITIS.INHALATION: RESPIRATORY IRRITATION, POSSIBLE NAUSEA. Medical Cond Agg ravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES: FLUSH WITH SUFFICIENT AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, CONSULT MD. SKIN: IF SKIN IRRITATION OCCURS, WASH WITH SOAP AND WATER TO REMOVE MATERIAL. INHALATION: EXPO SE TO FRESH AIR. INGESTION: CALL MD IMMEDIATELY.

Flash Point:NONE

Extinguishing Me

dia:USE CLASS D EXTINGUISHING AGENTS OR DRY SAND ON FIRES.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . TREAT AS A METALLIC FIRE.

Unusual Fire/Explosion Hazard:MODERATE FIRE HAZARD IN THE FORM OF DUST WHEN EXPOSED TO FLAME.

Spill Release Procedures:NONE SPECIFIED BY MANUFACTURER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

==================== Handling and Storage

Handling and Storage Precautions: EYE PROTECTION IS RECOMMENDED WHEN HANDLING WIRE. Other Precautions: NONE SPECIFIED BY MANUFACTURER.

Other Trecadions. NONE OF EOH TED DT MANOT ACTORER.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: A RESPIRATOR APPROVED BY NIOSH/MSHA FOR DUST/FUMES/MISTS SHOULD BE WORN AT ALL TIMES DURING THE THERMAL SPRAY PROCESS TO PROTECT OPERATOR FROM DUST AND FUMES. Ventilation: VENTILATION EQUIPMENT DESIGNED TO CREATE AN AIR VELOCITY OF 200 FPM. Protective Gloves: ALUMINIZED GLOVES. Eye Protection: ANSI APPRVD CHEM WORKERS GOGG. (SUP DAT) Other Protective Equipment: ANSI APPRVD EMER EYEWASH & DELUGE SHOWER. ALUMINIZED APRON IS TO BE WORN DURING ARC SPRAYING. (SUP DAT) Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health MP: >1190F,>643C. EYE PROTECTION: THE FOLLOWING LENS SHADE ARE REC FOR THE PROCESS INDICATED: COMBUST SPRAYING SHADE #5, ARC SPRAYING SHADE #9. OTHER PROT EQUIP: EAR PROT MUST BE WORN WHEN OPERATOR IS SUBJECTED TO EXCESS NOISE LEVELS (SEE OSHA REQS). Melt/Freeze Pt:M.P/F.P Text:SUP DAT Spec Gravity:2.70 (H\*2O=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:WIRE, NO ODOR Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER. 

Waste Disposal Methods: CONSULT LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability f

or its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.