View NSN Online: https://aerobasegroup.gr/nsn/9150-01-007-9134

Product ID:AEROSHELL OIL W 100 (SAE 50)

MSDS Date:02/22/1995

FSC:9150

NIIN:01-007-9134

MSDS Number: CBSDX === Responsible Party ===

Company Name: SHELL OIL COMPANY

Address: HEALTH, SAFETY AND ENVIRONMENT

Box:4320

City:HOUSTON

State:TX ZIP:77210 Country:US

Info Phone Num:713-241-4819/4141/2252 FAX

-6511

Emergency Phone Num:713-473-9461/800-424-9300(CHEMTREC)

CAGE:54527

=== Contractor Identification ===

Company Name: SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA ZIP:70058 Country:US

Phone:504-366-4542

CAGE:0T5C6

Company Name: SHELL OIL COMPANY

Address:Box:2463 City:HOUSTON

State:TX ZIP:77210 Country:US


Phone:800-231-6950

CAGE:54527

======= Composition/Information on Ingredients ========

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED (MILD

),HEAVY PARAFFINIC/SOLVENT REFINED,HYDROTRATED HEAVY CAS:64742-54-7 RTECS #:PY8035500 Fraction by Wt: 47 - 67% Other REC Limits: NONE RECOMMENDED OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST) Ingred Name: SOLVENT REFINED HYDROTREATED RESIDUAL OIL CAS:64742-57-0 Fraction by Wt: 30 - 50% Other REC Limits: NONE RECOMMENDED OSHA PEL:5 MG/M3 AS OIL MIST ACGIH TLV:5 MG/M3 AS OIL MIST Ingred Name: ADDITIVES Fraction by Wt: 3 - 5% Other REC Limits: NONE RECOMMENDED ====== Hazard s Identification ========= LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >5000 MG/KG(SOLVENT) Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY TRACT. ACUTE- MAY CAUSE SLIGHT EYE IRRITATION. MAY CAUSE MILD SKIN IRRITATION. REPEATED/PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS. INHALATION OF VAPORS/OIL MIST MAY CAUSE IRRITATION OF UPPER RESPIRATORY TRACT. SLIGHTLY TOXIC IF INGESTED. CHRONIC- MAY CAUSE DERMATITIS. Explanation of Carcinogenicity:NONE. Effects of Overexposure: IRRITATION, REDNESS, DERMATITIS Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT. First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH ΑI



========== Fire Fighting Measures ================

Flash Point Method:PMCC

Flash Point:482F,250C

Extinguishing Media: WATER FOG, FOAM, DRY CHEMICAL/CARBON DIOXIDE. DON'T

USE DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED.

Fire Fighting Procedures:DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:WHEN HEATED ABOVE FLASH POINT, MAY RELEASE FLAMMABLE VAPORS WHICH MAY BURN IN OPEN/BE EXPLOSIVE IN CONFINED SPACES IF EXPOSED TO IGNITION SOURCE.

======== Accidental Release Measures ============

Spil

I Release Procedures:SPILLS CAN BE TAKEN UP ON SAND, CLAY, EARTH & SHOVELD INTO CONTAINERS FOR DISPOSAL. PREVENT RUN-OFF TO ENTER WATERWAYS, SEWERS.

Neutralizing Agent: NOT RELEVANT

========== Handling and Storage ============

Handling and Storage Precautions:STORE AWAY FROM OXIDIZERS. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:MINIMIZE SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING. AVOID EYE CONTACT

. DO NOT BREATHE MISTS.

====== Exposure Controls/Personal Protection ========

Respiratory Protection:NONE NORMALLY REQUIRED. IF VAPOR OR MIST IS GENERATED, WEAR NIOSH-APPROVED RESPIRATORY PROTECTION. SUPPLIED AIR RESPIRATORY PROTECTION SHOULD BE USED FOR CLEANING LARGE SPILLS OR FOR ENTRY INTO TANKS, VESSELS OR OTHER CONFINED SPACES.

Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV REQUIREMENTS.

Protective Gloves: NITRILE RECOMMENDED

Eye Protection

:CHEMICAL GOGGLES/FACE SHIELD

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

NOTE TO PHYSICIAN: IF MORE THAN 2.0 ML PER KG HAS BEEN INGESTED AND VOMITING HAS NOT OCCURED, EMESIS SHOULD BE INDUCED WITH SUPERVISION. KEEP VICTIM'S HEAD BELOW HI

PS. IF SYMPTOMS SUCH AS

LOSS OF GAG REFLEX, CONVULSION OR UNCONSCIOUSNESS OCCUR, GASTRIC LAVAGE USING A CUFFED ENDOTRACHEAL TUBE SHOULD BE CONSIDERED.

======== Physical/Chemical Properties ==========
HCC:V6
NRC/State Lic Num:NOT RELEVANT
Melt/Freeze Pt:M.P/F.P Text:-4F,-20C
Spec Gravity:0.8950
Solubility in Water:NEGLIGIBLE
Appearance and Odor:PALE ORANGE OIL - SLIGHT HYDROCARBON ODOR

======== Stability and Reactivity Data ==========

Stability I

ndicator/Materials to Avoid:YES

OXIDIZING AGENTS

Stability Condition to Avoid:HEATING ABOVE FLASH POINT, FLAMES
Hazardous Decomposition Products:A COMPLEX MIXTURE OF AIRBORNE SOLID,
LIQUID, PARTICULATES & GASES WILL EVOVLE. CARBON MONOXIDE & OTHER
COMPD. MAY FORM.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compil ing agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.