

COMMUNICATIONS TECHNOLOGY CORP -- VERSAGEL PART B -- 8030-01-163-3485

===== Product Identification =====

Product ID:VERSAGEL PART B

MSDS Date:08/26/1996

FSC:8030

NIIN:01-163-3485

Kit Part:Y

MSDS Number: CBTVL

=== Responsible Party ===

Company Name:COMMUNICATIONS TECHNOLOGY CORP

Address:5250 FOLTON IND. BLVD

City:ATLANTA

State:GA

ZIP:30336

Country:US

Info Phone Num:404-696-6400

Emergency Phone Num

:404-696-6400

CAGE:COMMU

=== Contractor Identification ===

Company Name:COMMUNICATIONS TECHNOLOGY CORP

Box:UNKNOW

CAGE:0ST31

Company Name:COMMUNICATIONS TECHNOLOGY CORP

Address:5250 FULTON INDUSTRIAL BLVD

City:ATLANTA

State:GA

ZIP:30336

Country:US

Phone:404-696-6400

CAGE:COMMU

===== Composition/Information on Ingredients =====

Ingred Name:NO HAZARDOUS INGREDIENTS IN EXCESS OF 1% OR CARCINOGENIC
INGREDIENTS IN EXCESS OF 0.1%.

Other REC Limits:NONE SPECIFIED

=====

==== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NO EVIDENCE OF TOXICITY DUE TO
INHALATION OF VAPORS HAS BEEN FOUND UNDER NORMAL CONDITIONS.

==== First Aid Measures =====

First Aid:WASH AFFECTED SKIN AREAS WITH SOAP AND WATER. FOR EYE
CONTAMINATION, IRRIGATE EYES THOROUGHLY WITH WATER FOR 15 MINUTES

AND GET IMMEDIATE MEDICAL ATTENTION. FOR INGESTION, IF CONSCIOUS,
GIVE PLENTY OF WATER AND INDUCE VOMITING.

==== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:330F,166C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CHEMICAL FIRE EXTINGUISHERS, CO2 OR FOAM.
Fire Fighting Procedures:AIR-SUPPLIED MASKS OF THE FULL-FACED TYPE MUST
BE WORN BY FIRE FIGHTING PERSONNEL EXPOSED TO VAPORS.
Unusual Fire/Explosion Hazard:THERMAL DECOMPO
SITION PRODUCTS ARE TOXIC.

==== Accidental Release Measures =====

Spill Release Procedures:ABSORB IN AN ABSORBENT SWEEPING COMPOUND,
SAWDUST OR SAND, AND DISPOSE.

==== Handling and Storage =====

Handling and Storage Precautions:STORE INDOORS IN A COOL, DRY PLACE;
AVOID MOISTURE CONTAMINATION.

==== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER NORMAL USE.
Vent

ilation:USE LOCAL EXHAUST.

Protective Gloves:CHEMICAL RESISTANT RUBBER OR PLASTIC.

Eye Protection:EYE SHIELD, GOGGLES OR GLASSES.

Work Hygienic Practices:WASH HANDS AFTER USE & BEFORE EATING OR
SMOKING. AVOID PROLONGED BREATHING OF VAPORS AND CONTACT WITH SKIN
AND CLOTHES.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:610F,321C

Vapor Pres:0.001

Vapor Density:>1.0

Spec Gravity:0.93

Evaporation Rate & Refer
ence:NIL

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR, AMBER LIQUID.

Percent Volatiles by Volume: