View NSN Online: https://aerobasegroup.gr/nsn/7930-01-381-3373

Product ID: CHASE LOW FOAM NEUTRAL CLEANER #0930 MSDS Date:01/01/1991 FSC:7930 NIIN:01-381-3373 MSDS Number: CBTYX === Responsible Party === Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC Address:401 N 10TH ST City:PHILADELPHIA State:PA Ζ IP:19123-3803 Country:US Info Phone Num:215-922-1200 Emergency Phone Num:215-922-1200 Preparer's Name:F.C. CAGE:93607 === Contractor Identification === Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC Address:401 N 10TH ST Box:City:PHILADELPHIA State:PA ZIP:19123-3803 Country:US Phone:215-922-1200 CAGE:93607

======= Composition/Information on Ingredients ==========

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: PROP Other REC Limits:NONE RECOMMENDED Ingred Name:XYLENE SULFONIC ACID SODIUM SALT CAS:1300-72-7 Fraction by Wt: PROP Other REC Limits:NONE RECOMMENDED

Ingred Name:BLOCK COPOLYMER OF PROPYLENE OXIDE (LD50 ORAL 5000 MG/KG) CAS:9003-11-6 RTECS #:MD0911050 Fraction by Wt: PROP Other REC Limits:NONE RECOMMENDED

Ingred Name:ISOPROPYL ALCOHOL (SARA 313) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: PROP Other REC Limits:NONE RECOMMENDED OSHA PEL:400 PPM ACGIH TLV:400 PPM

Ingred Name:POLYETHYLENE MONO(NONYLPHENOL) ETHER GLYCOLS CAS:90 16-45-9 RTECS #:MD0900000 Fraction by Wt: PROP Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE MINOR SKIN/EYE IRRITATION. MAY BE HARMFUL IF SWALLOWED. Medical Cond Aggravated by Exposure:NONE

First Aid:EYES: FLUSH W/W ATER AT LEAST 15 MINUTES. GET MEDICAL AID. SKIN: FLUSH THOROUGHLY W/WATER. IF IRRITATION PERSISTS GET MEDICAL AID. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK, EGG WHITE, GELATIN. IF T HESE NOT AVAILABLE GIVE LARGE AMOUNTS WATER. GET MEDICAL AID.

Flash Point Method:TOC Flash Point:NONE TO BOILING Lower Limits:NOT EST. Upper Limits:NOT EST. Unusual Fire/Explosion Hazard:NONE

======= Accidental Rel

Spill Release Procedures: RECONTAINERIZE BY MOPPING, WET VACUUM, OR USING SUITABLE ABSORBENT. RINSE REMAINING MATERIAL TO DRAINS. BE CAUTIOUS OF SLIPPERY FLOORS.

Handling and Storage Precautions:STORE BETWEEN 40 AND 140F. Other Precautions:KEEP OUT OF REACH OF CHILDREN. FOR SALE/USE/STORAGE BY SERVICE PERSONNEL ONLY.

====== Exposure Controls/Personal Protection ========

===

Respiratory Protection:NOT REQUIRED Ventilation:NOT REQUIRED Protective Gloves:LATEX GLOVES RECOMMENDED Eye Protection:GOGGLES RECOMMENDED Other Protective Equipment:NONE Supplemental Safety and Health NK

Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:AS WATER Vapor Density:AS WATER Spec Gravity:1.035 pH:7.4 Evaporation Rate & amp; Reference:AS WATER Solubility in Water:COMPLETE Appearance and Odor:CLEAR, THIN, PALE-GREEN LI QUID, CITRUS ODOR Percent Volatiles by Volume:90.8

Stability Indicator/Materials to Avoid:YES STRONG ACIDS, OXIDIZERS Stability Condition to Avoid:NONE Hazardous Decomposition Products:CARBON OXIDES

Waste Disposal Methods: FOLLOW LOCAL, STATE, FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is fo

rmulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.