View NSN Online: https://aerobasegroup.gr/nsn/6750-00-165-7133

CLAYTON CHEMICAL CO. -- 2431 AUTOMATIC INDUST X-RAY DVLP/REPLENISHER, PART C -- 6750-00-165-7133

Product ID:2431 AUTOMATIC INDUST X-RAY DVLP/REPLENISHER, PART C MSDS Date:03/26/1997 FSC:6750 NIIN:00-165-7133 Kit Part:Y MSDS Number: CCHQV === Responsible Party === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA ST **City:LOS ANGELES** State:CA ZIP:90061 Co untry:US Info Phone Num:310-538-9530 Emergency Phone Num:708-640-4800/800-424-9300(CHEMTREC) Preparer's Name:NONE CAGE:6W820 === Contractor Identification === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:City:LOS ANGELES State:CA ZIP:90061 Country:US Phone:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803 Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP Address:RR 1 Box:276-Z City:HEATHSVILLE State:VA ZIP:22473 Country:US Phone:703-759-9399 CAGE:6W820

==========

== Composition/Information on Ingredients ==========

Ingred Name:GLUTARALDEHYDE CAS:111-30-8 RTECS #:MA2450000 Fraction by Wt: 15-20% Other REC Limits:NONE RECOMMENDED OSHA PEL:C 0.2 PPM ACGIH TLV:C 0.2 PPM; 9596

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NOTE:PERTAINS TO **FINISHED** PRODUCT.ACUTE:EYE:MAY CAUSE IRRIT.SKIN:MAY CAUSE IRRIT &/OR ALLERGIC SKIN RX.INHAL:NORMALLY NO PROBELM BUT INHAL OF MIST COULD CAUSE RESPIRATORY IRRIT. INGEST: MAY CAUSE IRRIT OF MUC MEMB OR DIGESTIVE TRACT.CHRONIC:NOTE PERTAINS TO EA INGRED.A COMPUTERIZED LITERATURE SEARCH OF NAT DATABASES(SUP) Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY LISTINGS:NTP/IARC/OSHA:NO. Effects of Overexposure: EYE IRRIT, SKIN IRRIT &/OR ALLERGIC SKIN REACTION.RESPIRATORY IRRIT, MUCOUS MEMBRANE OR DIGESTIVE TRACT IRRIT. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:APPLIES TO FINISHED PRODUCT.EYE:IMMED FLUSH W/PLENTY OF RUNNING WATER FOR @LEAST 15MINS.OBTAIN MED ATTN.SKIN:FLUSH AFFECTED AREAS PROMPTLY W/WATER FOR 15MINS.REMOVE CONTAM CLOTH.IN CASE OF CONT IRRIT CONSULT PHYSICIAN.INHAL:FOR OVEREXPO REMOVE TO FRESH AIR.INGEST:DRINK MILK OR WAT ER.DO NOT INDUCE VMITING.OBTAIN IMMED MED ATTN.

Flash Point:NOT FLAMMABLE

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:NONE

Upper Limits:NONE

Extinguishing Media: ANY EXTINGUISHING MEDIA APPLICABLE TO SURROUNDING AREA.

Fire Fighting Procedures: EVACUATE PERSONNEL TO SAFE AREA.KEEP PERSONNEL REMOVED & UPWIND OF FIRE.WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: WHEN HEATED TO DECO MPOSITION EMISSION OF TOXIC FUMES IS POSSIBLE.

	Accidental	Release	Measures	
--	------------	---------	----------	--

Spill Release Procedures:REVIEW MSDS BEF PROCEEDING W/CLEANUP.USE APPROPRIATE PPE DURING CLEANUP.DIKE SPILL.PREVENT LIQ FRM ENTERING SEWERS/WQTERWAYS/LOW AREAS.SOAK UP W/SAND,OIL DRY,OTHER ABSORBENT MATL.SPILL MAY BE NEUTRALI ZED W/POWDERED SODIUM CARBONATE. Neutralizing Agent:POWDERED SODIUM CARBONATE.

=====

 Handling and Storage Precautions:STORE IN WELL VENTILATED AREA.KEEP CNTNR TIGHTLY CLOSED.DONT STORE W/INCOMPATIBLE MATLS.
Other Precautions:DONT STORE OR CONSUME FOOD,DRINK,USE TOBACCO IN AREAS WHERE THEY MAY BECOME CONTAM W/THIS MATL. NO SARA TITLE III/40CFR372 CHEMICALS.

Respiratory Protection:SUFFICIENT ROOM VENTILATION. Ventilation:ROOM VENTILATION. Protective Gloves:GLOVES Eye Protection:SPLASH PROT SU GGESTED-EYEGLASS W/SIDESHE Other Protective Equipment:APRONS Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health HEALTH:DID NOT YEILD ANY CHRONIC EFFECTS ASSOC W/THESE MATLS. PER CTDF:3-PART KIT,ONLY PARTC MSDS RECEIVED.HCC GIVEN IS FOR PART C ONLY SINCE HAVE NO MSDS FOR OTHER 2 PARTS.

HCC:C3 Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp:Decomp Text:NP V apor Pres:NA Vapor Density:NA Spec Gravity:1.202 pH:3.93 Viscosity:NP Solubility in Water:100% SOLUBLE Appearance and Odor:CLEAR COLORLESS, FRUITY ODOR Percent Volatiles by Volume:NA Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES STRONG ALKALIES AND ACIDS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:SULFUR DIOXIDE GAS.

======= Disposal Consideration

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQ &/OR CONTAM H2O,DISPO OF IN APPROV/PERMITTED TREATMENT SYS.REMOVE NONUSABLE SOLID MATL &/OR CONTAM SOIL FOR DISPO IN APPROV/PERMITTED LANDFILL.DISCHARGE TO SEWER REQUIRES AP PROV OF PERMITTING AUTHORITY & MAY REQUIRE PRETREA

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of Americ a in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.