

S.C. JONSON & SON, INC. -- WINDEX POWERIZED FORMULA RTU -- 7930-01-381-3407

=====  
Product Identification  
=====

Product ID:WINDEX POWERIZED FORMULA RTU

MSDS Date:08/08/1994

FSC:7930

NIIN:01-381-3407

MSDS Number: CCKPG

=== Responsible Party ===

Company Name:S.C. JONSON & SON, INC.

City:RACINE

State:WI

ZIP:53403-5011

Country:US

Info Phone Num:800-725-6737

Emergency Phone Num:800-228-5635 EX 092/800-

851-7145

CAGE:NO557

=== Contractor Identification ===

Company Name:DRACKETT CO

Address:5020 SPRING GROVE AVE

Box:City:CINCINNATI

State:OH

ZIP:45232-1926

Country:US

Phone:513-632-7409

CAGE:85234

Company Name:S.C. JONSON & SON, INC.

Box:City:RACINE

State:WI

ZIP:53403-5011

Country:US

Phone:800-228-5635

CAGE:NO557

=====  
Composition/Information on Ingredients  
=====

Ingred Name:2-BUTOXYETHANOL (LD50 560-3000MG/KG ORAL RAT; LC50 500PPM

INHAL RAT 4 HOURS)(SARA 313)

CAS:111-76-2

R

TECS #:KJ8575000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:25 PPM SKIN  
ACGIH TLV:25 PPM SKIN

Ingred Name:AMMONIUM HYDROXIDE (CERCLA)(LD50 350MG/KG ORAL RAT)  
CAS:1336-21-6  
RTECS #:BQ9625000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:25 PPM/STEL 35  
ACGIH TLV:25 PPM/STEL 35  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: >90.0%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC = GLYCOL ETHER 0.  
30 LB/GL  
RTECS #:9999999VO  
Fraction by Wt: NA  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT RELEVANT  
ACGIH TLV:NOT RELEVANT

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:ACUTE ORAL LD50 >5000MG/KG RAT ESTIMATE  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES: MAY CAUSE SENSITIZATION OF  
IRRITATION. INHALATION: MAY CAUSE IRRITATION TO NOSE, THROAT,  
RESPIRATORY TRACT. INGESTION: MAY CAUSE IRRITATION TO MUCOUS  
MEMBRANES.

=====  
===== First Aid Measures =====

First Aid:EYES/SKIN: RINSE W/PLENTY OF WATER. INHALATION: REMOVE TO  
FRESH AIR. INGESTION: NO SPECIAL REQUIREMENTS.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:>200F,>93C  
Autoignition Temp:Autoignition Temp Text:NOT AV  
Lower Limits:NOT AVAIL  
Upper Limits:NOT AVAIL  
Extinguishing Media:FOA

M, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.

Unusual Fire/Explosion Hazard:NO SPECIAL HAZARDS KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB W/OIL-DRI OR SIMILAR INERT MAT'L. SWEEP OR SCRAPE UP & CONTAINERIZE. DON'T LET SPILLED MAT'L INTO WATER COURSE. CONTAINS AMMONIA.

===== Handling and Storage =====

Handling and Storage Precautions

:STORE IN COOL, DRY PLACE W/ADEQUATE

VENTILATION. PH = 10.2-11.2

Other Precautions:USE AS DIRECTED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS.

Ventilation:GENERAL ROOM VENTILATION ADEQUATE.

Protective Gloves:NO SPECIAL REQUIREMENTS UNDER NORMAL USE

Eye Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE

Other Protective Equipment:NA

Supplemental Safety and Health

NK

=====

Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:NOT AVAIL

Vapor Density:>1

Spec Gravity:0.99

pH:\*

Evaporation Rate & Reference: