View NSN Online: https://aerobasegroup.com/nsn/8030-01-192-2807

COURTAULDS AEROSPACE, INC -- PRO-SEAL 870 C-48, PART 2 OF 2 -- 8030-01-192-2807

Product ID:PRO-SEAL 870 C-48, PART 2 OF 2

MSDS Date:06/03/1996

FSC:8030

NIIN:01-192-2807

Kit Part:Y

MSDS Number: CDJSN === Responsible Party ===

Company Name: COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Info Phone Num:81

8-240-2060

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name: MAGNESIUM CHROMATE (SARA 313)

CAS:13423-61-5 Fraction by Wt: 25.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.1 MG/M3 (AS CR)

ACGIH TL

Ingred Name:1,3 DIPHENYL GUANIDINE CAS:102-06-7
Fraction by Wt: 200F,>93C Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures:USE AIR-SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF MANGANESE DIOXIDES RESULTING IN OXIDATION & POSSIBLE IGNITION OF HYDROCARBON VEHICLE.
========== Accidental Release Measures ============
Spill Release Procedure s:SCOOP INTO CONTAINERS. CLEAN UP RESIDUE W/ SUITABLE SOLVENT.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT REQUIRED Ventilation:GENERAL Protective Gloves:SOLVENT RESISTANT Eye Protection:SAFETY GLASSES
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING, BEFORE SMOKING OR EATING. AVOID INGESTION. Supplemental Safety and Health
======================================
Boiling Pt:B.P. Text:644F,340C Va
por Density:NONVOLATIL Spec Gravity:1.801
Evaporation Rate & Description Reference: NON VOLATILE Appearance and Odor: BLACK PASTE Percent Volatiles by Volume: 0.0
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES EASILY OXIDIZABLE MATERIALS. Hazardous Decomposition Products:OXIDES OF CARBON & NITROGEN, CHROMIUM & MANGANESE COMPOUNDS.
========= Disposal Considerations ==============

Waste Disposal Methods:EPA WASTE #D-00

7. DISPOSE IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility f or the suitability of this information to their particular situation.