View NSN Online: https://aerobasegroup.gr/nsn/9150-01-372-6915

IMPERIAL OIL CO., INC. -- IMP-EP-TURBIN OIL, MIL-L-17331, 2190 TEP, QU

\_\_\_\_\_\_

MSDS Safety Information

\_\_\_\_\_

FSC: 9150

NIIN: 01-372-6915 MSDS Date: 06/20/1996 MSDS Num: CDJVW

Product ID: IMP-EP-TURBIN OIL, MIL-L-17331, 2190 TEP, QUAL #L-17331-3

MFN: 02

Responsible Party Cage: 58563

Name: IMPERIAL OIL CO., INC.

Address: ORCHARD

PLACE Box: 279

City: MORGANVILLE NJ 07751

Info Phone Number: 201-591-9400 - RICHARD ROBINSON Emergency Phone Number: 908-591-9400/FAX -8825

Preparer's Name: PAUL LEWICKI

Proprietary Ind: Y Review Ind: Y Published: Y

\_\_\_\_\_

Contractor Summary

\_\_\_\_\_\_

Cage: 58563

Name: IMPERIAL OIL CO INC Address: FOOT OF ORCHARD PL

Box: 279

City: MORGANVILLE NJ 07751

Phone: 732-591-9400/FAX: 732-591-8825

Cage: 1DL10

Name: NAUGHTON ENERGY CORP

Address: RT 940

Box: 709

City: POCONO PINES PA 18350-0709

Phone: 570-646-0422

\_\_\_\_\_

Item Description Information

\_\_\_\_\_

Item Name: LUBRICATING OIL, STEAM TURBINE

Specification Number: MIL-L-17331

Type/Grade/Class: TYPE II

Unit of Issue: GL UI Container Qty: X

Type of Container: UNKNOWN

\_\_\_\_\_\_

Ingredients

\_\_\_\_\_

Name: \*\*\* PROPRIETARY \*\*\*

-----

\_\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_

LD50 LC50 Mixture: PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: WHILE THIS PRODUCT MAY IRRITATE THE SKIN FROM PROLONGED SKIN CONTACT, THERE IS NO MEDICAL OR TOXICOLOGICAL EVIDENCE THAT IT IS AN

**IRRITAN** 

T, A CORROSIVE OR A CARCINOGEN. IT HAS A LOW ORDER OF ORAL & amp; DE RMAL TOXICITY. INHALATION OF MIST MAY CAUSE PULMONARY PROBLEMS. IF NOT TREATED, MAY CAUSE PULMONARY INJURY.

Explanation Of Carcinogenicity: NO DATA AVAILABLE

Signs And Symptions Of Overexposure: FROM HUMAN EXPERIENCE & amp; THE AVAILABLE TECHNICAL DATA CONCERNING THIS PRODUCT & amp; DUE TO ITS LOW ORDER OF DERMAL, ORAL, & amp; INGESTIVE TOXICITY SIGNS & amp; SYMPTOMS OF OVER EXPOSURE ARE UNKNOWN.

Medical Cond Aggravated By

Exposure: DIRECT CONTACT W/THE EYES MAY CAUSE

IRRITATION. PROLONGED SKIN CONTACT MAY CAUSE SKIN IRRITATION.

First Aid: IF SWALLOWED, DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY. IF SPLASHED INTO EYES, PURGE W/COPIOUS AMOUNTS OF WATER. IN CASE OF SKIN CONTACT CLEANSE W/WATERLESS SOAP FOLLOWED BY THOROUGH WASHI NG W/SOAP & WATER.

\_\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_\_

Spill Release

Procedures: CONTAIN SPILL W/SAND, EARTH, CLAY, ETC. OR OTHER DIKING MATERIAL. RECOVER FREE LIQUIDBY PUMPING INTO DRUMS OR OTHER SUITABLE CONTAINERS. CLEAN AREA W/RAGS OR OTHER ABSORBENT MATERIAL.

Neutralizing Agent: MFR GAVE NO INFORMATION OF MSDS.

Waste Disposal Methods: INCINERATE IN APPROVED EQUIPMENT OR LANDFILL CONTAMINATED DIKING MATERIAL I/A/W CURRENT LOCAL, STATE & mp; FEDERAL REGULATIONS. THIS APPLIES TO UNRECOVERABLE LIQUID AS WELL.

Handling And Storage Precautions: THESE LUBRI

CANTS BECOME VERY VISCOUS WHEN

STORED AT LOW TEM. THEY CONGEAL AT TEMP -12 TP 32C.

Other Precautions: USE PRODUCT W/CAUTION AROUND OPEN FLAMES, HEAT, SPARKS,

PILOT LIGHTS & amp; STATIC ELECTRICITY.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_

Flash Point Method: COC Flash Point Text: 440F,227C Lower Limits: UNKNOWN Upper Limits: UNKNOWN

Extinguishing Media: CARBON DIOXIDE, WATER FOG, FOAM

, OR DRY CHEMICAL.

Fire Fighting Procedures: WEAR MESA/NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS. (SCHEDULE 13) USE WATER SPRAY TO COOL EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard: NONE.

\_\_\_\_\_

**Control Measures** 

\_\_\_\_\_\_

Respiratory Protection: USE SUPPLIED-AIR RESPIRATORY PROTECTION IN CONFINED OR

**ENCLOSED SPACES IF NEEDED.** 

Ventilation: N/A.

Protective Gloves: IMPERVIOUS NEOPRENE, R

**UBBER OR PLASTIC** 

Eye Protection: SPLASH GOGGLES

Other Protective Equipment: EYEWASH FACILITY.

Work Hygienic Practices: MINIMIZE BREATHING VAPOR, MIST OR FUMES. REMOVE

CONTAMINATED CLOTHING & LAUNDER OR DRY CLEAN BEFORE RE-USE.

Supplemental Safety and Health: OIL SOAKED SHOULDS SHOULD BE DISCARDED. "EMPTY" CONTAINERS RETAIN RESIDUE & DE L'ARREST CAN IGNITE EXPLOSIVELY. DO NOT CUT, DRILL, OR

WELD ON OR NEAR FULL OR EMPTY CONTAINERS.

Physical/Ch

emical Properties

\_\_\_\_\_

HCC: V6

NRC/State LIC No: NONE B.P. Text: 600F,316C M.P/F.P Text: 0F,-18C Decomp Text: UNKNOWN Vapor Pres: 1 MM HG Vapor Density: 1 Spec Gravity: 1

Viscosity: UNKNOWN

Evaporation Rate & Reference: 1 (N-BUTYL ACETATE=1)

Solubility in Water: 0

Appearance and Odor: DARK AMBER - NO ODOR.

Corrosion Rate: UNKNOWN

\_\_\_\_\_\_

Reactivity Data

\_\_\_\_\_

=========== Stability Indicator: YES Stability Condition To Avoid: KEEP AWAY FROM EXTREME HEAT & OPEN FLAME Materials To Avoid: KEEP AWAY FROM STRONG ACIDS, ALKALIES, OXIDIZERS Hazardous Decomposition Products: WHEN BURNING NITRIC ACID, CARBON MONOXIDE, CARBON DIOXIDE, DENSE CARBONACEOUS SMOKE. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: N/A. WILL NOT OCCUR. -----**Toxicological Information** \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_\_ **Ecological Information** \_\_\_\_\_\_ \_\_\_\_\_\_ MSDS Transport Information \_\_\_\_\_ \_\_\_\_\_ Regulatory Information \_\_\_\_\_ \_\_\_\_\_\_ \_\_\_\_ Other Information \_\_\_\_\_\_ Transportation Information -----Responsible Party Cage: 58563 Trans ID NO: 130229 Product ID: IMP-EP-TURBIN OIL, MIL-L-17331, 2190 TEP, QUAL #L-17331-3 MSDS Prepared Date: 06/20/1996 Review Date: 03/26/1997 MFN: 2 Tech Entry NOS Shipping Nm: NONE Net Unit Weight: 8.3 LBS Multiple KIT Number: 0 Review IND: Y nit Of Issue: GL Container QTY: X Type Of Container: UNKNOWN Additional Data: NONE \_\_\_\_\_\_ Detail DOT Information \_\_\_\_\_\_ DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

\_\_\_\_\_

Detail IMO Information

\_\_\_\_\_

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATE

D FOR THIS MODE OF TRANSPORTATION

\_\_\_\_\_\_

**Detail IATA Information** 

\_\_\_\_\_\_

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

\_\_\_\_\_

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

==========

HAZCOM Label

\_\_\_\_\_

Product ID: IMP-EP-TURBIN OIL, MIL-L-17331, 2190 TEP, QUAL #L-17331-3

Cage: 58563

Company Name: IMPERIAL OIL CO INC

Street: FOOT OF ORCHARD PL

PO Box: 279

City: MORGANVILLE NJ

Zipcode: 07751

Health Emergency Phone: 908-591-9400/FAX -8825

Label Required IND: Y

Date Of Label Review: 03/26/1997

Status Code: C

MFG Label NO: NONE Label Date: 03/26/1997 Year Procured: 1997 **Origination Code** 

: F

Eve Protection IND: YES Skin Protection IND: YES Signal Word: CAUTION Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Slight Reactivity Hazard: None

Hazard And Precautions: WHILE THIS PRODUCT MAY IRRITATE THE SKIN FROM PROLONGED SKIN CONTACT, THERE IS NO MEDICAL OR TOXICOLOGICAL EVIDENCE THAT IT IS AN IRRITANT, A CORROSIVE OR A CARCINOGEN. IT HAS A LOW ORDER OF ORAL & amp; DE RMAL TOXICITY. INHALATION OF MIST MAY CAUSE PULMONARY PROBLEMS. IF NOT

TREATED, MAY CAUSE PULMONARY

## INJURY. THESE LUBRICANTS BECOME VERY VISCOUS WHEN STORED AT LOW TEM. THEY CONGEAL AT TEMP -12 TP 32C .

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any pers

on or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a correspondin

g Department

of Defense or other government situation.