

KOP-COAT INC -- ASPHALT ROOF COATING 454 #27502001 -- 5610-00-771-4694

=====  
Product Identification  
=====

Product ID: ASPHALT ROOF COATING 454 #27502001

MSDS Date: 05/01/1989

FSC: 5610

NIIN: 00-771-4694

MSDS Number: CDPHJ

=== Responsible Party ===

Company Name: KOP-COAT INC

Address: 436 7TH AVENUE

City: PITTSBURGH

State: PA

ZIP: 15219-1818

Country: US

Info Phone Num: 800-547-2468

Emergency Phone Num: 800-548-

0489 OR 412-227-2700

CAGE: 00297

=== Contractor Identification ===

Company Name: KOP-COAT INC

Address: 436 7TH AVENUE

City: PITTSBURGH

State: PA

ZIP: 15219-1818

Country: US

Phone: 800-553-5631, CHEMTREC 800-424-9300

CAGE: 00297

=====  
Composition/Information on Ingredients  
=====

Ingred Name: ASPHALT (PETROLEUM)

CAS: 8052-42-4

RTECS #: CI9900000

Fraction by Wt: 50-55%

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 100 LBS.

=====  
Handling and Storage  
=====

H

Handling and Storage Precautions: AVOID CHRONIC VAPOR/MIST/FUME/BREATHING & EYE/SKIN CONTACT. KEEP IN CLOSED/LABELED CONTAINER IN COOL DRY WELL VENTED AREA. DON'T DAMAGE CONTAINER.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection: IF TLV/PEL EXCEEDED, USE APPROPRIATE MSHA/NIOSH APPROVED RESPIRATORY PROTECTION.

Ventilation: SUFFICIENT GENERAL/LOCAL EXHAUST VENT TO KEEP BELOW LIMITS, USE LOCAL EXHAUST FOR USE IN ENCLOSED CONFINED SPACES.

Protective

Gloves: AS REQUIRED.

Eye Protection: SAFETY GLASSES, MINIMUM

Other Protective Equipment: WORK CLOTHING, SAFETY FOOTWEAR, IMPERVIOUS PROTECTIVE GARMENTS.

Work Hygienic Practices: WASH THOROUGHLY BEFORE EATING/DRINKING/USING TOBACCO/TOILET, DON'T WEAR CONTAM CLOTHING, DISCARD CONTAM FOOTWEAR.

Supplemental Safety and Health  
MORE INFORMATION ON FILE

=====  
===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: NA

Melt/Freeze Pt: M.P/F.P Text: NA

Vapor Pres: NA

Vapor

Density: NA

Spec Gravity: 0.95-1.05

pH: NE

Viscosity: 50-400 STORM

Evaporation Rate & Reference: NA

Solubility in Water: NIL

Appearance and Odor: BLACK SEMISOLID W/CHARACTERISTIC ODOR

Percent Volatiles by Volume: 25.0

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

MAY ATTACK SOME PLASTIC & RUBBERS.

Hazardous Decomposition Products: NONE

=====  
===== Disposal Considerations =====

Waste Disposal Methods: AS

HAZARDOUS WASTE IN ACCORDANCE  
W/LOCAL/STATE/FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.