

EASTMAN KODAK COMPANY -- 180 5134 RP X-OMAT FIXER & REPLENISHER, PART A --  
6525-01-076-8677

===== Product Identification =====

Product ID:180 5134 RP X-OMAT FIXER & REPLENISHER, PART A

MSDS Date:08/02/1995

FSC:6525

NIIN:01-076-8677

MSDS Number: CDQMW

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

C

AGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTEC

S #:ZC0110000  
Fraction by Wt: 40-45%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:AMMONIUM THIOSULFATE  
CAS:7783-18-8  
RTECS #:XN6465000  
Fraction by Wt: 35-40%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM THIOSULFATE  
CAS:7772-98-7  
RTECS #:XN6476000  
Fraction by Wt: 10-15%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:AMMONIUM BISULFITE (CERCLA)  
CAS:10192-30-0  
RTECS #:WT3595000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:A  
MMONIUM ACETATE (CERCLA)  
CAS:631-61-8  
RTECS #:AF3675000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM BISULFITE (SASA III) (CERCLA)  
CAS:7631-90-5  
RTECS #:VZ2000000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3  
ACGIH TLV:5 MG/M3; 9596  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Route

s of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHAL:EXPECTED TO BE A LOW HAZARD FOR  
RECOMMENDED HANDLING. EYES:NO SPECIFIC HAZARD KNOWN.MAY CAUSE  
TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR RECOMMENDED HANDLING.  
INGEST:EXPECTED TO BE LOW INGESTION HAZRD.  
Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY  
CLASSIFICATION:IARC/ACGIH/NTP/OSHA:NONE.  
Effects of Overexposure:TRANSIENT EYE IRRITA  
TION.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHAL:IF SYMPTOMATIC MOVE TO FRESH AIR. GET MED ATTN IF  
SYMPTONS PERSIST. EYES:ANY MATL THAT CONTACTS EYE SHOULD BE WASHED  
OUT IMMED W/WATER. GET MED ATTN IF SYMPTOMS OCCUR. SKIN:WASH W/SOAP  
& WATER. GET MED ATTN IF SYMPTOMS OCCUR. INGEST:DRINK 1-2 GLASSES  
OF WATER. SEEK MED ATTN.

===== Fire Fighting Measures  
=====

Flash Point:NONE  
Autoignition Temp:Autoignition Temp Text:NP  
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE (CO2), DRY CHEMICAL,  
ALCOHOL FOAM.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS &  
PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS  
DECOMPOSITION PRODUCTS.  
Unusual Fire/Explosion Hazard:DRIED PRODUCT RESIDUE CAN ACT AS A  
REDUCING AGENT.

===== Accidental Release Measures =====

Spill R  
elease Procedures:FLUSH TO SEWER W/LG AMTS OF WATER.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE W/ADEQUATE VENTI.KEEP FROM CONTACT  
W/OXIDIZING MATLS.KEEP CNTNR TIGHTLY CLOSED.KEEP AWAY FROM  
INCOMPATIBLE SUBSTANCES.  
Other Precautions:PROPERTIES:MOD BIOCHEM OXY DEMAND,MAY CAUSE OXY  
DEPLETION IN AQU SYS.LOW POT TO AFFECT AQU ORGANISMS/2ND WASTE  
TREATMENT MICROBIAL METAB

OLISM/GERM &/OR EARLY GROWTH OF SOME  
PLANTS/PERSIST IN ENVIRO/BI OCONCEN.AFT DILUTION W/LG AMTS OF  
(SUPP)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.  
Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES/HR)  
SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS  
Protective Gloves:IMPERVIOUS GLOVES.  
Eye Protection:SAFETY GLASSES W/SIDE SHIELDS, GOGGLES.  
Other Protective Equipment:EYEBATH, WASHI  
NG FACILITIES, SAFETY SHOWER.  
Work Hygienic Practices:WASH THOROUGHLY AFT HNDLG.GOOD INDUSTRIAL HYG  
PRAC TO MIN EYE/SKIN CONTACT.  
Supplemental Safety and Health  
OTHER PRECAUT:WATER/2ND WASTE TREAT MATL NOT EXPECTED TO CAUSE ADVERSE  
ENVIRO EFFECTS. TO MAKE 200 GALLONS.

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:>212F,>100C  
Melt/Freeze Pt:M.P/F.P Text:NP  
Decomp Temp:Decomp Text:NP  
Vapor Pres:18 @20C  
Vapor Density:0.6  
Spec Gravity:1.36  
1  
pH:4.1  
Viscosity:NP  
Evaporation Rate & Reference:NP  
Solubility in Water:COMPLETE.  
Appearance and Odor:LIQUID, COLORLESS, SLIGHT AMMONIA ODOR.  
Percent Volatiles by Volume:45  
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS, STRONG ACIDS, BAES, SODIUM HYPOCHLORITE  
(BLEACH).CONTACT W/BASE LIBERATES FLAMMABLE MATL.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous

Decomposition Products:AMMONIA, CHLORAMINE. HAZ COMBUST  
PROD:CO2,CO,OXIDES OF NITROGEN,OXIDES OF SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE/TREATMENT/DISPOSAL MAY BE SUBJECT TO  
NATIONAL/STATE/LOCAL LAWS. FLUSH TO SEWER W/LG AMTS OF WATER.  
CHEM(S) SUBJ TO REPORTING REQMTS OF SEC 313 TITLE III  
SARA/40CFR372:NONE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulate  
d for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.