

EPOXYLITE CORP -- EPOXYLITE #5526 PART A -- 8040-01-332-8875

=====
Product Identification
=====

Product ID:EPOXYLITE #5526 PART A

MSDS Date:03/31/1993

FSC:8040

NIIN:01-332-8875

Kit Part:Y

MSDS Number: CDXWF

=== Responsible Party ===

Company Name:EPOXYLITE CORP

Address:9400 TOLEDO WAY

Box:19671

City:IRVINE

State:CA

ZIP:92713

Country:US

Info Phone Num:714-951-3231 / FAX 714-472-0980

Emergency Phone

Num:714-951-3231

CAGE:11147

=== Contractor Identification ===

Company Name:THE EPOXYLITE CORPORATION

Address:9400 TOLEDO WAY

Box:19671

City:IRVINE

State:CA

ZIP:92713-9671

Country:US

Phone:714-951-3231

CAGE:11147

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROGENATED DIGLYCIDYL ETHER OF BISPHENOL A, LD50 300
MG/KG RAT DERMAL LD50 >2000 MG/KG RABBIT

CAS:30583-72-3

Fraction by Wt: 25-35%

Other REC Limits:NONE RECOMMENDED

Ingred Name:PHENOL-FORMALDEHYDE

NOVOLAC, LD50 4000 MG/KG ORAL RAT

CAS:28064-14-4

Fraction by Wt: 35-40%

Other REC Limits:NONE RECOMMENDED

Ingred Name:DIGLYCIDYL ETHER OF BISPHENOL A LD50 >10000 MG/KG ORAL RAT

DERMAL LD50 >6000 MG/KG RABBIT

CAS:25085-99-8

Fraction by Wt: >5.0%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:E

YE: MINOR TRANSIENT IRRITATION. SKIN:

MINOR IRRITATION, SENSITIZATION.

=====
===== First Aid Measures =====

First Aid:EYE: WASH W/RUNNING WATER FOR 15 MINUTES, CALL DR. SKIN: WASH

PROMPTLY W/SOAP & WATER. INGEST: GET MED AID IMMED. INHAL: REMOVE

TO FRESH AIR, GET MED AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:480F,249C

Lower Limits:NE

Upper Limits:NE

Extinguishing Media:FOAM, CO2, D

RY CHEMICAL, WATER SPRAY.

Fire Fighting Procedures:USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL

TO DISPERSE VAPOR & TO PROTECT FIREFIGHTERS. DONT ENTER CONFINED

SPACE W/OUT SCBA.

Unusual Fire/Explosion Hazard:NO UNUSUAL HAZARDS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB W/INERT MATERIAL. PLACE IN APPROPRIATE

CONTAINER W/NONSPARKING TOOLS.

=====
===== Handling and Storage =====

Handling and St

Storage Precautions: STORE IN COOL, DRY PLACE AWAY FROM
FLAMES & HIGH TEMPS. PRACTICE GOOD CAUTION & PERSONAL CLEANLINESS.
AVOID BREATHING VAPORS OF HEATED MATERIAL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: USE NIOSH RESPIRATOR W/VAPOR/GAS FILTER FOR
PERSONAL COMFORT.

Ventilation: GOOD ROOM VENTILATION, USUALLY ADEQUATE.

Protective Gloves: IMPERVIOUS.

Eye Protection: SAFETY GLASSES/CHEMICAL GOGGLES.

Other Protective Equipment: CLEAN BODY C
COVERING CLOTHING.

Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: NA

Vapor Pres: NA

Vapor Density: NA

Spec Gravity: 1.6 +- 0.05

Evaporation Rate & Reference: NA

Solubility in Water: NE

Appearance and Odor: OFF WHITE TO GRAY VISCOUS LIQUID.

Percent Volatiles by Volume: NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZING AGENTS, STRONG LEWIS O
R MINERAL ACIDS & CAUSTICS.

Stability Condition to Avoid: EXCESSIVE HEAT.

Hazardous Decomposition Products: CO, ALDEHYDES & ACIDS MAY BE FORMED
DURING COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods: ACCORDING TO ALL FEDERAL/STATE/LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner

whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.