

COURTAULDS AEROSPACE, INC -- PR1725 B-2 #1725B6 -- 8030-01-118-4083

=====  
Product Identification  
=====

Product ID:PR1725 B-2 #1725B6

MSDS Date:05/25/1994

FSC:8030

NIIN:01-118-4083

Kit Part:Y

MSDS Number: CFDDX

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Pho

ne Num:800-424-9300 (CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PHENOLIC RESIN

CAS:28470-78-2

Fraction by Wt: 93C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER.

Fire Fighting Procedures:USE AIR SUPPLIED RESPI

RATOR. USE WATER TO COOL

HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE  
BUILDUP IN CLOSED CONTAINER.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEANUP RESIDUE  
W/SUITABLE SOLVENT. CERCLA RQ FOR TOLUENE, 1000 LBS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. DONT  
STORE >120F.

GROUND/BOND WHEN TRANSPORTING.

Other Precautions:EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS. DONT  
CUT/PUNCTURE/WELD ON/NEAR DRUM. VAPORS ARE >AIR, MAY COLLECT IN  
LOW/CONFINED AREA.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN APPLYING IN ANY CIRCUMSTANCES LIKELY TO  
PRODUCE AIRBORNE LEVELS OF HAZARDOUS INGREDIENTS IN EXCESS OF TLV,  
USE ORGANIC VAPOR CARTRIDGE OR AIR SUPPLIED RESPIRATOR.

Ventilation:GENERAL VENT TO MAINTAIN VAPORS  
BELOW TLV.

Protective Gloves:SOLVENT RESISTANT.

Eye Protection:SAFETY GLASSES.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING, BEFORE SMOKING  
OR EATING. AVOID INGESTION.

Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

Vapor Density:>AIR

Spec Gravity:1.6

Evaporation Rate & Reference:NA

Appearance and Odor:WHITE PASTE.

Percent Volatiles by Volume:5.0

===== Stability and Reactivity Data =====

Stabi

lity Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: OXIDES OF CARBON, SULFUR DIOXIDE,  
TRACES OF HYDROGEN SULFIDE.

===== Disposal Considerations =====

Waste Disposal Methods: IN ACCORDANCE W/ FEDER/STATE/LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner  
whatsoever,

expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.