

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- SILICON POLYMER & SOLVENT --
8040-01-252-8567

=====
Product Identification
=====

Product ID:SILICON POLYMER & SOLVENT

MSDS Date:01/06/1997

FSC:8040

NIIN:01-252-8567

MSDS Number: CFJTW

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO., SILICONE PRODUCT DIV.

Address:HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:12188

Country:US

Info Phone Num

:518-237-3330

Emergency Phone Num:518-237-3330

Preparer's Name:C.E. HANNIGAN

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL TRIMETHOXYSILANE (ORAL LD50=12500MG/KG RAT)

CAS:1185-55-3

Fraction by Wt: 1-5%

Other REC Limits:200 PP

M

Ingred Name:HEXAMETHYL DISILAZANE (ORAL LD50=1000MG/KG

RAT,DERMAL=540MG/KG RABBIT)

CAS:999-97-3

RTECS #:JM9230000

Fraction by Wt: 1-5%

Other REC Limits:25 PPM/STEL 35

Ingred Name:POLYDIMETHYL SILOXANE (ORAL LD50=>40000MG/KG RAT)(INHAL

LC50=>535MG/L RAT)(NONHAZARDOUS)

CAS:9016-00-6

RTECS #:TQ2690000

Fraction by Wt: 10-30%

Other REC Limits:NONE RECOMMENDED

Ingred Name:METHYLPOLYDIMETHYLSILOXANE (NON-HAZ)

CAS:68037-58-1

Fraction by Wt: 60-80%

Other REC Limits:NONE RECOMMENDED

ame:TRADESECRET
Fraction by Wt: 10-30%
Other REC Limits:NONE RECOMMENDED

Ingred Name:TRADESECRET
Fraction by Wt: 10-30%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3
ACGIH TLV:10 MG/M3

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INGEST: HARMFUL
(VOMITING/NAUSEA/DIARRHEA/IRRIT) SKIN: DRYING/ABSORPTION. INHAL:
HEADACHE/DIZZINESS/NAUSEA/INCOORDINATION/IRRIT. EYE: IRRIT/TISSUE
DAMAGE. CHRONIC: SKIN/RESP SENSITIZATION. ACUTE TOXIC ANT/POTENTIAL
CANCER HAZARD. TARGETS DERMATITIS/RESP AILMENTS/CNS
DAMAGE/LIVER/KIDNEY/CORNEAS/PULMINARY EDEMA.
Medical Cond Aggravated by Exposure:RESPIRATORY, LIVER, KIDNEY.

=====
===== First Aid Measures =====

First Aid:INGEST: DON'T INDUCE VOMITING. DILUTE W/102 GLASSES
WATER/MILK. GET MED AID. NEVER GIVE ANYTHING BY MOUTH TO
UNCONSCIOUS PERSON. SKIN: REMOVE CONTAM CLOTHES/WASH BEFORE REUSE.
WASH W/SOAP & WATER. GET MED AID. INHAL: GET FRESH AIR. IF NOT
BREATHING GIVE ARTIF RESP(MOUTH-TO-MOUTH) . IF TROUBLE BREATHING
GIVE OXYGEN. GET MED AID. EYE: IMMEDIATELY FLUSH W/LOTS WATER >15 MIN.
GET IMMEDIATE MED AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:110F,43C
Autoignition Temp:Autoignition Temp Text:465F
Lower Limits:NA
Upper Limits:NA
Extinguish

ing Media:ALL STANDARD FIREFIGHTING MEDIA.

Fire Fighting Procedures:EXTREMELY FLAMMABLE! USE FULL PROTECTIVE CLOTHING!

===== Accidental Release Measures =====

Spill Release Procedures:WIPE/SCRAPE/SOAK UP ON INERT ABSORBENT. CONTAINERIZE. WEAR PROPER PROTECTIVE EQUIPMENT. REMOVE IGNITION SOURCES. EVACUATE. INCREASE VENTILATION.

===== Handling and Storage =====

Handling and Storage Precautions:USE GROUND STRAP. STORE IN ORIGINAL CONTAINER