View NSN Online: https://aerobasegroup.gr/nsn/6850-01-036-9625

W R GRACE & CO. DAVISON CHEMICAL DIVISION -- SILICA GEL -- 6850-01-036-9625

Product ID:SILICA GEL MSDS Date:06/15/1995 FSC:6850 NIIN:01-036-9625 MSDS Number: CFKSC === Responsible Party === Company Name: W R GRACE & CO. DAVISON CHEMICAL DIVISION Address:10 E BALTIMORE STREET Box:2117 City:BALTIMORE State:MD ZIP:21202-1630 Country:US Info Phone Num:410-659-9000 Eme rgency Phone Num:410-659-9058/301-874-2009(J.CONVEY) CAGE:16210 === Contractor Identification === Company Name: DRESSER INDUSTRIES, INSTRUMENT DIV. Address:250 E MAINT ST Box:City:STRATFORD State:CT ZIP:06497-5145 Country:US Phone:203-385-0472 CAGE:38056 Company Name: GRACE W R AND CO Address:919 18TH ST NW City:WASHINGTON State:DC ZIP:20006 Country:US Phone:410-659-9000 CAGE:0NAV2 Company Name: W R GRACE & CO. DAVISON CHEMICAL DIVISION Address:10 E BALTIMORE STREET Box:2117 City:BALTIMORE State:MD

ZIP:21202-1630 Country:US Phone:410-659-9000 CAGE:16210

Ingred Name:AMORPHOUS SILICA GEL (FORMERLY CAS # 63231-67-4) CAS:112926-00-8 RTECS #:VV7322000 Fraction by Wt: 99.0% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSH A:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY TRACT. ACUTE- CONSIDERED TO BE A NUISSANCE DUST. HAS LOW POTENTIAL FOR ADVERSE HEALTH EFFECTS. EYES/SKIN:MAY CAUSE MECHANICAL IRRITATION. INHALE:DUSTS MAY CAUSE RE SPIRATORY TRACT IRRITATION. ORAL:LOW TOXICITY. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, COUGH, TEARING, REDNESS Medical Cond Aggravated by Exposure:NONE

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:FLUSH WITH PLENTY OF WATER. ORAL:RINSE OUT MOUTH WITH WATER. MATERIAL WIL L PASS THROUGH BODY NORMALLY.

Flash Point:NONE Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR S URROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. **Unusual Fire/Explosion Hazard:NONE** Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. CAREFULLY SWEEP OR VACUUM THE SPILL AREA. COLLECT AND PLACE THE SPILLED MATERIAL IN A WASTE DISPOSAL CONTAINER. AVOID DUSTING. Neutralizing Agent:NOT RELEVA NT Handling and Storage Precautions: STORE IN DRY PLACE, IN TIGHTLY CLOSED CONTAINER, AWAY FROM HYDROFLUORIC ACID. KEEP OUT OF REACH OF CHILDREN. Other Precautions: WEAR GOGGLES IF DUST CAUSES EYE DISCOMFORT. WEAR A PROPERLY FITTED NIOSH-APPROVED DUST RESPIRATOR FOR DUSTY CONDITIONS. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. AVOID CONTACT WIT H EYES AND SKIN. AVOID INHALING DUST. ====== Respiratory Protection: IF ENGINEERING CONTROLS ARE INADEQUATE TO CONTROL DUST CONCENTRATIONS TO AN ACCEPTABLE LEVEL. A NIOSH-APPROVED DUST RESPIRATOR SHOULD BE WORN. IF RESPIRATORS ARE USED, A PROGRAM SHOULD BE INSTITUTED T O COMPLY WITH OSHA 29CFR 1910.134. Ventilation: USE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP DUST LEVELS AS LOW AS POSSIBLE. Protective Gloves:COTTON/RUBBER/LATEX RECOMMENDED Eve Protection:S AFETY GOGGLES FOR DUSTY CONDITIONS Other Protective Equipment: LONG SLEEVE WORK CLOTHING, EYE WASH FOUNTAIN Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING, DRINKING/SMOKING. Supplemental Safety and Health PERCENTAGE DIFFERENT. PH IN 5% SLURRY: 3.5 - 8.5, PER MSDS. HCC:V7 NRC/State Lic Num:NOT RELEVANT Spec Gravity:2.1 Viscosity:NOT RELEVANT Ev

aporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:INSOLUBLE Appearance and Odor:DRY WHITE GRANULES, POWDER OR BEADS

Stability Indicator/Materials to Avoid:YES HYDROFLUORIC ACID Stability Condition to Avoid:NONE

Waste Disposal Methods:LANDFILL IN ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. REUSING OR

RECYCLING IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information t o their

particular situation.