View NSN Online: https://aerobasegroup.com/nsn/9150-01-439-0756

N/P -- JET OIL 254 -- 9150-01-439-0756 Product ID: JET OIL 254 MSDS Date:01/01/1987 FSC:9150 NIIN:01-439-0756 **MSDS Number: CFLHH** === Responsible Party === CAGE:3U728 === Contractor Identification === Company Name: MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING Address:3225 GALLOWS ROAD Box:City:FAIRFAX State:VA ZIP:22037 Country:US Phone:800-662-4525/856-224-4644 CAGE:3U728

======== Composition/Information on Ingredie

nts ==============

Ingred Name:TRICRESYL PHOSPHATE CAS:1330-78-5 RTECS #:TD0175000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >2,000 MG/KG. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, CNS, RESPIRATORY & GI TRACTS. ACUTE- PRACTICALLY NON-TOXIC BY ING ESTION, INHALATION/SKIN ABSORPTION. NON-IRRITATING TO EYES AND SKIN.

CONTAINS TRICRESYL PHOSPHATE (TCP). OVERE XPOSURE TO TCP MAY PRODUCE NERVOUS SYSTEM DISORDERS SUCH AS PARALYSIS. PARALYSIS MAY BE DELAYED. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure: GASTROINTESTINAL DISTURBANCES, NUMBNESS, MUSCULAR CRAMPS, WEAKNESS, PARALYSIS, HEADACHE, NAUSEA, VOMITING, DIARRHEA, DIZZINESS, UNCONSCIOUSNESS, IRRITATION

======= First Ai

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:SEEK IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. NOTE TO PHYSICIAN: CONTAINS TCP WHICH IS A CHOLINESTERASE INHIBITOR. NEUROTOXICITY SYMPTOMS AFTER DAYS.

======= Fire

Flash Point:>475F,>246C; COC

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. PROVIDE ADEQUATE VENTILATION. REMOVE SPILL WITH INERT ABORBENT SUCH AS SAND, CLAY, EARTH. TRANSFER TO PROPER CONTAINERS FOR DISPOSAL. PREVENT RUN-OFF TO ENTER SEWERS OR WATE RWAYS. REPORT SPILLS AS REQUIRED TO AUTHORITIES.

Neutralizing Agent:NOT RELEVANT

====== Handling and

Handling and Storage Precautions:STORE AWAY FROM HIGH HEAT & STRONG OXIDANTS. KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING OIL MIST. DISCARD LUBRICANT-SOAKED SHOES. REMOVE LUBRICANT-SOAKED CLOTHING AND LAUNDER BEFORE RE-USE.

======= Exposure Controls/Personal Protection ==========

Respiratory Pro

tection:NONE NORMALLY NEEDED. IF WORKING IN CONFINED AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS, WEAR NIOSH-APPROVED ORGANIC VAPOR AND MI ST RESPIRATOR (REFER TO 29 CFR 1910.134) Ventilation:USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARD(S). Protective Gloves:NITRILE/NEOPRENE FOR REPEATED CONTACT Eye Protection:SAFETY GLASSES, FACE SHIELD RECOMMENDED Other Protective Equi Viscosity:26.4CST @104F

Hazardous Decomposition Products:MAY PRODUCE SMOKE, CARBON MONOXIDE, CA

RBON DIOXIDE.

Waste Disposal Methods:DISPOSE OF WASTE IN COMPLIANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS. REPORT SPILL TO COAST GUARD AT 800-424-8802. DO NOT CONTAMINATE ANY LAKES, STREAMS, PONDS OR UNDERGROUND W ATER SUPPLY. INCINERATION IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Depart ment

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.