

LOCTITE CORPORATION -- OUTPUT (TM) OUTPUT REPAIR THERMCOND KIT, #002

=====  
MSDS Safety Information  
=====

FSC: 8040  
NIIN: 01-279-0982  
MSDS Date: 01/22/1996  
MSDS Num: CFNDH  
Product ID: OUTPUT (TM) OUTPUT REPAIR THERMCOND KIT, #00241  
MFN: 02  
Kit Part: Y  
Responsible Party  
Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 705 NOR  
TH MOUNTAIN ROAD  
City: NEWINGTON CT 06111-1411  
Info Phone Number: 203-278-1280 TELEX: 275207  
Emergency Phone Number: 203-278-1280  
Preparer's Name: STEPHEN REPETTO  
Review Ind: Y  
Published: Y

=====  
Preparer Co. when other than Responsible Party Co.  
=====

Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 1001 TROUT BROOK CROSSING  
City: ROCKY HILL CT 06067-3910

=====  
Contractor Summary  
=====

Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 1001 TROUT BROOK CROSSING  
City: ROCKY HILL CT 06067-3910  
Phone: 860-571-5100

=====  
Item Description Information  
=====

Item Manager: GSA  
Item Name: ADHESIVE  
Unit of Issue: KT  
UI Container Qty: 6

=====  
Ingredients

=====  
Cas: 71-55-6  
RTECS #: KJ2975000  
Name: 1,1,1-TRICHLOROETHANE (SARA 313) (CERCLA)  
% Wt: 65-70  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: 350 PPM/STEL 450  
ACGIH TLV: 350 PPM/STEL 450  
EPA Rpt Qty: 1000 LBS  
DOT Rpt Qty: 1000 LBS  
Ozone Depleting Chemical: 1  
-----

Cas: 68411-20-1  
Name: ALDEHYDE-ANILINE CONDENSATE  
% Wt: 25-30  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED  
-----

-----  
Cas: 109-87-5  
RTECS #: PA8750000  
Name: DIMETHOXYMETHANE  
% Wt: 1-3  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: 1000 PPM  
ACGIH TLV: 1000 PPM  
-----

Cas: 67-63-0  
RTECS #: NT8050000  
Name: ISOPROPYL ALCOHOL (SARA 313)  
% Wt: 1-3  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: 400 PPM/STEL 500  
ACGIH TLV: 400 PPM/STEL 500  
-----

Cas: 13395-16-9  
Name: ORGANOCOPPER COMPOUND  
% Wt: &lt;0.1  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: 0.1

MG/M3  
ACGIH TLV: 0.2 MG/M3

-----  
RTECS #: 9999999VO  
Name: VOC = 280 G/L  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT RELEVANT  
ACGIH TLV: NOT RELEVANT

=====  
Health Hazards Data

=====  
LD50 LC50 Mixture: ORAL LD50 >2000 MG/KG,DERMAL >2000 MG/KG  
Route Of Entry Inds - Inhalation: YES  
Skin: YES  
Ingestion: YES  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO  
Effects of  
Exposure: EYE: IRRITATION. MAY CAUSE HEADACHE, NAUSEA, DIZZINESS,  
NARCOSIS.  
Medical Cond Aggravated By Exposure: SKIN, EYE, RESPIRATORY, LIVER, HEART, CNS  
DISORDERS & ALCOHOLISM.  
First Aid: INGEST: DONT INDUCE VOMIT. KEEP PERSON CALM, GET MED AID. INHAL:  
REMOVE TO FRESH AIR, CALL DR. SKIN: WASH W/SOAP & WATER. EYE: FLUSH FOR  
>15 MINUTES W/WATER, GET MED AID.

=====  
Handling and Disposal

=====  
Spill Release Procedures: ALLOW TO EVAPORATE W/GOOD VENTILATION. SOAK UP  
W/INERT ABSORBENT. STORE IN CLOSED CONTAINER FOR DISPOSAL.  
Waste Disposal Methods: INCINERATE ACCORDING TO EPA & LOCAL REGULATIONS.  
Handling And Storage Precautions: STORE BELOW 100F.

=====  
Fire and Explosion Hazard Information

=====  
Flash Point Method: TCC  
Flash Point Text: NONE  
Lower Limits: 2.0  
Upper

Limits: 15.0  
Extinguishing Media: CO2, FOAM, DRY CHEMICAL.  
Unusual Fire/Explosion Hazard: NONE

=====  
Control Measures  
=====

Ventilation: LOCAL EXHAUST.  
Protective Gloves: RUBBER OR PLASTIC.  
Eye Protection: SAFETY GLASSES OR GOGGLES.

=====  
Physical/Chemical Properties  
=====

B.P. Text: 170 TO 180F  
Vapor Pres: 100  
Vapor Density: 4.5  
Spec Gravity: 1.2  
PH: NA  
Solubility in Water: NIL.  
Appearance and Odor: YELLOW TO BROWN LIQUID, W/SHARP ODOR.

=====  
Reactivity Data  
=====

Stability Indicator: YES  
Materials To Avoid: ALUMINUM.  
Hazardous Decomposition Products: TOXIC CHLORIDES & CHLOROACETYLENES.  
Hazardous Polymerization Indicator: NO

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Cage: 05972  
Trans ID NO: 121508  
Product ID: OUTPUT (TM) OUTPUT REPAIR THERMCOND KIT, #00241  
MSDS Prepared Date: 01/22/1996  
Review Date: 10/02/1997  
MFN: 2  
Multiple KIT Number: 0  
Kit Part IND: Y  
Review IND: Y  
Unit Of Issue: K  
T  
Container QTY: 6  
=====

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

=====  
Product ID: OUTPUT (TM) OUTPUT REPAIR THERMCOND KIT, #00241

Cage: 05972

Company Name: LOCTITE CORPORATION

Street: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT

Zipcode: 06067-3910

Health Emergency Phone: 203-278-1280

Label Required IND: Y

Date Of Label Review: 10/12/1999

Status Code: A

Origination Code: G

Hazard And Precautions: EYE: IRRITATION. MAY CAUSE HEADACHE, NAUSEA, DIZZINESS,  
NARCOSIS.

=====

===

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.