View NSN Online: https://aerobasegroup.gr/nsn/6750-01-178-4421

\_\_\_\_\_\_

## EASTMAN KODAK COMPANY -- 153 2753 FLEXICOLOR DEVELOPER REPLENISHER, PA

MSDS Safety Information

\_\_\_\_\_ FSC: 6750 NIIN: 01-178-4421 MSDS Date: 01/09/1998 MSDS Num: CFYPS Product ID: 153 2753 FLEXICOLOR DEVELOPER REPLENISHER, PART B MFN: 09 Kit Part: Y **Responsible Party** Cage: 19139 Name: EASTMAN KODAK COMPANY Address: 343 STATE STREET City: ROCHESTER NY 14650 Info Phone Number: 716-477-3194 MSDS :800- 242-2424 Emergency Phone Number: 716-722-5151 Proprietary Ind: Y Review Ind: Y Published: Y \_\_\_\_\_ Contractor Summary \_\_\_\_\_\_ Cage: 19139 Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address: 343 STATE ST City: ROCHESTER NY 14650-1115 Phone: 716-722-5151/(800) 242-2424 Cage: 5K871 Name: EASTMAN KODAK CO US CUSTOM ER SERVICE/GOVERNMENT SALES Address: 800 LEE RD City: ROCHESTER NY 14650-3129 Phone: 800-828-6203 Item Description Information \_\_\_\_\_ Item Manager: S9I Item Name: REPLENISHER, DEVELOPER, PHOTOGRAPHIC Unit of Issue: PG Quantitative Expression: 0000000025GL UI Container Qty: 1 \_\_\_\_\_ Ingredients \_\_\_\_\_

===== Name: \*\*\* PROPRIETARY \*\*\*

\_\_\_\_\_

Health Hazards Data \_\_\_\_\_ LD50 LC50 Mixture: ORAL LD50 (RAT) UNKNOWN Route Of Entry Inds - Inhalation: YES Skin: YES Ingestion: NO Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: GENERAL: MAY CAUSE BLOOD DISORDERS BASED ON ANIMAL DATA. INHALATION-EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. EYES-CAUSES IRRITATION. SKIN-CAUSES IRRITATION. MAY CAUSE ALLERGIC SKIN REACTI ON. INGESTION-HARMFUL IF SWALLOWED. Explanation Of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Signs And Symptions Of Overexposure: INHALATION-SOME ASTHMATICS OR HYPERSENSTIVE PERSONS MAY EXPERIENCE DIFFICULT BREATHING. Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid: INHALATION: IF SYMPTOMA TIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MIN. GET MEDICAL ATTENTION. SKIN: IMMEDIATELY FLUSH WITH P LENTY OF WATER FOR 15 MIN WHILE REMOVINGCLOTHES/SHOES. INGESTION: INDUCE VOMITING AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN. 

Handling and Disposal

\_\_\_\_\_

=========

Spill Release Procedures: FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. NEUTRALIZE PRIOR TO DISPOSAL. NEUTRALIZATION & amp; SEWERING MAY NOT BE ALLOWED IN SOME STATES OR MUNICIPILATIES. PREVENT RUNOFF FROM ENTERING DRAINS, SEWERS OR STREAMS. ABSORB SPILL WITH VERMICULITE.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: CONTRACT WITH A LICENSED CHEMICAL DISPOSAL AGENCY. SINCE EMPTIED CONTAINER RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS. DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LA WS. FLUSH TO SEWER WITH LARGE AMOUNTS OFWATER.

Handling And Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED TO PREVENT THE LOSS OF WATER. CONTENTS MAY DEVELOP PRESSURE UPON PROLONGED EXPOSURE TO HEAT.

Other Precautions: KEEP AWAY FROM INCOMPATIBLE SUBSTANCES. STORE IN ORIGINAL CONTAINER. AVOID BREATHING MIST OR VAPOR. AVOID CONTACT WITH EYES AND PROLONGED OR REPEATED CONTACT WITH SKIN. USE WITH ADEQUATE VENTILATION. WASH

THOROUGHLY AFTER HANDLING.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_

Flash Point Text: NONFLAMMABLE

Extinguishing Media: USE APPROPIATE AGENT FOR ADJACENT FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

Unusual

Fire/Explosion Hazard: SOLUTION CONTAINS A STRONG REDUCING AGENT. DRIED PRODUCT RESIDUE CAN ACT AS A REDUCING AGENT. ELEVATED TEMPERATURE CAN CAUSE DECOMPOSITION.

\_\_\_\_\_

**Control Measures** 

Respiratory Protection: IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE

CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS, AN APPROVED RESPIRATOR MUST

BE WORN. RESPIRATOR TYPE: ORGANIC VAPOR.

Ventil

ation: GOOD GENERAL VENTILATION, TYPICALLY 10 AIR CHANGES PER HOUR, SHOULD BE USED. RATES SHOULD MATCH CONDITIONS.

Protective Gloves: WEAR IMPERVIOUS GLOVES.

Eye Protection: WEAR SAFETY GLASSES W/SIDE SHIELDS.

Other Protective Equipment: EYE BATH, SAFETY SHOWER, WASHING FACILITIES.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health: KEY1:C1.THIS ENTRY FOR PART B OF THREE-PART

KIT. SUPPLEMENTARY LOCAL EXHAUST VENTILATION, CLOSED SYSTEMS, RESPIRATORY PROT

ECTION MAY BE NEEDED IN SPECIAL CIRCUMSTANCES SUCH AS POORLY VENTILATED SPACES, EVAPORATION FROM LARGE SURFACES, SPRAYING, HEATING, ETC.CONTENTS MAY DEVELOP PRESSURE UPON PROLONGED EXPOUSRE TO HEAT.

\_\_\_\_\_

## Physical/Chemical Properties

\_\_\_\_\_ HCC: C2 **B.P. Text: DECOMPOSES** M.P/F.P Text: NOT GIVEN Decomp Text: NOT GIVEN Vapor Pres: 18 Vapor Density: 0.6 Spec Gravity: 1.15 PH: 3.0 Viscosity: NOT G **IVEN** Evaporation Rate & amp; Reference: NOT GIVEN Solubility in Water: COMPLETE Appearance and Odor: COLORLESS LIQUID, NO ODOR Percent Volatiles by Volume: 70-75% **Corrosion Rate: UNKNOWN** \_\_\_\_\_ Reactivity Data \_\_\_\_\_ Stability Indicator: YES Stability Condition To Avoid: STABLE; HOWEVER, MATERIAL CAN DECOMPOSE ABOVE 110C. AVOID HEATING ABOVE ROOM TEMPERATURE. Materials To Avoid: STRONG OXIDIZING A GENTS, COMBUSTIBLE MATERIALS, HALOGENATED MATERIAL. Hazardous Decomposition Products: AMMONIA, NITROGEN OXIDES, SULFUR DIOXIDE. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NONE. WILL NOT OCCUR. \_\_\_\_\_ **Toxicological Information** \_\_\_\_\_ **Ecological Information** \_\_\_\_\_ \_ \_\_\_\_\_ **MSDS** Transport Information \_\_\_\_\_ \_\_\_\_\_ Regulatory Information \_\_\_\_\_ \_\_\_\_\_\_ Other Information \_\_\_\_\_\_ \_\_\_\_\_\_ **Transportation Information** ======

Responsible Party Cage: 19139 Trans ID NO: 113141 Product ID: 153 2753 FLEXICOLOR DEVELOPER REPLENISHER, PART B MSDS Prepared Date: 01/09/1998 Review Date: 01/15/1998 **MFN: 9** Tech Entry NOS Shipping Nm: CONTAINS HYDROXYLAMINE Net Unit Weight: NOT GIVEN Multiple KIT Number: 0 Kit Part IND: Y Review IND: Y Unit Of Issue: PG Container QTY: 1 Additional Data: THIS INFORMATION FOR PART B SHIPPED SEPARATELY. \_\_\_\_\_ \_\_\_\_\_ **Detail DOT Information** \_\_\_\_\_ DOT PSN Code: DWL Symbols: G DOT Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. Hazard Class: 8 UN ID Num: UN3265 DOT Packaging Group: III Label: CORROSIVE **Special Provision: T7** Packaging Exception: 154 Non Bulk Pack: 203 Bulk Pack: 241 Max Qty Pass: 5 L Max Qty Cargo: 60 L Vessel Stow Reg: A Water/Ship/Other Req: 40 \_\_\_\_\_ Detail IMO Informa tion \_\_\_\_\_\_ IMO PSN Code: ESD IMO Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. o IMDG Page Number: 8147-1 UN Number: 3265 **UN Hazard Class: 8** IMO Packaging Group: I/II/III Subsidiary Risk Label: -EMS Number: 8-15 MED First Aid Guide NUM: 760 Detail IATA Information \_\_\_\_\_ IATA PSN Code: HLE IATA UN ID Num: 3265 IATA Proper

Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. \* IATA UN Class: 8 IATA Label: CORROSIVE UN Packing Group: III Packing Note Passenger: 818 Max Quant Pass: 5L Max Quant Cargo: 60L Packaging Note Cargo: 820 \_\_\_\_\_ **Detail AFI Information** \_\_\_\_\_ AFI PSN Code: HKF AFI Symbols: \* AFI Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. AFI Hazard Class: 8 AFI UN ID NUM: UN3265 AFI Pac king Group: III **Special Provisions: P5** Back Pack Reference: A12.3 \_\_\_\_\_ HAZCOM Label \_\_\_\_\_ Product ID: 153 2753 FLEXICOLOR DEVELOPER REPLENISHER, PART B Cage: 19139 Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Street: 343 STATE ST **City: ROCHESTER NY** Zipcode: 14650-1115 Health Emergency Phone: 716-722-5151 Label Required IND: Y Date Of Label Review: 01/15/1998 Status Code: C MFG Lab el NO: NONE Label Date: 01/15/1998 Origination Code: G Eye Protection IND: YES Skin Protection IND: YES Signal Word: DANGER **Respiratory Protection IND: YES** Health Hazard: Severe Contact Hazard: Moderate Fire Hazard: Slight Reactivity Hazard: Slight Hazard And Precautions: HEAT SENSITIVE. CAN DECOMPOSE IF HEATED. MAY CAUSE BLOOD DISORDERS BASED ON ANIMAL DATA. AVOID PROLONGED OR REPEATED BREATHING OF MIST OR VAPOR. DO NOT GET IN EYES, ON SKIN ON CLOTHING. USE WITH ADEQU ATE VENTILATION. STO

RE IN A COOL PLACE.FIRST AID: INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: WASH OUT IMMEDIATELY WITH WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN: WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: INDUCE VOMITING AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL PHYSICIAN OR POISON CONTROL ASAP.

## Disc

laimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all

liability for such use. Any person

utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.