

FISKE BROS REFINING CO -- LUBRIPLATE NO. 930-1, NO. 930-2, NO. 930-AA, NO. 930-AAA --
9150-00-953-1694

===== Product Identification =====

Product ID:LUBRIPLATE NO. 930-1, NO. 930-2, NO. 930-AA, NO. 930-AAA

MSDS Date:01/01/1997

FSC:9150

NIIN:00-953-1694

MSDS Number: CFYYJ

=== Responsible Party ===

Company Name:FISKE BROS REFINING CO

Address:129 LOCKWOOD ST

City:NEWARK

State:NJ

ZIP:07105-4720

Count

ry:US

Info Phone Num:201-589-9150

Emergency Phone Num:201-589-9150

Preparer's Name:JAMES R. KONTAK

CAGE:73219

=== Contractor Identification ===

Company Name:FISKE BROS REFINING CO

Address:129 LOCKWOOD ST

Box:City:NEWARK

State:NJ

ZIP:07105-4720

Country:US

Phone:201-589-9150

CAGE:73219

Company Name:FUCHS LUBRICANT

Box:UNKNOW

CAGE:0V145

===== Composition/Information on Ingredients =====

Ingred Name:MANUFACTURER CLAIMS ONLY NON-HAZARDOUS INGREDIENTS W/O
SPECIFYING ANY INDIVID

UAL INGREDIENT.

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION. PRODUCT CONTACTING THE EYES MAY CAUSE EYE IRRITATION. ASPIRATION HAZARD. IF INJECTED B

Y HIGH PRESSURE UNDER

SKIN, MAY CAUSE DELAYED HARM.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:IRRITATION. NECROSIS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES OR UNTIL IRRITATION SUBSIDES. IF IRRITATION PERS

ISTS, CONSULT PHYSICIAN. SKIN: WASH

WITH SOAP AND WARM WATER. IF INJECTED UNDER THE SKIN, CONTACT

PHYSICIAN ASAP. INHALATION: IMMEDIATELY REMOVE FROM EXPOSURE AND

CALL PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIATE

MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:400F,204C

Lower Limits:0.9

Upper Limits:7.0

Extinguishing Media:WATER SPRAY (FOG), DRY CHEMICAL, CARBON DIOXIDE, FOAM.

Fire F

ighting Procedures:COOL EXPOSED CONTAINERS W/WATER. USE AIR-

SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED OR CONFINED SPACES.

Unusual Fire/Explosion Hazard:DO NOT STORE OR MIX W/STRONG OXIDANTS.

EMPTY CONTAINERS RETAIN RESIDUE. DO NOT CUT, DRILL, GRIND OR WELD

AS THEY MAY EXPLODE.

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP GREASE, WASH REMAINDER WITH SUITABLE PETROLEUM SOLVENT OR ADD ABSORBENT. KEEP PETROLEUM PRODUCTS OUT

OF

SEWERS AND WATER COURSES. ADVISE AUTHORITIES IF PRODUCT HAS ENTERED OR MAY ENTER SEWER W & WATER COURSES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE.
KEEP AWAY FROM HEAT, SPARKS, FLAMES & STRONG OXIDANTS.

Other Precautions:REMOVE OIL-SOAKED CLOTHING AND LAUNDRY BEFORE REUSE.
CLEANSE SKIN THOROUGHLY AFTER CONTACT.

=====

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED.

Ventilation:USE LOCAL EXHAUST TO CAPTURE FUMES & VAPORS.

Protective Gloves:USE OIL RESISTANT GLOVES IF NEEDED.

Eye Protection:SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:USE OIL-RESISTANT APRON IF NEEDED.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER
BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====
===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NONE

Boiling Pt:B.P. Text:>550F,>288C

Melt/Freeze Pt:M.P/F.P Text:SEMI-SOLID

Vapor Pres:5

Spec Gravity:0.94-0.97

Evaporation Rate & Reference: