

LOCTITE CORP -- LOCQUIC PRIMER N 7649, 19269 -- 8030-01-441-6478

=====  
Product Identification  
=====

Product ID:LOCQUIC PRIMER N 7649, 19269

MSDS Date:01/22/1996

FSC:8030

NIIN:01-441-6478

MSDS Number: CGDWH

=== Responsible Party ===

Company Name:LOCTITE CORP

Address:1001 TROUT BROOK CROSSING

City:ROCKY HILL

State:CT

ZIP:06067-3910

Country:US

Info Phone Num:860-571-5100

Emergency Phone Num:860-571-5100

Preparer's Name:STEPHEN REPETTO

CAGE:7K128

=== Contractor Identification ===

Company Name:LOCTITE CORP

Address:705 N MT RD

City:NEWINGTON

State:CT

ZIP:06111

Country:US

Phone:312-689-6200

CAGE:7K128

Company Name:LOCTITE CORPORATION

Address:1001 TROUT BROOK CROSSING

Box:City:ROCKY HILL

State:CT

ZIP:06067-3910

Country:US

Phone:860-571-5100

CAGE:05972

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ACETONE (SARA 313) (CERCLA)

CAS:67-64-1

RTECS #:AL3150000

Frac

tion by Wt: 95-100%  
OSHA PEL:1000 PPM  
ACGIH TLV:750 PPM/1000 STEL  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:HEXANOIC ACID, 2-ETHYL-; (2-ETHYLHEXANOIC ACID)  
CAS:149-57-5  
RTECS #:MO7700000  
Fraction by Wt: 0.1-1%  
OSHA PEL:N/K  
ACGIH TLV:N/K

Ingred Name:HEXANOIC ACID, 2-ETHYL-, COPPER SALT; (ORGANO-COPPER  
COMPOUND)  
CAS:22221-10-9  
RTECS #:MO7708000  
Fraction by Wt: 0.1-1%  
OSHA PEL:N/K  
ACGIH TLV:N/K

Ingred Name:TRIALKYLAMMONIUM CARBOXYLATE  
CAS:58823-74-8  
Fraction by Wt: 0.1-1%  
OSH  
A PEL:N/K  
ACGIH TLV:N/K

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: HARMFUL IF INHALED OR  
SWALLOWED. POSSIBLE EYE AND RESPIRATORY IRRITATION. NARCOTIC AT  
HIGH CONCENTRATIONS. PROLONGED INHALATION MAY CAUSE HEADACHE.  
MODERATELY TOXIC BY INGESTION. LIQUID MAY D  
EF AT SKIN.  
Explanation of Carcinogenicity:NOT RELEVANT.  
Effects of Overexposure:VAPORS MAY IRRITATE EYES, NOSE AND THROAT.  
LIQUID IS AN EYE IRRITANT AND MAY IRRITATE SKIN.  
Medical Cond Aggravated by Exposure:NONE KNOWN.

=====  
===== First Aid Measures =====

First Aid:INGESTION: GIVE WATER TO DILUTE. DO NOT INDUCE VOMITING. KEEP  
INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION: REMOVE TO  
FRESH AIR. IF SYMPTOMS PERSIST, OBTAIN MEDICAL ATTENTION. S

KIN:

WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:-4F,-20C

Lower Limits:2.6%

Upper Limits:13%

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures:WEAR NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE.

=====  
===== Accidental Release Measures =====

=====

Spill Release Procedures:AVOID FLAME AND SPARKS. MAINTAIN ADEQUATE VENTILATION. SOAK UP IN AN INERT ABSORBENT AND STORE IN A CLOSED CONTAINER UNTIL DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM FLAME AND SPARKS. KEEP BELOW 100F. AVOID PROLONGED BREATHING OF FUMES. AVOID SKIN OR EYE CONTACT.

Other Precautions:DO NOT USE NEAR HEAT, SPARKS, OR OPEN FLAME. CONTACT

LOCTITE CUSTOMER SERVICE 1-800-243-4874 FOR SHELF LIFE INFORMATION.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:SUFFICIENT TO MAINTAIN VAPOR CONCENTRATION BELOW TLV.

Protective Gloves:RUBBER OR PLASTIC GLOVES.

Eye Protection:ANSI APPROVED CHEM WORKERS GOGGLES .

Other Protective Equipment:EMERGENCY EYEWASH AND DELUGE SHOWER MEETING ANSI D

ESIGN CRITERIA .

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:133F,56C

Vapor Pres:172 @ 68F

Spec Gravity:0.7936

VOC Pounds/Gallon:12

Evaporation Rate & Reference:1.9 (ETHER=1)

Solubility in Water:MISCIBLE

Appearance and Odor:GREEN LIQUID; ACETONE ODOR

===== Stability and Reactivity Data =====

S

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS, PEROXIDES.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:IRRITATING ORGANIC VAPORS.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS.

D001 - HAZARDOUS WASTE PER 40 CFR 261.21. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS .

===== Other Information ===

=====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to the

ir  
particular situation.