

N/P -- ENAMEL ALKYD, LUSTERLESS LOW VOC BROWN 3011 -- 8010-00-598-5462

Product ID:ENAMEL ALKYD, LUSTERLESS LOW VOC BROWN 3011

MSDS Date:01/01/1987

FSC:8010

NIIN:00-598-5462

MSDS Number: CGFCC

=== Responsible Party ===

CAGE:61196

=== Contractor Identification ===

Company Name:PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

=====  
Composition/Information on Ingr  
edients =====

Ingred Name:METHYL ISOAMYL KETONE (SOLVENT)

CAS:110-12-3

RTECS #:MP3850000

Fraction by Wt: 5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:50 PPM; 240 MG/M3

ACGIH TLV:50 PPM; 240 MG/M3

=====  
Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:UNKNOWN IARC:YES

Health Hazards Acute and Chronic:ACUTE; INGEST: GASTROINTESTINAL IRRIT,  
NAUSEA, VOMITING. ASPIRATION INTO LUNG

MAY CAUSE CHEM PNEUMONITIS

(CAN BE FATAL). INHAL: NOSE OR THROAT IRRIT. ACUTE CENTRAL NERVOUS  
SYSTEM DEPRESSION (HEADACHES , DIZZINESS, NAUSEA, CONFUSION). EYE:  
SEVERE IRRIT. SK

Explanation of Carcinogenicity:IARC CONSIDERS CRYSTALLINE SILICA TO  
HAVE LIMITED EVIDENCE OF CARCINOGENICITY IN HUMANS/SUFFICIENT IN  
ANIMALS.

Effects of Overexposure:CHRONIC; SILICOSIS (DISABLING LUNG DISEASE).

LIVER, KIDNEY AND BLOOD INJURY. ENHANCES NEUROTOXICITY (SYNERGISTIC  
EFFECT RESULTED

IN PERIPHERAL NEUROPATHY). PROLONGED & REPEATED  
OVEREXPOSURE: PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE.  
CONCENTRATING & INHALI

Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY CONDITIONS  
MAY BE AGGRAVATED BY EXPOSURE TO CRYSTALLINE SILICA.

===== First Aid Measures =====

First Aid:INGEST: DONT INDUCE VOMITING. CALL POISON CTR/EMERG ROOM/DR  
IMMED. INHAL:REMOVE TO FRESH AIR IMMED. IF BREATHING STOPPED, GIVE  
ARTIF RESPRTN. KEEP  
WARM & QUIET. GET MED AID IMMED. EYE: FLUSH  
W/WATER 1 5 MIN, LIFTING EYELIDS. GET MED AID. SKIN: REMOVE CONT

===== Accidental Release Measures =====

Spill Release Procedures:WEAR RSPRTR,EYE,HAND,BODY PROTECTN. KEEP  
SPECTATORS AWAY. ELIMINATE IGNIT SOURCES. DIKE & CONTAIN W/INERT  
MAT'L (SAND/EARTH/ETC). TRANSFER LIQ/USED ABSORBENT TO COVERED  
METAL CONTAINER. USE NON-SPARKI NG TOOLS. PREVENT SEWER,GROUNDWATER  
CONTAMINATION.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 115 F. STORE LARGE  
QUANTITIES IN COMPLIANCE WITH OSHA 29 CFR 1910.106. DO NOT TAKE  
INTERNALLY. DO NOT BREATHE SANDING DUST.

Other Precautions:CLOSE CONTAINER AFTER EACH USE. DO NOT WASH & REUSE  
EMPTY CONTAINER FOR ANY PURPOSE. GROUND & BOND CONTAINERS TO  
RECEIVING CONTAINER. DO NOT WELD, BRAZE, OR CUT ON EMPTY CONTAINER.  
NEVER USE PRESSURE TO EMPTY. DRUM IS NOT A PRESSURE VESSEL

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTD,MAY NOT REQ RSPRTR.IN RESTRICTD VENT,  
NIOSH CHEM CARTRIDGE RSPRTR MAY BE REQ'D.SPRAYNG,MECHAN PREFILTER  
MAY ALSO BE REQ'D.CONFIND AREAS,USE AIR SUPPLD RSPRTR.SEE OSHA  
29CFR1910.134"RESP PROTE CT"&"RESP PROTECT-MANUAL & GUIDELINE"AIH

Ventilation:LOCAL EXHAUST VENT TO KEEP BELOW TLV. REMOVE DECOMPOSITION  
PRODUCT. SEE "INDUST VENT-MANUAL RECOMMENDED PRACTICES" ACGIH

Protective Glo

ves:SOLVENT IMPERMEABLE GLOVE-REPEAT/PROLONG  
Eye Protection:WEAR SAFETY SPECTACLES  
Other Protective Equipment:EYEWASH FACILITY, SAFETY SHOWER.  
Supplemental Safety and Health

===== Stability and Reactivity Data =====

Hazardous Decomposition Products:BURNING, INCLUDING WHEN HEATED BY WELDING OR CUTTING, WILL PRODUCE SMOKE, CARBON MONOXIDE & CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL LAWS/REGULATIONS. INCINERATE IN EPA PERMITTED FACILITY. DONT INCINERATE CLOSED CNTNRS. OBSERVE PRECAUTIONS FOR DISPOSAL OF FLAMMABLE MATERIALS. RCRA C LASSIFICATION: D001.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.