View NSN Online: https://aerobasegroup.com/nsn/9150-01-247-6313

KANO LABORATORIES -- SILIKROIL (AEROSOL)

MSDS Safety Information

\_\_\_\_\_

FSC: 9150

NIIN: 01-247-6313 MSDS Date: 03/12/1999 MSDS Num: CGLFT

Product ID: SILIKROIL (AEROSOL)

MFN: 05

Responsible Party Cage: 13868

Name: KANO LABORATORIES Address: 1000 S. THOMPSON LANE City: NASHVILLE TN 37211-26

27

Info Phone Number: 615-833-4101

Emergency Phone Number: 615-833-4101

\_\_\_\_\_\_

Item Description Information

\_\_\_\_\_

Item Manager: S9G

Item Name: PENETRATING OIL Specification Number: NONE Type/Grade/Class: NONE

Unit of Issue: CN

Quantitative Expression: 0000000010OZ

UI Container Qty: 0

Type of Container: AEROSOL CAN

\_\_\_\_\_\_

Ingredients

\_\_\_\_\_

\_\_\_\_\_

Name: \*\*\* PROPRIETARY \*\*\*

-----

\_\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_\_

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: NO Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: EYE CONTACT MAY CAUSE BURNING & amp; IRRITATION. SKIN

CONTACT MAY CAUSE DRYNESS, PROL

ONGED SKIN EXPOSURE MAY CAUSE DERMATITIS.

INHALATION MAY CAUSE HEADACHE, DIZZINESS, ANESTHESIA, NAUSEA & amp; UPPER RESPIRATO RY IRRITATION. HARMFUL OR FATAL IN INGESTED.

Explanation Of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA.

Signs And Symptions Of Overexposure: INHALED-HEADACHE, DIZZINESS, ANESTHESIA, NAUSEA, UPPER RESPIRATORY IRRITATION. INGESTED-HARMFUL OR FATAL. EYES-BURNING, IRRITATION. SKIN-DRYNESS.

Medical Con

d Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: SKIN-REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. APPLY SKIN CREAM. EYES-FLUSH WITH WATER FOR 15 MINUTES. INHALATION-REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. IN GESTION-DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION. MINUTE AMOUNTS ASPIRATED INTO LUNGS DURING INGESTION MAY CAUSE SEVERE PULMONARY DAMAGE. NOTE: DO NOT ADMINISTER EPINEPHRINE OR ADRENALINE.

======

\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_\_

Spill Release Procedures: WIPE UP IMMEDIATELY WITH ABSORBENT RAGS, SWEEPING COMPOUND OR OTHER ABSORBENT MATERIAL. REMOVE OR EXTINGUISH ALL FLAMES AND SPARKS. DO NOT FLUSH INTO SEWER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: BURY SATURATED ABSORBENT IN APPROVED LANDFILL. DISPOSE OF AS ANY COMBUSTIBLE FUEL IN ACCORDANCE WITH LOCAL,

STATE AND FEDERAL

REGULATIONS.

Handling And Storage Precautions: STORE IN A COOL, DRY, WELL-VENTILATED PLACE.
KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP AWAY FROM HEAT, SPARKS, FLAMES
AND INCOMPATIBLE MATERIALS.

Other Precautions: USE WITH PROPER VENTILATION. WEARING CONTACT LENSES IS NOT ADVISABLE. IF SWALLOWED CAN ENTER LUNGS AND MAY CAUSE CHEMICAL PNEUMONITIS. DO NOT ADMINISTER EPINEPHRINE OR ADRENALINE. KEEP AWAY FROM CHILD REN AND ANIMALS. DO NOT PUNCTURE CONTAINERS.

========

\_\_\_\_\_

Fire and Explosion Hazard Information

Flash Point Method: COC Flash Point Text: AEROSOL Lower Limits: UNKNOWN Upper Limits: UNKNOWN

Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, FOAM.

Fire Fighting Procedures: USUAL PROCEDURES FOR SOLVENT. TREAT AS COMBUSTIBLE

MATERIAL. DO NOT USE WATER.

Unusual Fire/Explosion Hazard: NEVER USE WELDING OR CUTTING TORCH ON OR NEAR

CANS OR DRUMS. DO NOT MI

X OR STORE WITH STRONG OXIDANTS. STORE AT ROOM TEMPERATURE.
Control Measures
Respiratory Protection: NIOSH APPROVED RESPIRATOR FOR VAPORS IF DESIRED. Ventilation: NORMAL LOCAL EXHAUST SYSTEM. Protective Gloves: CHEMICALLY RESISTANT GLOVES IF NEEDED. Eye Protection: CHEMICAL SPLASH GOGGLES. Other Protective Equipment: NONE NEEDED.
== Physical/Chemical Properties
HCC: V3 Boiling Point: =123.9C, 255.F M.P/F.P Text: UNKNOWN Decomp Text: UNKNOWN Vapor Density: UNKNOWN Spec Gravity: 0.88 PH: 6.0 Solubility in Water: NIL Appearance and Odor: AEROSOL LIQUID, REDDISH COLOR, PLEASANT ODOR. Percent Volatiles by Volume: 60 Corrosion Rate: UNKNOWN
Reactivity Data
Sta bility Indicator: YES Stability Condition To Avoid: HEAT, OPEN FLAMES, STRONG OXIDIZING AGENTS. Materials To Avoid: STRONG OXIDIZING AGENTS. Hazardous Decomposition Products: THERMAL DECOMPOSITION IN THE AIR MAY YIELD CARBON DIOXIDE AND/OR CARBON MONOXIDE. Hazardous Polymerization Indicator: NO
Toxicological Information

Ecologi

cal Information
MSDS Transport Information
Regulatory Information
Other Information
Transportation Information
Responsible Party Cage: 13868 Trans ID NO: 118151 Product ID: SILIKROIL (AEROSOL) MSDS Prepared Date: 03/12/1999 Review Date: 03/18/1998 MFN: 5 Tech Entry NOS Shipping Nm: PETROLEUM DISTILLATES AND BUTANOL Net Unit Weight: 0.625 LBS. AF MMAC Code: NR Multiple KIT Number: 0 Review IND: Y Unit Of Issue: CN Container QTY: 0 Type Of Container: AEROSOL CAN Additional Data: IMO PSN IS AEROSOLS,UN1950,2,1(FLAMMABLE GAS);REFER TO PAGE 2102 OF THE IMDG CODE.
Detail DOT Information
DOT PSN Code: AGC DOT Proper Shipping Name: AEROSOLS, FLAMMABLE, DOT PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY) Hazard Class: 2.1 UN ID Num: UN1950 Label: FLAMMABLE GAS Special Provision: N82 Non Bulk Pack: NONE Bulk Pack: NONE Max Qty Pass: 75 KG Max Qty Cargo: 150 KG Vessel Stow

Req: A

Water/Ship/Other Req: 40,48,85

\_\_\_\_\_

Detail IMO Information

\_\_\_\_\_\_

IMO PSN Code: XXX

\_\_\_\_\_

Detail IATA Information

\_\_\_\_\_\_

IATA PSN Code: ALS IATA UN ID Num: 1950

IATA Proper Shipping Name: AEROSOLS, FLAMMABLE

IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)

IATA UN Class: 2.1

IATA Label:

FLAMMABLE GAS

Packing Note Passenger: 203

Max Quant Pass: 75KG Max Quant Cargo: 150KG Packaging Note Cargo: 203

\_\_\_\_\_

Detail AFI Information

\_\_\_\_\_

AFI PSN Code: ALR AFI Symbols: \*

AFI Proper Shipping Name: AEROSOLS, FLAMMABLE, N.O.S. AFI PSN Modifier: (EACH NOT EXCEEDING 1L CAPACITY)

\_\_\_\_\_

HAZCOM Label

\_\_\_\_\_

Product ID: SILIKROIL (AEROSOL)

Cage: 13868

Company Name: KANO LABORATORIES, INC.

Street: 1000 S. THOMPSON LANE

City: NASHVILLE TN Zipcode: 37211-2627

Health Emergency Phone: 615-833-4101

Label Required IND: Y

Date Of Label Review: 07/07/2000

Status Code: C

Label Date: 03/18/1998 Year Procured: 1998 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: WARNING

Resp

iratory Protection IND: YES

Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Moderate Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS: N/P. EYE CONTACT MAY CAUSE BURNING & amp; IRRITATION. SKIN CONTACT MAY CAUSE DRYNESS. PROLONGED SKIN EXPOSURE MAY CAUSE DERMATITIS. INHALATION MAY CAUSE HEADACHE, DIZZINESS, ANESTHESIA, NAU SEA & amp; UPPER RESPIRATORY IRRITATION. HARMFUL OR FATAL IN INGESTED. FIRST AID: SKIN-REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. AP PLY SKIN

CREAM. EYES-FLUSH WITH WATER FOR 15 MINUTES. INHALA TION-REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. INGESTION-DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION. NOTE: DO NOT ADMINISTER EPINEPHRINE OR ADRENALINE.

\_\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States o

f America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professi onal advice to verify

and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.