View NSN Online: https://aerobasegroup.com/nsn/8030-01-125-0055

ORGANIC PRODUCTS CO. -- F-900 TORQUE SEAL (SEALANT) -- 8030-01-125-0055

Product ID:F-900 TORQUE SEAL (SEALANT) MSDS Date:01/04/1997 FSC:8030 NIIN:01-125-0055 MSDS Number: CGMJG === Responsible Party === Company Name: ORGANIC PRODUCTS CO. Address: 1963 IRVING BOULEVARD Box:428 City:IRVING State:TX ZIP:75060-4555 Country:US Info Phone Num:214-438-7321 **Emergency Phon** e Num:214-438-7321 CAGE:01195 === Contractor Identification === Company Name: ORGANIC PRODUCTS CO. Address:1963 E. IRVING BOULEVARD Box:428 City:IRVING State:TX ZIP:75060-4555 Country:US Phone:214-438-7321 CAGE:01195

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA 313) (CERCLA) CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: 30-60% Other REC Limits:NONE RECOMMENDED OSHA PEL:S, 200 PPM ACGIH TLV:S,200PPM/250STEL; 96 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: ETHYL ALCOHOL (ETHANOL) CAS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: 10-40% Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9596 LD50 LC50 Mixture:NOT ESTABLISHED FOR THIS PRODUCT Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MINOR IRRIT FROM PROLONGED BREATHING.MI NOR IRRIT TO SKIN AND EYES.NAUSEA, VOMITING IF SWALLOWED. Effects of Overexposure: IRRIT TO SKIN/EYE.NAUSEA, VOMITING. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid:REMOVE TO FRESH AIR.WASH AFFECTED AREAS W/WATER.IF SWALLOWED INDUCE VOMITING.CALL PHYSICIAN. Flash Point Method:TOC Flash Point:109F,43C Autoignition Temp:A utoignition Temp Text:NP Lower Limits:NP Upper Limits:NP Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL FOR SMALL FIRES. ALCHOL FOAM FOR LG FIRES. Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS W/FULL FACE PIECE WITH PRESSURE DEMAND. Unusual Fire/Explosion Hazard: VAPOR HEAVIER THATN AIR, KEEP AWAY FROM

PILOT LIGHT,LIGHTS,FLAMES,SPARKS,HEATERS,SMOKERS.

Spill Release Procedures: ABSORB LIQ; USE ABSORBE

NT MATERIAL & TRANSFER TO HOOD.ELIMINATE ALL IGNITION SOURCES DESTROY REMAINING MATL BY INCIERATION. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

 Handling and Storage Precautions:WEAR RESISTANT GLOVES SUCH AS NEOPRENE, EYE PROTECTION,CHEMICAL SPLASH GOGGLES,PROTECTIVE EQPMT TO PREVENT PROLONGED SKIN CONTACT.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Prote

ction ==========

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER. Ventilation:NONE SPECIFIED BY MANUFACTURER. Protective Gloves:YES, NEOPRENE Eye Protection:SAFETY GOGGLES Other Protective Equipment:SAFETY SHOWER & EYE BATH. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health

HCC:F4 Boiling Pt:B.P. Text:150F,66C Melt/Freeze Pt:M.P/F.P Text:NP Decomp Temp:Decomp Text:NP Vapor Pres: 42.00 Vapor Density:NP Spec Gravity:NP pH:NP Viscosity:NP Evaporation Rate & amp; Reference:NP Solubility in Water:NONE Appearance and Odor:HEAVY THICK PASTE, ALCOHOL ODOR Percent Volatiles by Volume:50 Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES NOT KNOWN. Stability Condition to Avoid:AVOID HEAT,SPARKS,FIRES. Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE CARBON MONOXIDE, &/OR CARBON DI OXIDE.

Waste Disposal Methods:INCINERATE IN FURNACE, OR BY LIQUID INCINERATION.DEPOSIT IN TOXIC LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.