

AKRON PAINT AND VARNISH INC -- ALKYD TYPE II WALKWAY OLIVE DRAB -- 8010-00-141-7838

=====  
Product Identification  
=====

Product ID:ALKYD TYPE II WALKWAY OLIVE DRAB

MSDS Date:06/01/1996

FSC:8010

NIIN:00-141-7838

MSDS Number: CGNCF

=== Responsible Party ===

Company Name:AKRON PAINT AND VARNISH INC

Address:1390 FIRESTONE PARKWAY

City:AKRON

State:OH

ZIP:44301-1624

Country:US

Info Phone Num:216-773-891

1

Emergency Phone Num:216-773-8911

CAGE:70228

=== Contractor Identification ===

Company Name:AKRON PAINT AND VARNISH INC

Address:1390 FIRESTONE PARKWAY

City:AKRON

State:OH

ZIP:44301-1624

Country:US

Phone:216-773-8911

CAGE:70228

=====  
Composition/Information on Ingredients  
=====

Ingred Name:VM & P NAPHTHA RULE 66 (VP = 15.0 @ 100F)

CAS:8032-32-4

RTECS #:OI6180000

Fraction by Wt: 20-50%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:300 PPM

ACGIH TLV:300 PPM

Ingred Name:CRYSTALLIN

E SILICA  
CAS:14808-60-7  
RTECS #:VV7330000  
Fraction by Wt: 20-50%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:.1 MG/M3  
ACGIH TLV:.1 MG/M3

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE: REDNESS, IRRIT, SWELLING, BLURRED  
VISION. SKIN: IRRIT, DEFATTING, DERMATITIS. INHAL: RSPIRATORY  
IRRIT, DIZZY, WEAKNESS, FATIGUE, NAUSEA,  
HEADACHE, UNCONSCIOUS,  
ASPHYXIATION. INGEST: GI IRRIT, NAU SEA, VOMIT, DIARRHEA.  
ASPIRATION INTO LUNGS CAN CAUSE CHEMICAL PNEUMONITIS, FATAL.

=====  
First Aid Measures  
=====

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES, LIFTING LIDS. SKIN: WASH  
W/SOAP & WATER. REMOVE CONTAM CLOTHES, WASH BEFORE REUSE. INGEST:  
DONT INDUCE VOMIT. KEEP WARM/QUIET. DRINK 1-2 GLASSES OF WATER TO  
DILUTE. INHAL: GET FRESH AIR. OXYGEN OR ARTIFICIAL RESPIRATION I  
F  
NEEDED. KEEP WARM/QUIET. IN ALL CASES, GET IMMED MED AID.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC  
Flash Point:50.0F,10.0C  
Lower Limits:0.90  
Upper Limits:7.0  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG. USE  
WATER FOR COOLING MATERIAL STORED IN VICINITY OF FIRE.  
Fire Fighting Procedures:USE SCBA WITH FULL-FACE PIECE IN PRESSURE  
DEMAND MODE. USE PROTECTIVE CLOTHING.  
Unusual Fire/Explosion Hazard:VAPORS ARE >AI  
R AND MAY TRAVEL TO IGNIT  
SOURCES. NEVER USE CUTTING TORCH ON EMPTY CONTAINERS. APPLICATION  
TO HOT SURFACES REQUIRES SPECIAL PRECAUTIONS.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SMSP: ABSORB W/RAGS/FLOOR  
ABSORBENT/VERMICULITE & TRANSFER TO HOOD. LGSP: REMOVE IGNITS. DIKE  
SPILL. VENT AREA. PUMP LIQ INTO SALVAGE TANKS. REMAINING LIQUID  
TAKE UP W/SAND, FLOOR ABSORBENT & SHOVEL I NTO CONTAINER. PREVENT  
RUNOFF TO BODIESOF

WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DONT DROP CONTAINERS. ELIMINATE IGNIT SOURCES. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED TO COMPLY WITH OSHA 1910.106. EVER USE PRESSURE TO EMPTY.  
Other Precautions:DONT HANDLE UNTIL MANUFACTURER'S SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:OUTDOOR OR OPEN AREAS W/UNOBSTRUCT ED VENT:  
APPROVED CHEMICAL/MECHANIAL FILTERS DESIGNED TO REMOVE A COMBINATION OF PARTICLES AND VAPORS. CONFINED AREAS: APPROVED AIRLINE TYPE RESPIRATOR OR HOOD.  
Ventilation:VENT IN VOLUME/PATTERN TO KEEP AIR CONTAM CONCENTRATES AIR  
Spec Gravity:1.34934  
Evaporation Rate & Reference:6.72 \* (BUAC)  
Appearance and Odor:OLIVE DRAB LIQUID  
Percent Volatiles by Volume:28.5

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS (E.G. NITRIC ACID).  
Stability Condition to Avoid:KEEP AWAY FROM HEAT AND OPEN FLAME.  
Hazardous Decomposition Products:CARBON MONOXIDE, DIOXIDE AND VARIOUS HYDROGENS.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Def

ense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.