

P-T TECHNOLOGIES, INC. -- DEGREASER SOLVENT -- 7930-01-436-7967  
===== Product Identification =====

Product ID:DEGREASER SOLVENT  
MSDS Date:09/23/1997  
FSC:7930  
NIIN:01-436-7967  
MSDS Number: CGNPS  
=== Responsible Party ===  
Company Name:P-T TECHNOLOGIES, INC.  
Address:108 4TH AVE. S.  
City:SAFETY HARBOR  
State:FL  
ZIP:34695  
Country:US  
Info Phone Num:800-441-7874  
Emergency Phone Num:800-441-7874  
CAGE:0JVH6  
=== Contractor Identification ===  
Company Name:P-T TECHNOLOGIES  
INC  
Address:108 4TH AVENUE, SOUTH  
Box:City:SAFETY HARBOR  
State:FL  
ZIP:34695  
Country:US  
Phone:813-726-4644  
CAGE:0JVH6

===== Composition/Information on Ingredients =====

Ingred Name:ORANGE OIL, TERPENES (NON-HAZARDOUS)  
CAS:68647-72-3  
Other REC Limits:NONE RECOMMENDED

Ingred Name:PARAFFINIC OILS (NON-HAZARDOUS)  
CAS:64771-72-8  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Inges

tion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: IRRIT, TEARING, REDNESS. SKIN:  
DEFATTING, DRYNESS, DERMATITIS. INHAL: RESPIRATORY TRACT IRRIT,  
NAUSEA, DIZZY, HEADACHE. INGEST: ACUTE ORAL TOXICITY, NAUSEA,  
VOMIT, GI IRRIT, ASPIRATION INTO LUNGS .

===== First Aid Measures =====

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES. SKIN: WASH W/SOAP AND  
WATER. INHAL: GET FRESH AIR. INGEST: DONT INDUCE  
VOMIT. PRODUCT  
CONTAINS HYDROCARBONS. IN ALL CASES, GET MED AID.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:144F,62C

Autoignition Temp:Autoignition Temp Text:410F

Lower Limits:1.3

Upper Limits:8.9

Extinguishing Media:CO2, FOAM, DRY CHEMICAL, CLASS B FOR FIRE  
PROCEDURES.

Fire Fighting Procedures:COMBUSTIBLE LIQUID, CAN FORM COMBUSTIBLE  
MIXTURES AT OR ABOVE FLASH POINT.

===== Accidental Release Measures ===  
=====

Spill Release Procedures:LAND SPILL: REMOVE IGNITS, CONTAIN SPILL,  
RECOVER FREE PRODUCTS, ABSORB W/SUITABLE CHEMICAL ABSORBENT FOR  
DISPOSAL. WATER SPILL: REMOVE FROM WATER BY SKIMMING, OR USE  
SUITABLE ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE TEMPERATURE AMBIENT KEEP AWAY  
FROM HEAT AND IGNITS. KEEP PRODUCT CONTAINER CLOSED WHEN NOT IN  
USE.

===== Exposure Controls/Persona

I Protection =====

Ventilation:MECHANICAL DILUTION VENTILATION RECOMMENDED IN CONFINED AREAS, HEATED >AMBIENT TEMPERATURES OR IS AGITATED.

Protective Gloves:SOLVENT RESISTANT

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:380 TO 430F

Vapor Pres:1 AIR=1

Spec Gravity:0.76

VOC Pounds/Gallon:756

pH:NA

Evaporation Rate & Reference:3.2 N BUAC = 100

Solubility in Water:NON-MISC

IBLE

Appearance and Odor:COLORLESS LIQUID, W/CHARACTERISTIC ODOR.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR BURY IN APPROVED LANDFILL IN ACCORDANCE W/STATE, FEDERAL AND LOCAL REGULATION

S.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibi

lity for the suitability of this information to their particular situation.