View NSN Online: https://aerobasegroup.gr/nsn/7930-01-436-8024

Product ID:DEGREASER SOLVENT MSDS Date:09/23/1997 FSC:7930 NIIN:01-436-8024 MSDS Number: CGNQD === Responsible Party === Company Name:P-T TECHNOLOGIES, INC. Address:108 4TH AVE. S. City:SAFETY HARBOR State:FL ZIP:34695 Country:US Info Phone Num:800-441-7874 Emergency Phone Num:800-441-7874 CAGE:0JVH6

=== Contractor Identification === Company Name:P-T TECHNOLOGIES INC Address:108 4TH AVENUE, SOUTH Box:City:SAFETY HARBOR State:FL ZIP:34695 Country:US Phone:813-726-4644 CAGE:0JVH6

Ingred Name:ORANGE OIL, TERPENES (NON-HAZARDOUS) CAS:68647-72-3 Other REC Limits:NONE RECOMMENDED

Ingred Name:PARAFFINIC OILS (NON-HAZARDOUS) CAS:64771-72-8 Other REC Limits:NONE RECOMMENDED

======== Hazards Identification =======

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: IRRIT, TEARING, REDNESS. SKIN: DEFATTING, DRYNESS, DERMATITIS. INHAL: RESPIRATORY TRACT IRRIT, NAUSEA, DIZZY, HEADACHE. INGEST: ACUTE ORAL TOXICITY, NAUSEA, VOMIT, GI IRRIT, ASPIRATION INTO LUNGS.

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES. SKIN: WASH W/SOAP AND WATER. INHAL: GET FRESH AIR. INGEST: DONT INDUCE VOMIT. PRODUCT CONTAINS HYDROCARBONS. IN ALL CASES, GET MED AID.

Flash Point Method:TCC Flash Point:144F,62C Autoignition Temp:Autoignition Temp Text:410F Lower Limits:1.3 Upper Limits:8.9 Extinguishing Media:CO2, FOAM, DRY CHEMICAL, CLASS B FOR FIRE PROCEDURES. Fire Fighting Procedures:COMBUSTIBLE LIQUID, CAN FORM COMBUSTIBLE MIXTURES AT OR ABOVE FL ASH POINT.

Spill Release Procedures:LAND SPILL: REMOVE IGNITS, CONTAIN SPILL, RECOVER FREE PRODUCTS, ABSORB W/SUITABLE CHEMICAL ABSORBENT FOR DISPOSAL. WATER SPILL: REMOVE FROM WATER BY SKIMMING, OR USE SUITABLE ABSORBENT.

Handling and Storage Precautions:STORAGE TEMPERATURE AMBIENT KEEP AWAY FROM HEAT AND IGNITS. KEEP PRODUCT CONTAINER CLOSE

USE. Ventilation: MECHANICAL DILUTION VENTILATION RECOMMENDED IN CONFINED AREAS, HEATED > AMBIENT TEMPERATURES OR IS AGITATED. Protective Gloves:SOLVENT RESISTANT Eve Protection:SAFETY GLASSES Supplemental Safety and Health NK Boiling Pt:B.P. Text:380 TO 430F Vapor Pres:1 AIR=1 Spec Gravity:0.76 VOC Pounds/Gallon:756 pH:NA **Evaporation Ra** te & Reference:3.2 N BUAC = 100 Solubility in Water:NON-MISCIBLE Appearance and Odor: COLORLESS LIQUID, W/CHARACTERISTIC ODOR. Percent Volatiles by Volume:100 Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE, SMOKE. Waste Disposal Methods: INCINERATE OR BURY IN APPROVED LANDFILL IN ACCORDANCE W/STATE, FEDERAL AND LOCAL REGULATIONS. Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should see

D WHEN NOT IN

k competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.