View NSN Online: https://aerobasegroup.com/nsn/6810-00-543-7415

## HOME OIL CO -- DENATURED ALCOHOL O-E-760 TYPE III -- 6810-00-543-7415

Product ID:DENATURED ALCOHOL O-E-760 TYPE III

MSDS Date:02/29/1996

FSC:6810

NIIN:00-543-7415

MSDS Number: CGXLN
=== Responsible Party ===
Company Name: HOME OIL CO

Address:3511 N OHIO

Box:2609 City:WICHITA State:KS

ZIP:67201 Country:US

Info Phone Num:316-838-4663 FAX:316-832-1211

**Emergency Pho** 

ne Num:316-838-4663

CAGE:0A9L8

=== Contractor Identification ===

Company Name: HOC INDUSTRIES, INC

Address:3511 N. OHIO

Box:2609 City:WICHITA State:KS

ZIP:67219 Country:US

Phone:316-838-4663

CAGE:0A9L8

======= Composition/Information on Ingredients ========

Ingred Name: ETHANOL

CAS:64-17-5

RTECS #:KQ6300000 Fraction by Wt: 95.2%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1000 PPM ACGIH TLV:1000 PPM

Ingred Name: METHANOL

CAS:67-56-1

RTECS #:PC1400000 Fraction by Wt: 4.8%

Other REC Li

mits:NONE RECOMMENDED OSHA PEL:200 PPM ACGIH TLV:200 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

========== Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: IRRIT, BLINDNESS. SKIN: IRRIT, HARMFUL IF ABSORBED. INHAL: DIZZY, DROWSY, HEADACHE, NAUSEA,

UNCONSCIOUS, FATAL. CHRONIC: DERMATITIS, COMA.

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES. SKIN: WASH W/SOAP & WATER. REMOVE & WASH CONTAM CLOTHES. INHAL: REMOVE TO FRESH AIR. MOUTH-TO-MOUTH ARTIF RESP OR OXYGEN IF NEEDED. INGEST: CALL DR. IN ALL CASES, GE T MED AID.

============ Fire Fighting Measures =========================

Flash Point Method:TCC Flash Point:54.0F,12.2C

Lower Limits:4.3 Upper Limits:19.0

Extinguishing Media:DRY CHEMICAL, FOAM, CARBON DIOXIDE.

Fire Fighting Procedu


res:WATER MAY BE INEFFECTIVE ON FLAMES. USE WATER
TO COOL CONTAINERS. IF LEAK/SPILL HAS NOT IGNITED, USE WATER SPRAY

TO DISPERSE VAPORS & PROVIDE PROTECTION.

Unusual Fire/Explosion Hazard:FLAMMABLE! KEEP CONTAINERS TIGHTLY CLOSED. EXPLOSIVE AIR-VAPORS MIXTURES MAY OCCUR. VAPORS MAY TRAVEL TO SOUCES OF IGNITION & FLASH BACK.

========= Accidental Release Measures ============

Spill Release Procedures:ELIMINATE IGNIT SOURCES. VENT AREA. USE SUPPLIED-AIR MASK F



thods:RECYCLE OR INCINERATE IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

\_\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.