

MAGNOLIA PLASTICS INC -- MAGNOBOND 6398, B -- 8040-01-375-2678

=====
Product Identification
=====

Product ID:MAGNOBOND 6398, B

MSDS Date:08/15/1996

FSC:8040

NIIN:01-375-2678

Status Code:A

Kit Part:Y

MSDS Number: CHXQX

=== Responsible Party ===

Company Name:MAGNOLIA PLASTICS INC

Address:5547 PEACHTREE INDUSTRIAL BLVD

City:CHAMBLEE

State:GA

ZIP:30341

Country:US

Info Phone Num:800-457-4280

Emergency

Phone Num:770-451-2777

CAGE:22121

=== Contractor Identification ===

Company Name:MAGNOLIA PLASTICS INC

Address:5547 PEACHTREE INDUSTRIAL BLVD

Box:City:CHAMBLEE

State:GA

ZIP:30341-2234

Country:US

Phone:(770) 451-2777/(800) 457-4280

CAGE:22121

=====
Composition/Information on Ingredients
=====

Ingred Name:AMINES

Fraction by Wt: 90-95%

OSHA PEL:N/K

ACGIH TLV:N/K

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACT

URER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:VAPORS ARE IRRITATING TO SKIN

AND EYES. INHALATION:VAPORS ARE IRRITATING TO SKIN AND EYES.

INGESTION:MODERATE TOXICITY; MAY CAUSE BURNS OF MOUTH AND THROAT.

SKIN ABSORPTION:REPEATED OR PROLONGED EXPOSURE MAY BE HARMFUL.

SKIN CONTACT:MAY CAUSE CHEMICAL BURNS AND/OR DEVELOP ALLERGIC SKIN REACTION. (EFTS OF OVEREXP)

Explanati

on of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ:EYE CONTACT:MODERATELY IRRITATING;

PERMANENT DAMAGE POSSIBLE ON PROLONGED EXPOSURE. AMINES:CORROSIVE, IRRITANT. CHRONIC:UNKNOWN.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING. WASH FROM SKIN W/SOAP & WATER. LAUNDRER CLOTHING PRIOR TO RE-USING. EYES:FLUSH W/WATER FOR AT LEAST 15 M

INUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL

ATTENTION. INHA L:REMOVE VICTIM TO FRESH AIR. ADMINISTEROXYGEN IF NECESSARY. INGEST:DO NOT INDUCE VOMITING. GIVE LARGE DOSES OF WATER. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:>200F,>93C

Extinguishing Media:WATER SPRAY, FOAM, CO*2, DRY CHEMICAL.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . AVOID BREATHING SMOKE.

COOL FIRE EXPOSED CONTAINERS W/WATER.

Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:AVOID CONTACT W/LIQUIDS & VAPORS. WIPE W/CLOTH OR COLLECT ANY ABSORBENT MATERIAL. FOR LARGE SPILLS, DIKE & CONTAIN. PUMP OR SHOVEL INTO SALVAGE VESSELS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A C

OO, DRY AREA IN TIGHTLY

CLOSED CONTAINERS. AVOID CONTACT W/SKIN & EYES. USE W/ADEQUATE VENTILATION.

Other Precautions:FOR INDUSTRIAL USE ONLY. CORROSIVE. MAY CAUSE SEVERE EYE BURNS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR EXCESSIVE VAPORS OR TO MAINTAIN BELOW TLV LIMIT, NIOSH APPROVED RESPIRATOR IN COMPLIANCE TO 29 CFR 1910.134.

Ventilation:LOCAL EXHAUST &/OR MECHANICAL: YES.

Protective Gloves:IMPERVIOUS RUBBER GLOVES.

Eye

Protection:ANSI APPROVED CHEM WORKERS GOGGS(SUPDAT)

Other Protective Equipment:ANSI APPRVD EYE WASH FOUNTAIN & DELUGE SHOWER . FOR PRLNG EXPOS, IMPERVIOUS CLTHG & BOOTS TO MIN PERSONAL CONTACT.

Work Hygienic Practices:USE GOOD HYGIENE PRACTICES.

Supplemental Safety and Health

EYE PROT:& FULL LENGTH FACESHIELD .

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>225F,>107C

Vapor Pres:NIL

Vapor Density:>1

Spec Gravity:1.20 (H*2O=1)

Evaporation Rat

e & Reference: