View NSN Online: https://aerobasegroup.gr/nsn/6525-01-098-5797

EASTMAN KODAK COMPANY -- 138 2845 RP X-OMAT DEVELOPER AND REPLENISHER, PART B -- 6525-01-098-5797

============= Product Identification ========================

Product ID:138 2845 RP X-OMAT DEVELOPER AND REPLENISHER, PART B

MSDS Date:07/15/1998

FSC:6525

NIIN:01-098-5797 Status Code:A

Kit Part:Y

MSDS Number: CJCMJ === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZΙ

P:14650 Country:US

Info Phone Num:716-477-3194 MSDS:800-242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

=====

====== Composition/Information on Ingredients ========

Ingred Name: ACETIC ACID (CERCLA)

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 70-75%

Other REC Limits: NONE RECOMMENDED

**OSHA PEL:10 PPM** 

ACGIH TLV:10 PPM/15 STEL; 9596

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: DIETHYLENE GLYCOL

CAS:111-46-6

RTECS #:ID5950000 Fraction by Wt: 15-20%

Other REC Limits: NONE RECOMMENDED

Ingred Name: 1-PHENYL-3-PYRAZOLIDONE

CAS:92-43-3

RTECS #:UQ8750000 Fraction by Wt: 5-10% Other REC Limits:N ONE RECOMMENDED

Ingred Name:5-NITRO-1H-INDAZOLE

CAS:5401-94-5

RTECS #:NK7962000 Fraction by Wt: < 1%

Other REC Limits: NONE RECOMMENDED

========== Hazards Identification ================

LD50 LC50 Mixture:ORAL LD50 (RAT): 476 MG/KG


Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CONTAINS DIETHYLENE GLYCOL WHICH CAN CAUSE KIDNEY DAMAGE AND CNS EFFECTS. INHALATION OF VAPOR EXTREME LY

IRRITATING TO RESPIRATORY TRACT & EYES. EYE CONTACT CAUSES SEVERE BURNS. SKIN CONTACT CAUSES BUR NS. MAY CAUSE ALLERGIC SKIN REACTION. POISON. MAY BE FATAL OR HARMFUL IF SWALLOWED. MAY CAUSE BURNS OR GI TRACT.


Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:KIDNEY DAMAGE, CNS EFFECTS, RESPIRATORY TRACT IRRITATION, EYE BURNS/IRRITATION, SKIN



BURNS, ALLERGIC SKIN

Handling and Storage Precautions:DO NOT GET IN EYES, ON SKIN, ON CLOTHING. DO NOT BREATHE VAPOR AT CONCENTRATIONS GREATER THAN EXPOSURE LIMITS. KEEP FROM CONTACT W/OXIDIZING MATERIALS Other Precautions:KEEP AWAY FROM HEAT AND FLAME. MINIMIZE EXPOSURE TO AIR. IF PEROXIDE FORMATION IS



ndicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, BASES Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF NITROGEN

======= Disposal Considerations ===========

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS. MAY REQUIRE NEUTRALIZATION IF PH < 2.0 OR PH > 12.5. DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE F

EDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this in formation to their particular situation.