

HEWLETT-PACKARD CO BOISE DIV -- HP LASER JET CARTRIDGE C3906A -- 6850-01-428-3583  
===== Product Identification =====

Product ID:HP LASER JET CARTRIDGE C3906A  
MSDS Date:01/16/1996  
FSC:6850  
NIIN:01-428-3583  
Status Code:A  
MSDS Number: CJCWV  
=== Responsible Party ===  
Company Name:HEWLETT-PACKARD CO BOISE DIV  
Address:11311 CHINDEN BLVD  
City:BOISE  
State:ID  
ZIP:83714  
Country:US  
Info Phone Num:208-396-6  
000/323-2551  
Emergency Phone Num:208-396-6000/323-2551  
CAGE:18660  
=== Contractor Identification ===  
Company Name:HEWLETT-PACKARD CO BOISE DIV  
Address:11311 CHINDEN BLVD  
Box:City:BOISE  
State:ID  
ZIP:83714  
Country:US  
Phone:208-396-6000  
CAGE:18660  
Company Name:ODYSSEY GROUP THE  
Address:245 LOCHAN CV STE B18  
Box:000  
City:ALPHARETTA  
State:GA  
ZIP:30202-7614  
Country:US  
Phone:800-250-8716/FAX 770-754-1194  
Contract Num:SP0450-98-M-CJ31  
CAGE:05NL2

===== Composition/Information on Ingredients ==

=====

Ingred Name:STYRENE ACRYLATE COPOLYMER,  
CAS:25153-46-2  
Minumum % Wt:45.  
Maxumum % Wt:55.

Ingred Name:IRON OXIDE  
CAS:1317-61-9  
Minumum % Wt:45.  
Maxumum % Wt:55.  
OSHA PEL:10 MG/M3  
ACGIH TLV:5 MG/M3

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS >5000 MG/M3  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MAY CAUSE EYE IRRITATION. UNLI  
KELY TO  
CAUSE SKIN IRRITATION. MINIMAL RESPIRATORY TRACT IRRITATION MAY  
OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY TOXIC DUST.  
INGESTION IS NOT APPLICABLE ROUTE OF EN TRY FOR INTENDED USE.  
Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT  
CARCINOGENICITY. HMIS DOES NOT EXPECT IT TO BE CARCINOGENIC.  
Effects of Overexposure:EYES-IRRITATION. INHALED-MINIMAL RESPIRATORY  
IRRITATION.  
Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS.

=====

===== First Aid Measures =====

First Aid:INGESTED-DILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF  
WATER. IF SYMPTOMS OCCUR, CONSULT A PHYSICIAN. INHALED-REMOVE  
VICTIM TO FRESH AIR. IF SYMPTOMS OCCUR, CONSULT A PHYSICIAN.  
EYES-FLUSH WITH RUNN ING WATER FOR AT LEAST 15 MINUTES, IF SYMPTOMS  
OCCUR, CONSULT A PHYSICIAN. SKIN-WASH WITH SOAP & WATER. IF  
SYMPTOMS OCCUR, CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

=====

Extinguishing Media:WATER, DRY CHEMICAL, CO2

Fire Fighting Procedures:NONE.

Unusual Fire/Explosion Hazard:TONER MATERIAL LIKE MOST ORGANIC MATERIAL  
IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PERSONAL PROTECTIVE EQUIPMENT AS  
DESCRIBED. MINIMIZE THE RELEASE OF PARTICULATES. VACUUM OR SWEEP  
THE MATERIAL INTO A BAG OR OTHER SEALED CONTAINER AND DISPOSE OF IN  
AC

CORDANCE WITH LOCAL REQUIRE MENTS. DO NOT DISCHARGE INTO DRAINS.

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN. KEEP  
FROM CONTACT WITH OXIDIZING MATERIALS. KEEP CONTAINER CLOSED AND  
STORE AT ROOM TEMPERATURE. AVOID INHALATION OF DUST AND CONTACT  
WITH EYES. KEEP AWAY FROM EXCESSIVE HEAT, SPARKS, AND OPEN FLAMES.

Other Precautions:NONE SPECIFIED BY  
MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER INTENDED USE.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT UNDER  
INTENDED USE.

Protective Gloves:NONE REQUIRED UNDER INTENDED USE.

Eye Protection:NONE REQUIRED UNDER INTENDED USE.

Other Protective Equipment:NONE REQUIRED UNDER INTENDED USE.

Work Hygienic Practices:DLA-HMIS FOCAL POINT: USE GOOD INDUSTRIAL  
HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT.

WASH THOROUGHLY AFTER  
HANDLING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NONE

Melt/Freeze Pt: