View NSN Online: https://aerobasegroup.gr/nsn/8030-01-392-2927

## SKYBRYTE CO THE -- OSPHO METAL TREATMENT -- 8030-01-392-2927

Product ID:OSPHO METAL TREATMENT

MSDS Date:12/03/1992

FSC:8030

NIIN:01-392-2927

Status Code:A

MSDS Number: CJDDT === Responsible Party ===

Company Name: SKYBRYTE CO THE

Address:3125 PERKINS AVE

City:CLEVELAND

State:OH ZIP:44114 Country:US

Info Phone Num:216-771-1590

Emergency Phone Num:216-432-2426

Prepa

rer's Name:STEPHEN L. PITCHER

CAGE:EO162

=== Contractor Identification ===

Company Name: SKYBRYTE CO THE

Address:3125 PERKINS AVE

Box:City:CLEVELAND

State:OH ZIP:44114 Country:US

Phone:216-771-1590

CAGE:EO162

Company Name: THE SKYBRYTE CO

Address:3125 PERKINS AVE

Box:City:CLEVELAND

State:OH

ZIP:44114-4627 Country:US CAGE:6M876

====== Composition/Information on Ingredients ========

Ingred Name:PHOSPHORIC ACID (SARA III)

CAS:7664-38-2

RTECS #:TB6300000

= Wt:45.

Other REC Limits:NONE

RECOMMENDED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3/3 STEL; 9394 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS ========== Hazards Identification =============== LD50 LC50 Mixture:LD50 (ORAL RAT) IS 1530 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: IRRITANT, SLIGHTLY TOXIC WHEN INHALES/INGESTED. CHRONIC: SLIGHTLY TOXIC-CAUSES BURNS TO EXPOSED TISSUE. Explanation of C arcinogenicity: NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure:LIQUID IS CORROSIVE TO EYES AND SKIN. MIST PRODUCES IRRITATION TO EYES, NOSE, THROAT AND LUNGS. Medical Cond Aggravated by Exposure: EMPHYSEMA, ASTHMA OR OTHER CONDITIONS RESULTING IN DECREASED RESPIRATORY FUNCTION. First Aid: CALL A PHYSICIAN IMMEDIATELY. INGESTION-GIVE LARGE QUANTITIES OF WATER, DO NOT INDUCE VOMITING, SKIN & EYE-FLUSH WITH WATER. Flash Point: NOT FLAMMABLE Extinguishing Media: MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard: MAY DECOMPOSE TO RELEASE OXYGEN AROUND 400C (750F). WILL PRODUCE IRRITATING PHOSPHORIC OXIDE FUMES UNDER FIRE CONDITIONS. Accidental Release Measures ==========

Spill Release Procedures:WEAR SUITABLE PROTECTIVE CLOTHING, EYE PROTECTION & RESPIRATOR. NEUTRALIZE WITH SODA ASH AND FLUSH THE AREA WITH LARGE AMOUNTS OF WATER.

Neutralizing Agent:SODA ASH.

============ Handling and Storage ================

Handling and Storage Precautions:STORE IN SUITABLE CONTAINER.

Other Precautions:SUITABLE CONTAINERS ARE GLASS, POLYETHYLENE LINED DRUMS, FIBERGLAS, ETC. STORE ONLY IN APPROVED TY

PE CONTAINERS.

AVOID ROUGH HANDLING OF DRUMS. VENT DRUMS WEEKLY. DO NOT SMOKE IN STORAGE OR USE AREA.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: ACID GAS WITH FULL FACE PIECE.

Ventilation:PROVIDE SUFFICIENT LOCAL EXHAUST VENTILATION TO CONTROL INHALATION EXPOSURES BELOW OSHA'S PEL.

Protective Gloves: NEOPRENE OR RUBBER

Eye Protection: CHEMICAL SPLASH GOGGLES/FACE SHIELD

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE IMPERVIOUS WORK CLOTHING, FOOTWARE, AND APRON (RUBBER).

Work Hygienic Practices:STORE AND HANDLE AS STRONG ACID. WASH BEFORE EATING OR DRINKING.

Supplemental Safety and Health

STRONG ACID: DO NOT GET ON SKIN, IN EYES OR ON CLOTHING. DO NOT BREATHE VAPORS OR MISTS. WASH HANDS AND FACE AFTER USE. KEEP CONTAINER CLOSED WHEN NOT IN USE.

======== Physical/Chemical Properties ===========

HCC:C1
Boiling Pt:=115.6C, 240.F
B.P. Text:240F,116C
Spec Grav
ity:1.18 - 1.26

Evaporation Rate & Deference: