

FERRO CORP COATING DIV -- 77288 V-700 -- 8010-01-387-4917

===== Product Identification =====

Product ID:77288 V-700  
MSDS Date:02/03/1995  
FSC:8010  
NIIN:01-387-4917  
Status Code:A  
MSDS Number: CJMXJ  
=== Responsible Party ===  
Company Name:FERRO CORP COATING DIV  
Address:4150 E 56TH ST  
Box:6550  
City:CLEVELAND  
State:OH  
ZIP:44105-4808  
Country:US  
Info Phone Num:216-641-8580  
Emergency Phone Num:216-641-85  
80  
CAGE:9S819  
=== Contractor Identification ===  
Company Name:FERRO CORP COATING DIV  
Address:4150 E 56TH ST  
Box:6550  
City:CLEVELAND  
State:OH  
ZIP:44105-4808  
Country:US  
Phone:216-641-8580  
CAGE:9S819

===== Composition/Information on Ingredients =====

Ingred Name:CHROMIUM GREEN-BLACK HEMATITE  
CAS:68909-79-5

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES  
Health Hazards Acute and Chronic:INHALATION:

MAY CAUSE IRRITATION OF  
RESPIRATORY SYSTEM. EYES/SKIN: MAY IRRITATE. REPEATED/PROLONGED  
EXPOSURE MAY LEAD TO PULMONARY PROBLEMS/CAUSE LUNG DAMAGE.  
Effects of Overexposure:IRRITATION, NAUSEA, METALLIC TASTE IN THE MOUTH  
Medical Cond Aggravated by Exposure:INHALATION/SKIN DISORDERS

=====  
First Aid Measures  
=====

First Aid:INHALATION: MOVE TO FRESH AIR. INGESTION: DRINK WATER/MILK.  
NEVER GIVE ANYTHING BY MOUTH IF UNCONSCIOUS. EYES: RINSE THOROUGH  
LY  
W/PLENTY OF WATER FOR 15 MINS. SKIN: WASH OFF IMMEDIATELY W/SOAP &  
PLENT Y OF WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:ABC DRY CHEMICAL, WATER  
Fire Fighting Procedures:NONE REQUIRED.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:AVOID DUSTING. UNCONTAMINATED MATERIAL MAY BE  
SCOOPED UP FOR USE. IF CONTAMINATED, SCOOP/VACUUM TO RECEPTACLE F  
OR  
DISPOSAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:PROTECT CONTAINERS AGAINST PHYSICAL  
DAMAGE. STORE IN A DRY AREA AWAY FROM FEED & FOOD PRODUCTS.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:USE A NIOSH APPROVED RESPIRATOR FOR DUST.  
Ventilation:LOCAL EXHAUST TO KEEP AIR CONTAMINANTS BELOW THEIR PEL.  
Protective Gloves:COTTON WORK GLOVES  
Eye Protection:SAFETY GLASSES  
Other Prot  
ective Equipment:PROTECTIVE CLOTHING, COVERALLS, SMOCKS  
Work Hygienic Practices:WASH THOROUGHLY BEFORE EATING, DRINKING,  
SMOKING/APPLYING COSMETICS.  
Supplemental Safety and Health  
AVOID MAKING DUST. DON'T BREATHE/EAT DUST. USE ONLY W/ADEQUATE  
VENTILATION.

=====  
Physical/Chemical Properties  
=====

pH:6  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:BLACK ODORLESS POWDER

=====  
Stability and Reactivity Data  
=====

Stability Indicat

or/Materials to Avoid: YES

NONE

Hazardous Decomposition Products: NONE

===== Ecological Information =====

Ecological: INJURIES ARE NOT KNOWN/EXPECTED UNDER NORMAL USE.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information: NOT REGULATED.

===== Regulatory Information =====

SARA Title III Information: THIS PIGMENT IS A CRYSTALLINE COMPOUND, NOT A MIXTURE. THE APPROXIMATE PERCENT METAL REPORTABLE UNDER SARA TITLE III, SECTION 313: 60-70.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.