

TEXACONE CO -- EASE OFF #990 -- 8030-00-664-6146

=====
Product Identification
=====

Product ID:EASE OFF #990
MSDS Date:10/17/1994
FSC:8030
NIIN:00-664-6146
Status Code:A
MSDS Number: CKCXW
=== Responsible Party ===
Company Name:TEXACONE CO
Address:4111 FORNEY RD
City:MESQUITE
State:TX
ZIP:75149-2722
Country:US
Emergency Phone Num:214-363-1891
CAGE:87889
=== Contractor Identification ===
Company Name:TEXACONE CO THE
Address:4111 FORNEY RD
Box:City:MESQUITE
State:TX
ZIP:75149-2722
Country:US
Phone:800-235-2727
CAGE:87889

=====
Composition/Information on Ingredients
=====

Ingred Name:RED LEAD
CAS:1314-41-6
RTECS #:OG5425000
Fraction by Wt: 19%
OSHA PEL:0.05 MG/M3
ACGIH TLV:0.15 MG/M3

Ingred Name:DIBUTYL PHTHALATE
CAS:84-74-2
RTECS #:TI0875000
Fraction by Wt: 33.5%
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:MOLYBDENUM DISULFIDE

CAS:1317-33-5
RTECS #:QA4697000
Fraction by Wt: 25.4%
OSHA PEL:15 MG/M3
ACGIH TLV:10MG/M3

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE - ENCEPHALOPATHY DEVELOPS QUICKLY TO SEIZURES, COMA AND DEATH. CHRONIC - SEVERE DAMAGE TO BLOOD FORMING, NERVOUS, URINARY AND REPRODUCTIVE SYSTEMS.
Effects of Overexposure:LOSS OF APPETITE, METALLIC TASTE IN MOUTH, ANXIETY, CONSTIPATION, NAUSEA, PALLOR, INSOMNIA, HEADACHE, ABDOMINAL PAIN.
Medical Conditions Aggravated by Exposure:TARGET ORGANS) : GASTROINTESTINAL, CENTRAL NERVOUS SYSTEM, KIDNEYS, BLOOD, GINGIVAL TISSUE.

===== First Aid Measures =====

First Aid:EYE - IRRIGATE IMMEDIATELY. SKIN - SOAP FRESH PROMPTLY. BREATH - ARTIFICIAL RESPIRATION. SWALLOW - WATER; VOMIT

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:=-154.4C, 310.F
=310F
Extinguishing Media:CO2 OR DRY CHEMICAL

===== Accidental Release Measures =====

Spill Release Procedures:TREAT AS IF AN OIL SPILL. KEEP AWAY FROM FLAMES

===== Handling and Storage =====

Handling and Storage Precautions:NO SPECIAL REQUIREMENTS - INDEFINITE SHELF LIFE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:APPROPRIATE RESPIRATORY PROTECTION

TION MAY BE
REQUIRED.

Ventilation:LOCAL EXHAUST-VENTED FAN SPECIAL : NONE MECHANICAL : NO
Supplemental Safety and Health
UNLESS EXPOSURE TO LEAD ABOVE PEL.

===== Physical/Chemical Properties =====

Melt/Freeze Pt:>51.7C, 125.F
M.P/F.P Text:>125F
Spec Gravity:(H2O=1): 1.67
Evaporation Rate & Reference:(BUTYL ACETATE=1)
Appearance and Odor:BROWN PASTE, PAINT-LIKE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/
Materials to Avoid:YES
STRONG OXIDIZERS, HYDROGEN PEROXIDE ACTIVE METALS (SODIUM POTASSIUM
).
Hazardous Decomposition Products:CO, CO2, AND HEAVY METAL OXIDES.

===== Toxicological Information =====

Toxicological Information:RED LEAD OXIDE: 1 PR LD-50 630 MG/KG RAT
DIBUTYL PHTHALATE: ORAL LD-50 (RAT): 30.6 G/KG DERMAL LD-50 (RABBIT) : 720 ML/KG EYE IRRITATION (RABBIT) : SLIGHT
MOLYBDENUM DISULFIDE: ACUTE ORAL (RAT) >15,000 MG/K
G - NO
EFFECT DERMAL IRRITATION: (RABBIT) 0.5 GRAMS - NO IRRITATION
EYE IRRITATION: (RABBIT) 0.1 GRAM - NO IRRITATION.

===== Disposal Considerations =====

Waste Disposal Methods:SECURE LAND BURIAL OR INCINERATED.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The Un

ited States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.