

EVR-GARD COATINGS CO -- LATEX SEMI-GLOSS PAINT, 4300 -- 8010-01-306-6917

=====
Product Identification
=====

Product ID:LATEX SEMI-GLOSS PAINT, 4300

MSDS Date:07/06/1992

FSC:8010

NIIN:01-306-6917

Status Code:A

MSDS Number: CKFZY

=== Responsible Party ===

Company Name:EVR-GARD COATINGS CO

Address:16400 GARFIELD AVE

City:PARAMOUNT

State:CA

ZIP:90723

Country:US

Info Phone Num:213-531-0131

Emergency P

hone Num:213-531-0131

CAGE:5G582

=== Contractor Identification ===

Company Name:EVR-GARD COATINGS CO

Address:16400 GARFIELD AVE

Box:City:PARAMOUNT

State:CA

ZIP:90723

Country:US

Phone:310-531-0131

CAGE:5G582

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYLENE GLYCOL (VP = 0.1 MM HG @ TEMP)

CAS:107-21-1

RTECS #:KW2975000

= Wt:1.38

OSHA PEL:50 PPM

ACGIH TLV:50 PPMM

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====
Hazards Identification
=====

=====

Health Hazards Acute and Chronic:INHALATION MAY CAUSE HEADACHE AN
NAUSEA. EYE CONTACT FLUSH WITH PLENTY OF CLEAN WATER FOR 5-10
MINUTES.

Effects of Overexposure:INHALATION HEALTH RISKS AND SYMPTOMS OF
EXPOSURE: MAY CAUSE HEADACHE AND NAUSEA, DIZZINESS. SKIN AND EYE
CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE: PRIMARILY AN
IRRITANT. REDNESS OR RASH ON SK IN. WASH AFFECTED AREAS
THOROUGHLY WITH PLENTY OF WATER. SKIN ABSORPTION HEALTH RISKS AND
SYMP

TOMS OF EXPOSURE: PRIMARILY AN IRRITANT. REDNESS OR RASH ON
SKIN. BE SURE TO WASH AFFECTED AREAS WITH PLENTY OF SOAPY WATER.
REMOVE CONTAMINATED CLOTHING. INGESTION HEALTH RISKS AND SYMPTOMS
OF EXPOSURE: NAUSEA, DIZZINESS, HEADACHES.

===== First Aid Measures =====

First Aid:REMOVE PATIENT TO FRESH AIR. FLUSH EYES WITH CLEAN WATER FOR
10 MINUTES. REMOVE SATURATED CLOTHING AND WASH SKIN WITH SOAPY
WATER THOROUGHLY. IF SWALLOWED, IN
DUCE VOMITING WITH 1-OZ OF SYRUP
OF IPE CAC FOLLOWED IN 5 MINUTES WITH GLASS OF WATER. CALL A
DOCTOR.

===== Fire Fighting Measures =====

Flash Point:=116.1C, 241.F
241 DEG. F
Lower Limits:3.2%
Upper Limits:15.3%
Extinguishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG
Fire Fighting Procedures:THIS IS A WATER-BASED PRODUCT. WILL NOT
SUPPORT COMBUSTION.

===== Accidental Release Measures =====

Spill Release
Procedures:ABSORB SPILL WITH ANY ABSORBENT MATERIAL-
SAWDUST, SAND, CLAYS,ECT. AND FLUSH SPILL AREA WITH LOTS OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:THIS PRODUCT IS STABLE UNDER NORMAL
USE STORAGE CONDITIONS. KEEP OUT OF REACH OF CHILDREN. KEEP FROM
FREEZING.

Other Precautions:KEEP FROM FREEZING. DO NOT TAKE INTERNALLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protect

ion:THE USE OF NIOSH/MSHA APPROVED MASKS DURING APPLICATION TO AVOID EXCESSIVE INHALATION OF VAPORS IS HIGHLY RECOMMENDED. OPEN WINDOWS AND DOORS OR USE MEANS TO INSURE FRESH AIR ENTRY DURING APPLICATION AND DRYING.

Ventilation:PROVIDE ADEQUATE VENTILATION AT ALL TIMES DURING HANDLING AND APPLICATION OF THIS PRODUCT. INSURE ADEQUATE SUPPLY OF FRESH AIR AT ALL TIMES.

Protective Gloves:BURUS N

Eye Protection:WEAR CHEMICAL GOGGLES AT ALL TIMES WHEN HANDLING OR APPLYING THIS PRODUCT.

Other Protective Equipment:WEAR MASKS AND GLOVES IF NECESSARY TO PREVENT PROLONGED CONTACT WITH THE MATERIAL.

Work Hygienic Practices:OBSERVE STANDARD HYGIENIC PRACTICES WHEN HANDLING THIS PRODUCT.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt.=197.2C, 387.F

B.P. Text:387 DEG. F.

Vapor Density:>AIR

Spec Gravity:1.2

Evaporation Rate & Reference:SLOWER THAN ET

Solubility in Water:DILUTABLE

Appearance and Odo

r:WHITE PAINT & COLORS - SLIGHT AMMONIA SMELL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS AND ALKALIS AND MATERIALS THAT REACT WITH WATER

Stability Condition to Avoid:DO NOT STORE IN HIGH TEMPERATURES AREAS.

===== Disposal Considerations =====

Waste Disposal Methods:PLACE ALL HAZARDOUS WASTES, INCLUDING ABSORBENTS USED FOR SPILLS, IN 55 GAL METAL DRUMS AND DISPOSE IN APPROVED

DUMPSITE IN ACCORDANCE WITH PRESCRIBED FEDERAL, STATE AND LOCAL REGULATIONS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this do

cument should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.