View NSN Online: https://aerobasegroup.gr/nsn/6850-01-394-0162

ECOLINK INC -- PREPSOLV, ULTRA-LOW RESIDUE HANDWIPE AGENT, SEE SUPPLEMENTAL -- 6850-01-394-0162

Product ID: PREPSOLV, ULTRA-LOW RESIDUE HANDWIPE AGENT, SEE SUPPLEMENTAL MSDS Date:09/19/1997 FSC:6850 NIIN:01-394-0162 Status Code:A **MSDS Number: CKGPP** === Responsible Party === Company Name: ECOLINK INC Address:1481 ROCK MOUNTAIN BLVD **City:STONE MOUNTAIN** State:GA ZIP:3 0083-1505 Country:US Info Phone Num:800-886-8240 Emergency Phone Num:800-535-5053 CAGE:0WU71 === Contractor Identification === **Company Name: ECOLINK INC** Address:1481 ROCK MOUNTAIN BLVD Box:City:STONE MOUNTAIN State:GA ZIP:30083-1505 Country:US Phone:800-886-8240/770-621-8240 CAGE:0WU71 

Ingred Name:CTRUS TERPENE CAS:64742-96-7 > Wt:90.

Health Hazards Acut

e and Chronic:INGESTION: SWALLOWING LARGE AMOUNTS MAY BE HARMFUL, BY CAUSING GASTROINTESTINAL IRRITATION. DO NOT INDUCE VOMITING. DRINK WATER TO DILUTE SUBSTANCE. DO NOT GIVE UNCONSCIOUS VICTIM ANY WATER. INHALATIO N: BREATHING LARGE AMOUNTS MAY BE HARMFUL, BY CAUSING NOSE, THROAT, RESPIRATORY TRACT IRRITATION. EYES: IRRITANT. LIQUID CONTACT WILL IRRITATE EYES AND MAY CAUSE STINGING, TEARING AND REDNESS. SKIN CO NTACT: MAY CAUSE MILD IRRITATION OF REDNESS AND BURNING.

Effects of Overexposure:INGESTION: SWALLOWING LARGE AMOUNTS MAY BE HARMFUL, BY CAUSING GASTROINTESTINAL IRRITATION. DO NOT INDUCE VOMITING. DRINK WATER TO DILUTE SUBSTANCE. DO NOT GIVE UNCONSCIOUS VICTIM ANY WATER. INHALATIO N: BREATHING LARGE AMOUNTS MAY BE HARMFUL, BY CAUSING NOSE, THROAT, RESPIRATORY TRACT IRRITATION. EYES: IRRITANT. LIQUID CONTACT WILL IRRITATE EYES AND MAY CAUSE STINGING, TEARING AND REDNESS. SKIN CO NTACT: MAY CAUSE MILD IRRITATION OF REDNESS A ND BURNING.

First Aid:INGESTION: SEEK MEDICAL ATTENTION IMMEDIATELY. IF INDIVIDUAL IS DROWSY OR UNCONSCIOUS, DO NOT GIVE ANYTHING BY MOUTH; PLACE INDIVIDUAL ON LEFT SIDE WITH HEAD DOWN. CONTACT MEDICAL FACILITY OT POISON C ONTROL CENTER FOR ADVICE ABOUT WHETHER TO INDUCE VOMITING. INHALATION: REMOVE TO FRESH AIR, IF BREATHING IS DIFFICULT GIVE OXYGEN. KEEP PERSON WARM AND QUIET. SEEK MEDICAL ATTENTION. EYE

S:

IRRIGATE IM MEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN: WASH WITH SOAP AND WATER. THOROUGHLY CLEAN CONTAMINATED CLOTHING AND SHOES BEFORE REUSE. IF SYMPTOMS P ERSIST, SEEK MEDICAL ATTENTION.

Flash Point Method:TCC Flash Point:=48.9C, 120.F Extinguishing Media:REGULAR FOAM, WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, CLASS B. Fire Fighting Procedures:WAT ER MAY SPREAD FIRE. Unusual Fire/Explosion Hazard:COMBUSTIBLE-KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES. STORE CONTAMINATED RAGS IN CONTAINER APPROVED FOR PREVENTING SPONTANEOUS COMBUSTION.

Spill Release Procedures:SMALL: ABSORB ON VERMICULITE, FLOOR ABSORBENT, OR OTHER ABSORBENT MATERIAL. LARGE: ELIMINATE ALL IGNITION SOURCES,(FLARES, FLAMES INCLUDING PILOT LIGHTS, ELECTRICAL SPARKS). PERSONS NOT WEARIN

G PROTEC TIVE EQUIPMENT SHOULD BE EXCLUDED FROM AREA OR SPILL UNTIL CLEAN-UP HAS BEEN COMPLETED. STOP SPILL AT SOURCE. PREVENT FROM ENTERING DRAINS, SEWERS, STREAMS, ETC. IF RUNOFF OCCURS, SEE SUPP

Handling and Storage Precautions: SINCE EMPTY CONTAINER RETAIN PRODUCT RESIDUE, ALL HAZARD PRECAUTION GIVEN IN THE DATA SHEET MUST BE OBSERVED. ALL METAL PAILS OR DRUMS SHOULD BE GROUNDED AND/OR BONDED WHEN MA

TERIAL IS TRANSFERRED. AN Y USE OF THIS PRODUCT IN ELEVATED TEMPERATURE PROCESSE SHOULD BE THOROUGHLY; SEE \*\*OTHER PRECAUTIONS Other Precautions:KEEP THIS AND ALL CHEMICALS OUT OF REACH OF CHILDREN. \*\*EVALUATED TO ESTABLISH AND MAINTAIN SAFE OPERATING CONDITIONS. SUDDEN RELEASE OF HOT ORGANIC CHEMICAL VAPORS OR MISTS FROM PROCESS EQUIPMENT OP ERATING AT ELEVATED TEMPERATURE MAY RESULT IN IGNITION.

## Respirat

ory Protection:NOT REQUIRED UNDER CONDITIONS OF NORMAL USE. IF VAPOR MIST IS PRESENT USE NIOSH CERTIFIED ORGANIC VAPOR MASK. Ventilation:LOCAL EXHAUST/HOOD OR FAN MAY BE USED. Protective Gloves:VITRON, NITRILE, OR PVC Eye Protection:SAFETY GLASSES AND SPLASH PROTECTION REQUIRED. Other Protective Equipment:NONE REQUIRED UNDER NORMAL USE. Work Hygienic Practices:STORE RAGS USED WITH THIS MATERIAL IN AN AIR TIGHT, METAL CONTAINER TO PREVENT SPONTANEOUS COMBUSTION. TREAT THIS CHEMICAL WI

TH RESPECT AND FOLLOW ALL MSDS INSTRUCTIONS. Supplemental Safety and Health P/N: 0315-1 \*\*NOTIFY AUTHORITIES AS REQUIRED. PUMP OR VACUUM TRANSFER SPILLED PRODUCT TO CLEAN CONTAINERS FOR RECOVERY. TRANSFER CONTAMINATED ABSORBENT, SOIL AND OTHER MATERIALS TO CONTAINERS FOR DI SPOSAL. HCC:F4 Boiling Pt:=176.1C, 349.F Vapor Pres:1.5 MMHG Vapor Density:4.5MMHG Spec Gravity:0.84 Evaporation Rate & amp; Reference:0.21 S olubility in Water:NEGLIGIBLE Appearance and Odor: CLEAR, LIGHT AMBER LIQUID WITH MILD CITRUS ODOR. Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH STRONG OXIDIZING AGENTS. Stability Condition to Avoid: TEMPERATURE EXTREMES, HEAT, SPARKS OR OPEN FLAME. Hazardous Decomposition Products: IF BURNED, NORMAL COMBUSTION PRODUCTS ARE CO AND CO2. Conditions to Avoid Polymerization: CAN OCCUR ON SOLVENT SOAKED RAGS UNDER EXTREME CONDITIONS. Waste Disposal Methods: PREPSOLV LIQUID IS TO BE DISPOSED OF ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS. PLEASE CALL US IF YOU NEED ADDITIONAL DISPOSAL INFORMATION. Transport Information: NO DOT REGULATED FOR CONTAINERS LESS THAN 110 GALLONS.

Federal Regulatory Information:RCRA REGULATED. ALL MATERIALS IN PRODUCT ARE TSCA LISTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.