View NSN Online: https://aerobasegroup.gr/nsn/6850-01-465-1910

CONTEC, INC. -- SWCN0111, PROSAT AND SATWIPES FAMILY OF PRESATURATED WIPERS --

6850-01-465-1910

Product ID:SWCN0111, PROSAT AND SATWIPES FAMILY OF PRESATURATED WIPERS

MSDS Date:03/09/2000

FSC:6850

NIIN:01-465-1910

MSDS Number: CKVZS

=== Responsible Party ===

Company Name: CONTEC, INC.

Address:525 LOCUST GROVE RD

City:SPARTANBURG

State:SC ZIP:29303 Country:US

Info

Phone Num:864-503-8333

Emergency Phone Num:800-424-9300

Resp. Party Other MSDS Num.:SKYKLEEN 1000

Preparer's Name: NOT PROVIDED Chemtrec Ind/Phone: (800)424-9300

CAGE:0M3C8

=== Contractor Identification === Company Name:CONTEC, INC. Address:525 LOCUST GROVE RD

Box:City:SPARTANBURG

State:SC ZIP:29303 Country:US

Phone:864-503-8333

Contract Num:SP0450-01-M-D263

CAGE:0M3C8

Company Name: CONTEC, INC. Address: 525 LOCUST GROVE RD

Box:City:SPARTANBURG

State:SC ZIP:29303 Country:US

Phone:864-503-8333

Contra

ct Num:SP0450-01-M-D936

CAGE:0M3C8

======= Composition/Information on Ingredients ========

Ingred Name: DIMETHYL GLUTARATE

CAS:1119-40-0 Minumum % Wt:55. Maxumum % Wt:75.

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED
ACGIH TLV:NOT PROVIDED

Ingred Name: DIMETHYL SUCCINATE

CAS:106-65-0

RTECS #:WM7675000 Minumum % Wt:15. Maxumum % Wt:35. Other REC Limits:NOT PROVIDED OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

Ingred Name:DIMETHYL ADIPATE

CAS:627-93-0

RTECS #:AV1645000

Minumum

% Wt:5.

Maxumum % Wt:25.


Other REC Limits: NOT PROVIDED

OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

========= Hazards Identification ==============

LD50 LC50 Mixture:ORAL LD50 RAT: 500MG/KG-5000MG/KG
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:CONTACT MAY CAUSE EYE IRRITATION. HIGH
VAPOR CONCENTRATIONS MAY CAUSE IRRITATION OF EYES AND RESPIRATORY
TRACT.

Explanation of Carcinogenicity:NONE Effects of Overexposure:CONTACT MA



IS ADVISED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL.

Ventilation: ENGINEERING AND ADMINISTRATIVE CONTROLS SHOULD BE IMPLEMENTED TO REDUCE EXPOSURE. TRANSFER MATERIAL IN AN APPROVED FUME HOOD WITH ADEQUATE VENTILATION.

Protective Gloves: BUTYL RUBBER, PVC OR EQUIVALENT

Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS MUST BE WORN AT ALL TIMES

Other Protective Equipment:EYE WASH AND SAFETY EQUIPMENT SHOULD BE READILY AVAILABLE.

Work Hygienic Practices: WASH THOROUGHLY AFTER HAND

LING. DO NOT TAKE

INTERNALLY.

Supplemental Safety and Health

P/N: CONTAINING 100% SKYKLEEN 1000/CANISTER. ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT AVAILABLE. N/K = UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT ESTABLISHE D.

======== Physical/Chemical Properties ===========

HCC:V5

NRC/State Lic Num: NOT RELEVANT

Boiling Pt:B.P. Text:196-226C Melt/Freeze Pt:=-40.C, -40.F Vapor Pres:0.06 @ 20C/68F

Spec Gravity: 1.086

pH:NOT

**PROVIDED** 

Viscosity: NOT PROVIDED

Evaporation Rate & Evaporation R

Solubility in Water:PARTIAL

Appearance and Odor:CLEAR, COLORLESS LIQUID; SWEET ODOR

Percent Volatiles by Volume:100 Corrosion Rate:NOT PROVIDED


======== Stability and Reactivity Data ===========

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS, ACIDS, AND ALKALIS.

Stability Condition to Avoid:HEAT, CONTACT WITH IGNITION SOURCES. VAPOR FORMS EXPLOSIVE MIXTURE IN AIR.

Hazardous Decompos



ition Products: CARBON MONOXIDE, CARBON DIOXIDE, AND

advice to verify and assume responsibility for the suitability of this information to their particular situation.