

CENTURY LUBRICANTS CO -- CHEMPLEX 825 -- 6850-00-294-0860

=====  
Product Identification  
=====

Product ID:CHEMPLEX 825

MSDS Date:02/05/1999

FSC:6850

NIIN:00-294-0860

MSDS Number: CKYJW

=== Responsible Party ===

Company Name:CENTURY LUBRICANTS CO

Address:2140 S. 88TH STREET

City:KANSAS CITY

State:KS

ZIP:66111-8701

Country:US

Info Phone Num:913-791-3645/800-800-6457

Emergency Phone Num:800-800-6457

P

reparer's Name:M.D. HART

Chemtrec Ind/Phone:(800)424-9300

CAGE:0BF03

=== Contractor Identification ===

Company Name:CENTURY LUBRICANTS CO, NFO TECHNOLOGIES DIV

Address:2140 S. 88TH STREET

Box:City:KANSAS CITY

State:KS

ZIP:66111-8701

Country:US

Phone:913-422-4022/ 800-800-6457

CAGE:0BF03

Company Name:FUCHS LUBRICANTS CO

Address:17050 LATHROP AVE

Box:8327

City:HARVEY

State:IL

ZIP:60426-5000

Country:US

Phone:708-333-8900/800-255-3924

CAGE:GO583

Company Name:INLAND PACKAGING INC

Address:209 PETERSON

DR  
Box:644  
City:ELIZABETHTOWN  
State:KY  
ZIP:42701-9804  
Country:US  
Phone:502-737-6757  
Contract Num:SP0450-01-M-D437  
CAGE:66172  
Company Name:OMEGA ELECTRONICS  
Address:95 HARTFORD AVE  
Box:City:SAN CARLOS  
State:CA  
ZIP:94070  
Country:US  
Phone:650-591-2510  
Contract Num:SP0450-01-M-ZG32  
CAGE:7W657

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SILICONE THICKNER  
OSHA PEL:20 MPPCF (DUST)

=====  
Hazards Identification  
=====

Routes of E

ntry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: NONE EXPECTED. SKIN: PROLONGED  
OR REPEATED CONTACT MAY CAUSE MILD IRRITATION. INHALATION: NONE  
EXPECTED. INGESTION: NONE EXPECTED. CHRONIC: NONE EXPECTED.

Explanation of Carcinogenicity:NOT LISTED.

Effects of Overexposure:EYES: NONE EXPECTED. SKIN: PROLONGED OR  
REPEATED CONTACT MAY CAUSE MILD IRRITATION. INHALATION: NONE  
EXPECTED. INGESTION: NO  
NE EXPECTED.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH WATER. SEE PHYSICIAN. SKIN: WASH WITH SOAP  
AND WATER. IF HIGH PRESSURE, GET IMMEDIATE MEDICAL ATTENTION.  
INHALATION: REMOVE FROM CONTAMINATED AREA. INGESTION: NONE  
EXPECTED.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC

Flash Point:=148.9C, 300.F

Extinguishing Media:DRY CHEMICAL, CO2, WATERSPRAY, AND FOAM.

Fire Fighting Procedu

res:AVOID BREATHING VAPORS. USE BREATHING APPARATUS IN CONFINED AREAS. COOL EXPOSED CONTAINERS WITH WATERSPRAY.

===== Accidental Release Measures =====

Spill Release Procedures:ADD ABSORBENT TO SPILL AREA. KEEP SILICONE PRODUCTS OUT OF SEWERS AND WATERWAYS. ADVISE AUTHORITIES IF THEY DO ENTER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN USE. DO NOT HANDLE NEAR HEAT, FLAMES, SPARKS. DO NOT WELD OR HEAT EMPTY CONTAINERS.

Other Precautions:HMIS: 1,1,0, B.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED.

Ventilation:GENERAL ADEQUATE. USE LOCAL MECHANICAL TO INSURE TLV'S NOT SURPASSED WHERE APPLICABLE.

Protective Gloves:CHEMICALLY RESISTANT DESIRABLE.

Eye Protection:GOGGLES OR FACESHIELD DESIRABLE.

Other Protective Equipment:NONE NORMALLY NEEDED.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:=315.6C, 600.F

Vapor Pres:(MM HG@20C): NIL

Vapor Density:>1

Spec Gravity:0.97

Evaporation Rate & Reference:(ETHER=1):